

FACE SUNSCREEN- face sunscreen cream
Shenzhen Xiaomai Manufacturing Co., Ltd.

Active ingredients

Octinoxate 5%
Octocrylene 5%
Zinc oxide 6.2%

Purpose

Sunscreen
Moisturizes throughout the day & helps protect

Uses

Apply sunscreen generously to exposed skin. Rub it in evenly. Reapply as needed especially after swimming or sweating. Enjoy your sun-protected day!

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

Only for external use. do not ingest.
Avoid direct contact with eyes.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away.

Ask Doctor

When Pregnant or breast-feeding.

Directions

Directions for use

- apply liberally 15 minutes before sun exposure.
- reapply at least every 2 hours.
- use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging
- To decrease this risk, regularly use a sunscreen with a B road.
- Spectrum SPF value of15 or higher and other sun protection□
- limit time in the sun, especially from 10 a.m.-2 p.m.
- and wear long-sleeved shirts, pants, hats, and sunglasses


Other information

Before use, read all information on thecarton Store at controlled room temperature20 to 25 C (68 to 77°F)

Inactive ingredients

Water, Glycerin, Cetearyl Alcohol, Butylene Glycol,Niacinamide, Sodium Hyaluronate, Tocopherol, Centella,Asiatica Extract,Camellia Sinensis Leaf Extract,Ethylhexylglycerin, Carbomer, Triethoxycaprylysilane,Phenoxyethanol,Xanthan Gum,Additional Ingredients(Fragrances,Stabilizers,etc.),Dibutyl Adipate,Polymethylsiesquioxane,Coco-Caprylate/Capratae,Hyaluronic Acid.

PRINCIPAL DISPLAY PANEL



内尺寸(Inner dimension) 41(L)X41(W)X125(H) mm
 外尺寸(Outside dimension) 42(L)X42(W)X127(H) mm
 制造尺寸(Manufacture dimensions) 41.6(L)X41.6(W)X126.1(H) mm
 材质(Material) 350g白卡(0.5mm)
 厚度(Thickness) 0.5mm
 出血线


备注(Remark) 盒形代码(Box No.)
 展开面积(Design Area) 表面工艺(Membrane)
 折痕线

100010
 178.5mm X 230.3mm
 覆膜



内尺寸(Inner dimension) 41(L)X41(W)X125(H) mm
 外尺寸(Outside dimension) 42(L)X42(W)X127(H) mm
 制造尺寸(Manufacture dimensions) 41.6(L)X41.6(W)X126.1(H) mm
 材质(Material) 350g白卡(0.5mm)
 厚度(Thickness) 0.5mm
 出血线

备注(Remark) 盒形代码(Box No.)
 展开面积(Design Area) 表面工艺(Membrane)
 折痕线



内尺寸(Inner dimension) 41(L)X41(W)X125(H) mm
 外尺寸(Outside dimension) 42(L)X42(W)X127(H) mm
 制造尺寸(Manufacture dimensions) 41.6(L)X41.6(W)X126.1(H) mm
 材质(Material) 350g白卡(0.5mm)
 厚度(Thickness) 0.5mm
 出血线

备注(Remark) 盒形代码(Box No.)
 展开面积(Design Area) 表面工艺(Membrane)
 折痕线

100010
 178.5mm X 230.3mm
 覆膜



内尺寸(Inner dimension) 41(L)X41(W)X125(H) mm
 外尺寸(Outside dimension) 42(L)X42(W)X127(H) mm
 制造尺寸(Manufacture dimensions) 41.6(L)X41.6(W)X126.1(H) mm
 材质(Material) 350g白卡(0.5mm)
 厚度(Thickness) 0.5mm
 出血线

备注(Remark) 盒形代码(Box No.)
 展开面积(Design Area) 表面工艺(Membrane)
 折痕线

100010
 178.5mm X 230.3mm
 覆膜



内尺寸(Inner dimension) 41(L)X41(W)X125(H) mm
 外尺寸(Outside dimension) 42(L)X42(W)X127(H) mm
 制造尺寸(Manufacture dimensions) 41.6(L)X41.6(W)X126.1(H) mm
 材质(Material) 350g白卡(0.5mm)
 厚度(Thickness) 0.5mm
 出血线

备注(Remark) 100010
 盒形代码(Box No.) 178.9mm X 230.3mm
 展开面积(Design Area) 哑膜
 表面工艺(Membrane) 哑膜

内尺寸(Inner dimension) 41(L)X41(W)X125(H) mm
 外尺寸(Outside dimension) 42(L)X42(W)X127(H) mm
 制造尺寸(Manufacture dimensions) 41.6(L)X41.6(W)X126.1(H) mm
 材质(Material) 350g白卡(0.5mm)
 厚度(Thickness) 0.5mm
 出血线

备注(Remark) 100010
 盒形代码(Box No.) 178.9mm X 230.3mm
 展开面积(Design Area) 哑膜
 表面工艺(Membrane) 哑膜



内尺寸(Inner dimension) 41(L)X41(W)X125(H) mm
 外尺寸(Outside dimension) 42(L)X42(W)X127(H) mm
 制造尺寸(Manufacture dimensions) 41.6(L)X41.6(W)X126.1(H) mm
 材质(Material) 350g白卡(0.5mm)
 厚度(Thickness) 0.5mm
 出血线

备注(Remark) 100010
 盒形代码(Box No.) 178.9mm X 230.3mm
 展开面积(Design Area) 哑膜
 表面工艺(Membrane) 哑膜

备注(Remark) 100010
 盒形代码(Box No.) 178.9mm X 230.3mm
 展开面积(Design Area) 哑膜
 表面工艺(Membrane) 哑膜

100010
 178.9mm X 230.3mm
 哑膜



Drug Facts	PURPOSE
ACTIVE INGREDIENT SECTION	Sunscreen
Octinoxate 5%	Sunscreen
Octocrylene 5%	Sunscreen
Zinc Oxide 6.2%	Sunscreen

Uses
 • Helps prevent sunburns.
 • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings Section
 • For external use only.
 • Do not use on damaged or broken skin.
 • When using this product keep out of eyes.
 • Rinse with water to remove.
 • Stop use and ask a doctor if rash occurs.
 • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions for use
 • Apply liberally 15 minutes before sun exposure.
 • Reapply at least every 2 hours.
 • Use water resistant sunscreen if swimming or sweating.
 • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.
 • To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • Wearing in the sun, especially from 10 a.m. - 2 p.m.
 • and use long-sleeved shirts, pants, hats, and sunglasses.

Other information
 Protect the product in this container from excessive heat and direct sun.

Inactive Ingredient Section

Ingredients
 Water, Glycerin, Cetylal Alcohol, Butylene Glycol, Macadamia, Sodium Hydroxide, Tocopherol, Centella Asiatica Extract, Camellia Sinensis Leaf Extract, Dihydroxyacetone, Carbomer, Tetrahydroxypropylidene, Phenoxyethanol, Xanthan Gum, Additional Ingredients (Fragrance, Stabilizers, etc.), Triethyl Citrate, Polyethylene Glycol, Coco-Caprylate/Caprate, Hydroxyacetic Acid.



Manufacturer
 Shenzhen Xiaohai Manufacturing Co., Ltd.
Address
 #1 Guanlan Road, Nianhu, Shenzhen, China

Country of origin
 China

Net Contents
 0.45 FL OZ / 250ml e+


Production Date
 22 January 2024

Expiry Date
 Before 24 Months (Sealed/Unopened)
 Best Before 12 Months (After Opening)

MJCM Product LTD
 Unit 26, Shop 16, 165-167
 Hill, Liverpool, L3 5TA,
 UK
 TEL: +44 151 5047415
 E-Mail: mjcm0909@gmail.com

MJCM Limited
 Room 402, 11th Floor
 Dublin 1, Ireland
 TEL: +353 084433095
 E-Mail: mjcm0909@gmail.com





<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>ACTIVE INGREDIENT SECTION</th> <th>PURPOSE</th> </tr> </thead> <tbody> <tr> <td>Octinoxate 5%</td> <td>Sunscreen</td> </tr> <tr> <td>Octocrylene 5%</td> <td>Sunscreen</td> </tr> <tr> <td>Zinc Oxide 6.2%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> helps prevent sunburn. if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. <p>Warnings Section</p> <ul style="list-style-type: none"> For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. <p>Directions for use</p> <ul style="list-style-type: none"> apply liberally 15 minutes before sun exposure. reapply at least every 2 hours. use a water resistant sunscreen if swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. - 2 p.m. and wear long-sleeved shirts, pants, hats, and sunglasses. 	ACTIVE INGREDIENT SECTION	PURPOSE	Octinoxate 5%	Sunscreen	Octocrylene 5%	Sunscreen	Zinc Oxide 6.2%	Sunscreen	<p>F A C E</p> <p>S U N S C R E E N</p> <p>HELPS PROTECTES WATER-FIT SUN SERUM</p> <p>SPF50+ PA++++</p> <p>MADE WITH PURE CENTELLA</p> <p>1.7 FL OZ (50 g) e</p>	<div style="display: flex; justify-content: space-around;"> </div> <p>Inactive Ingredient Section</p> <p>Ingredients</p> <p>Water, Glycerin, Cetearyl Alcohol, Butylene Glycol, Niacinamide, Sodium Hyaluronate, Tocopherol, Centella Asiatica Extract, Camellia Sinensis Leaf Extract, Ethylhexylglycerin, Carbomer, Triethoxycaprylylsilane, Phenoxyethanol, Xanthan Gum, Additional Ingredients (Fragrances, Stabilizers, etc.), Dibutyl Adipate, Polymethylsilsesquioxane, Coco-Caprylate/Caprate, Hyaluronic Acid.</p> <p>Other Information</p> <p>Protect the product in this container from excessive heat and direct sun.</p> <p>Manufacturer</p> <p>Shenzhen XiaoMai Manufacturing Co., Ltd.</p> <p>Address</p> <p>81 Guanfian Road, Nihu, Shenzhen, China</p> <p>Country of Origin China</p> <p>Net Contents 8.45FL.OZ. / 250ml e</p> <p>Production Date 22 January 2024</p> <p>Expiry Date Before 24 Months (Sealed/Unopened) Best Before 12 Months (After Opening)</p> <div style="display: flex; justify-content: space-between; font-size: small;"> <div> <p>MCM Product LTD Unit 36 Aloop Arcade browtown Mill Liverpool, L3 3FX, UK TEL: 0044 7625478964 E-Mail: mjcm19092@gmail.com</p> </div> <div> <p>MCM Limited Room A&Z, Liberty Building, Dunelm 1, Ireland TEL: +353 0894830095 E-Mail: mjcm19092@gmail.com</p> </div> </div> <div style="text-align: right;"> </div>
ACTIVE INGREDIENT SECTION	PURPOSE									
Octinoxate 5%	Sunscreen									
Octocrylene 5%	Sunscreen									
Zinc Oxide 6.2%	Sunscreen									

FACE SUNSCREEN

face sunscreen cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83872-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.2 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
WATER (UNII: 059QF0KO0R)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
NIACINAMIDE (UNII: 25X5118RD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
1,3-BUTYLENE GLYCOL 1-PROPIONATE (UNII: 17U77WTV66)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83872-013-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	01/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/29/2024	

Labeler - Shenzhen Xiaomai Manufacturing Co., Ltd. (712999147)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Xiaomai Manufacturing Co., Ltd.		712999147	manufacture(83872-013)

Revised: 1/2024

Shenzhen Xiaomai Manufacturing Co., Ltd.