

**NITROGEN - nitrogen gas**  
**Westair Gas & Equipment, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Nitrogen**

UN166 NITROGEN, COMPRESSED NF

CONTENTS LOT NUMBER

**CAUTION! HIGH-PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION. MAY CAUSE DIZZINESS AND**

(52°C). Use with equipment rated for cylinder pressure. Use a backflow prevention device in any piping. Close

valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS form P-4631 and safe practices booklets P-3499 and P-14-153; obtain from your local supplier. **FIRST AID: IF INHALED**, remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, qualified personnel may give oxygen. Call a physician. **WARNING!** Administration of nitrogen may be

hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

Rx ONLY CAS 7727-37-8

**IN CASE OF EMERGENCY: CALL 1-800-645-4633**

**DISTRIBUTED BY PRAXAIR, INC., DANBURY**

**DO NOT REMOVE THIS LABEL PMG-4 (11/07)**

Copyright @ 2002, 2005, 2007, Praxair Technology, inc.

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc.

**DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113**



UN1977 NITROGEN, REFRIGERATED LIQUID NF

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE-FIT CONNECTIONS

LOT #

NET CONTENTS

**WARNING! EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. MAY CAUSE DIZZINESS AND DROWSINESS.**

Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or on clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Use piping and equipment adequately designed to withstand any pressures to be encountered. Use a backflow prevention device in any piping. Container temperature should not exceed 125°F (52°C). Close valve after each use; keep closed even when empty. Always secure container so it cannot be knocked over. Use per Praxair MSDS form P-4630 and safety booklets P-3499 and P-14-153 (obtain from your local supplier), and manufacturer's instructions for this container

**RX ONLY**

**FIRST AID: IF INHALED**, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. **IN CASE OF FROSTBITE**, obtain medical treatment immediately.

**WARNING:** Administration of nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and Administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.


**DO NOT REMOVE THIS LABEL**


Rx ONLY CAS 7727-37-9 PRODUCED BY AIR LIQUEFACTION

IN CASE OF EMERGENCY: CALL 1-800-645-4633  
 DISTRIBUTED BY PRAXAIR, INC., DANBURY  
 PMG-10 (07/08)

Copyright @ 1998, 2002, 2008. Praxair Technology, Inc. All rights reserved

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc.  
 DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113





↑ ALWAYS KEEP CONTAINER  
IN UPRIGHT POSITION ↑

DO NOT CHANGE OR  
FORCE-FIT CONNECTIONS

**UN 1977**  
**NITROGEN,**  
**REFRIGERATED LIQUID**  
**NF**

CAS: 7727-37-9

LOT NUMBER \_\_\_\_\_

NET CONTENTS \_\_\_\_\_

**WARNING!** EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. MAY CAUSE DIZZINESS AND DROWSINESS.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or on clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Use piping and equipment adequately designed to withstand any pressures to be encountered. Use a backflow prevention device in any piping. Container temperature should not exceed 125°F (52°C). Close valve after each use; keep closed even when empty. Always secure container so it cannot be knocked over. Use per Praxair MSDS form P-4630 and safety booklets P-3499 and P-14-153 (obtain from your local supplier), and manufacturer's instructions for this container.


**Rx ONLY**

**FIRST AID:** IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

**WARNING:** Administration of nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

IN CASE OF EMERGENCY: CALL 1-800-645-4633

DO NOT REMOVE THIS LABEL



MADE IN USA  
PMG-10 (07/08)

Copyright © 1998, 2002, 2008, Praxair Technology, Inc. All rights reserved.  
Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc.

DISTRIBUTED BY PRAXAIR, INC.  
DANBURY, CT 06810-5113

## NITROGEN

nitrogen gas

### Product Information

|                                |                          |                           |               |
|--------------------------------|--------------------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN PRESCRIPTION DRUG  | <b>Item Code (Source)</b> | NDC:15408-002 |
| <b>Route of Administration</b> | RESPIRATORY (INHALATION) |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength      |
|--|-------------------|---------------|
| Nitrogen (UNII: N762921K75) (Nitrogen - UNII:N762921K75) | Nitrogen          | 990 mL in 1 L |

### Packaging

| #  | Item Code        | Package Description    | Marketing Start Date | Marketing End Date |
|----|------------------|------------------------|----------------------|--------------------|
| 1  | NDC:15408-002-01 | 138 19 L in 1 CYLINDER |                      |                    |
| 2  | NDC:15408-002-02 | 12176 L in 1 CYLINDER  |                      |                    |
| 3  | NDC:15408-002-03 | 9656 L in 1 CYLINDER   |                      |                    |
| 4  | NDC:15408-002-04 | 8608 L in 1 CYLINDER   |                      |                    |
| 5  | NDC:15408-002-05 | 7221 L in 1 CYLINDER   |                      |                    |
| 6  | NDC:15408-002-06 | 6454 L in 1 CYLINDER   |                      |                    |
| 7  | NDC:15408-002-07 | 4021 L in 1 CYLINDER   |                      |                    |
| 8  | NDC:15408-002-08 | 3228 L in 1 CYLINDER   |                      |                    |
| 9  | NDC:15408-002-09 | 2152 L in 1 CYLINDER   |                      |                    |
| 10 | NDC:15408-002-10 | 1104 L in 1 CYLINDER   |                      |                    |
| 11 | NDC:15408-002-11 | 651 L in 1 CYLINDER    |                      |                    |
| 12 | NDC:15408-002-12 | 538 L in 1 CYLINDER    |                      |                    |
| 13 | NDC:15408-002-13 | 396 L in 1 CYLINDER    |                      |                    |
| 14 | NDC:15408-002-14 | 198 L in 1 CYLINDER    |                      |                    |
| 15 | NDC:15408-002-15 | 113 L in 1 CYLINDER    |                      |                    |
| 16 | NDC:15408-002-16 | 7079 L in 1 CYLINDER   |                      |                    |
| 17 | NDC:15408-002-17 | 4021 L in 1 CYLINDER   |                      |                    |
| 18 | NDC:15408-002-18 | 878 L in 1 CYLINDER    |                      |                    |
| 19 | NDC:15408-002-19 | 651 L in 1 CYLINDER    |                      |                    |
| 20 | NDC:15408-002-20 | 566 L in 1 CYLINDER    |                      |                    |
| 21 | NDC:15408-002-21 | 396 L in 1 CYLINDER    |                      |                    |
| 22 | NDC:15408-002-22 | 142 L in 1 CYLINDER    |                      |                    |
| 23 | NDC:15408-002-23 | 87773 L in 1 DEWAR     |                      |                    |
| 24 | NDC:15408-002-24 | 92489 L in 1 DEWAR     |                      |                    |
| 25 | NDC:15408-002-25 | 102281 L in 1 DEWAR    |                      |                    |
| 26 | NDC:15408-002-26 | 107722 L in 1 DEWAR    |                      |                    |
| 27 | NDC:15408-002-27 | 114976 L in 1 DEWAR    |                      |                    |
| 28 | NDC:15408-002-28 | 132023 L in 1 DEWAR    |                      |                    |
| 29 | NDC:15408-002-29 | 137463 L in 1 DEWAR    |                      |                    |
| 30 | NDC:15408-002-30 | 247724 L in 1 DEWAR    |                      |                    |
| 31 | NDC:15408-002-31 | 363063 L in 1 DEWAR    |                      |                    |
| 32 | NDC:15408-002-32 | 91400 L in 1 DEWAR     |                      |                    |
| 33 | NDC:15408-002-33 | 101556 L in 1 DEWAR    |                      |                    |
| 34 | NDC:15408-002-34 | 124406 L in 1 DEWAR    |                      |                    |
| 35 | NDC:15408-002-35 | 143267 L in 1 DEWAR    |                      |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved medical gas |  | 10/01/2007           |                    |

**Labeler** - Westair Gas & Equipment, LLC (145580226)

## Establishment

| Name                        | Address | ID/FEI    | Business Operations    |
|-----------------------------|---------|-----------|------------------------|
| Westair Gas & Equipment, LP |         | 020774605 | manufacture(15408-002) |

