ARC FIRST AID CONTAINS 303 PIECES HARDCASE - benzalkonium chloride, lidocaine, bacitracin zinc, neomycin sulfate, polymyxin b sulfatebacitracin zinc, neomycin sulfate, polymyxin b sulfate, water, isopropyl alcohol,benzocaine,alcohol, aspirin American Red Cross

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ARC FIRST AID Contains 303 PIECES HARDCASE

ACTIVE INGREDIENTS:

Benzalkonium Chloride 0.13% Lidocaine HCL 0.5%

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with:

Minor Cuts

Scrapes

Burns

Warnings:

For external use only

Do not use: In eyes, in large quantities, over raw blistered areas, or on deep puncture wounds, animal bites or serious burns, for more than one week

Keep out of reach of Children.

If ingested, contact a Poison Control Center right away.

Directions: Clean affected area, Apply small amount not more than 3 times daily.

May be covered with a sterile bandage.

Other Information:

Store at room temperature


Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.



Active Ingredient:

Purpose

Benzalkonium Chloride 0.40%..... First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive Ingredient: Purified water

LOT/EXP: Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

Active Ingredient:Bacitracin Zinc 400 units

Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

Uses: To help prevent infection in: minor cuts; scrapes; burns

Warnings:

For external use only.

Do not use: in eyes; over large areas of the body;



DRUG FACTS - Antiseptic Towelette

	VIVIHO OI OPOM	
•		towelette appropriately after sir Inactive ingredient: Purified w
۰.		and use to cleanse desired skin
TE		Directions: Tear open packet,
AR		Do not use: In the eyes, or ove
I		If unusual redness, swelling or
Π		or contact a Poison Control Ce
R	, get medical help	reach of children. If swallowed
Π	ly. Keep out of	Warnings: For external use on
1	nd water.	s deos tuodtiw ybod bne sbned
	,eansing of face,	prevent infection. Antiseptic cle
		Use: For Professional and Hos
		Benzalkonium Chloride 0.40%.
1	Purpose:	Active Ingredient:

GENUINE FIRST AID

AVIH:) ni ehem

If allergic to any of the ingredients; for more than one week unless directed by a physician. Stop use and consult a doctor:

if the condition persists or gets worse; a rash or other allergic reaction develops Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage Other information:

Store at room temperature.

Genuine Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg


Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt. 0.5g ; (1/64 oz)

Manufactured in CHINA for

GENUINE FIRST AID.



Active Ingredient:

Purified Water USPq.s. Inactive Ingredients:	
Sodium Chloride USP	44mg
Monobasic Sodium Phosphate USP Sodium Phosphate Dibasic USP	18mg 111mg
Edetate Disodium USP	10 mg
Benzalkonium Chloride NF (as preservative)	0.5mg
Store in a cool place. For irrigation only.	
Discard unused portion of the solution.	
Not for injection.	

Warning:

If you experience eye pain, changes in vision, continued redness or irritation of the eye,

or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor.

Do not use if solution changes color or becomes cloudy.

Directions

Remove contacts before using.

Twist top to remove.

Flush the affected area as needed. Control

Rate of flow by pressure on the bottle. Do not touch

tip of the container to any surface. Do not reuse.

If necessary continue flushing with emergency eyewash or shower.

Discard bottle after use.

Uses:

For flushing or irrigating the eyes to

remove loose foreign material, air pollutants,

or chlorinated water.

Code No.: GUJ/DRUG/G/1080

Batch No.:

Mfg Date:


Exp: Date:

10 ml

Sterile Isotonic Buffered Genuine

Eyewash

For single use only



Active Ingredient:

Purpose

Isopropyl Alcohol, 70% v/v..... Antiseptic

Use: For preparation of skin before injection.

Warnings: For external use only.

Flammable - keep away from fire or flame

Store at room temperature 15-30 degree Celsius (59-86 degree Fahrenheit)

Do not use: with electrocautery, in the eyes.

Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor.

Keep out of reach of children. If swallowed,

get medical help or contact a Poison Control

Center right away.

Wipe Injection site vigorously and discard.

Inactive Ingredient: Purified water.

LOT/EXP: Made in CHINA

20140301

Alcohol Cleansing Pad Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID



DRUG FACTS - Alcohol Cleansing Pad

Active Ingredient:	Purpose:
Isopropyl Alcohol, 70% v	/v Antiseptic
Use: For preparation of	he skin before injection.
Warnings: For external	use only.
Flammable - keep away	from fire or flame.
Do not use: with electro	
Stop use if irritation and	redness develop.
If condition persists for n consult your doctor.	hore than 72 hours,
Keep out of reach of cl	ildren If swallowed
get medical help or conta	
Center right away.	Ш
Directions: Wipe injection discard.	on site vigorously and
Other information: Stor	e at room temperature
15°-30° C (59°-86° F)	o at room tomporataro 1
Inactive ingredient: Pu	ified water.
LOT/EXP:	Made in CHINA

20140301

Active Ingredient:

Purpose:

Benzocaine, 6% w/v..... Topical Anesthetic

SD alcohol, 60% w/v..... Antiseptic

Use: For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

Warnings: For external use only.

Avoid contact with eyes. If this happens, rinse thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Flammable - keep away from fire or flame.

Do not use: In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

Made in CHINA

LOT/EXP:

1/pouch

Genuine First Aid LLC, Clearwater FL 33755 www.GenuineFirstAid.com

GENUINE FIRST AID Made in CHINA . т

physician immediately. initation or other symptoms occur, consult a - TEAR HERE puncture wounds. If unusual redness, swelling, Do not use: In eyes, on broken skin, deep thoroughly with water. contact with eyes. If this happens, rinse Flammable - keep away from fire or flame. Avoid or contact a Poison Control Center right away. reach of children. If swallowed, get medical help Warnings: For external use only. Keep out of Selid associated with minor burns, scrapes and insect Direct the temporary relief of pain and itching SD alcohol, 60% w/v Antiseptic Benzocaine, 6% w/v Topical Anesthetic ١. Purpose: Active Ingredient: DRUG FACTS - Insect Sting Relief Pad

REORDER ISRP-001 Insect Sting **Relief Pad Toallitas para** Picaduras de Insectos Genuine First Aid LLC, Clearwater FL 33755 www.GenuineFirstAid.com ISO 9001-2010 GENUINE FIRST AID.

Active ingredient (in each tablet)

*nonsteroidal anti-inflammatory drug

Uses

Purpose

Aspirin 81 mg (NSAID*). Analgesic/Antipyretic

temporary relief of minor aches, pains and headaches

to reduce fever associated with colds, sore throats, teething

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of reye's syndrome, a rare but serious illness.

Stomach bleeding warning: This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user; has had stomach ulcers or bleeding problems takes a blood thinning (anticoagulant) or steroid drug takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) takes more or for a longer time than directed is age 60 or older has 3 or more alcoholic drinks every while using this product.

Do not use

if you are allergic to aspirin or any other pain relievers/fever reducers

for more than 10 days for pain unless directed by a doctor

for more than 3 days for fever unless directed by a doctor

for at least 7 days after a tonsillectomy or oral surgery

Ask a doctor before use if you have;

asthma

stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, ulcers or bleeding problems

a child experiencing arthritis pain

if you are;

allergic to aspirin

taking prescription drug for anticoagulation (thinning of blood), diabetes, gout or arthritis

Stop use and ask a doctor if;

an allergic reaction occurs, Seek medical help right away

pain or fever persists

new or unexpected symptoms occur

redness or swelling is present

ringing in ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions Do not use more than directed

Adults and Children (12 years and older): Chew 4 to 8 tablets with water every 4 hours, Do not exceed 48 tablets in 24 hours unless directed by a doctor.

Children Under 12 years: Consult a doctor.

Store at room temperature

tamper evident sealed packets

do not use any opened or torn packets

Inactive ingredients flavor, FD and C yellow No. 6, saccharin, sodium, silicon dioxide, starch, stearic acid, sucrose

MADE IN USA

Distributed by GENUINE FIRST AID

600 Cleveland Str Suite 400, Clearwater, FL 33755

2 Tablets

GENUINE FIRST AID.

Chewable Aspirin 81mg

2 Tablets



Chewable Aspirin 81mg

Active ingredient (in each tablet) Purpose Aspirin 81 mg (NSAID*)Analgesic/Antipyretic *nonsteroidal anti~inflammatory drug

Uses

temporary relief of minor aches, pains and headaches
 to reduce fever associated with colds, sore throats, teething

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Stomach bleeding warning: This product contains a nonsteroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user ■ has had stomach ulcers or bleeding problems ■ takes a blood thinning (anticoagulant) or steroid drug ■ takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ takes more or for a longer time than directed ■ is age 60 or older ■ has 3 or more alcoholic drinks every day while using this product

Do not use ■ if you are allergic to aspirin or any other pain relievers/fever reducers ■ for more than 10 days for pain unless directed by a doctor ■ for more than 3 days for fever unless directed by a doctor ■ for at least 7 days after a tonsillectomy or oral surgery

Warnings (continued)

Ask a doctor before use if you have ■ asthma ■ stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, uclers or bleeding problems ■ a child experiencing arthritis pain

if you are allergic to aspirin taking a prescription drug for anticoagulation (thinning of the blood), diabetes, gout or arthritis

Stop use and ask a doctor if ■ an allergic reaction occurs. Seek medical help right away ■ pain or fever persists ■ new or unexpected symptoms occur ■ redness or swelling is present ■ ringing in the ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions Do not use more than directed Adults and Children (12 years and older): Chew 4 to 8 tablets with water every 4 hours. Do not exceed 48 tablets in 24 hours unless directed by a doctor.

Children Under 12 Years: Consult a doctor.

Other information

■ store at room temperature ■ tamper evident sealed packets ■ do not use any opened or torn packets

Inactive ingredients flavor, FD&C yellow #6, saccharin sodium, silicon dioxide, starch, stearic acid, sucrose

MADE IN USA Distributed by GENUINE FIRST AID 600 Cleveland Str Suite 400, Clearwater, FL 33755

American Red Cross

Carrying Case 1 Soft-side Bag 1 Easy Access Pocket System

Small Cuts and Burns 25 Adhesive Plastic Bandages 3/4"x3" 155 Junior Plastic Bandages 3/8"x1-1/2" 3 Adhesive Plastic Bandages 1"x3" 1 Knuckle Fabric Bandage 50 Adhesive Spot Bandages 7/8"x7/8" 1 Fingertip Fabric Bandage 1 Elbow/Knee Adhesive Bandage 1 Burn Cream 4 Antiseptic Towelettes 1 Triple Antibiotic Ointment 0.9gr 1 Sterile Gauze Pads 2"x2" 20 Cotton Tipped Applicators

Medium Cuts and Scratches 4 Antiseptic Towelettes 1 Sterile Gauze Pad 2"x2" 1 Sterile Gauze Pad 3"x3" 1 Sterile Gauze Pad 4"x4" 1 Roller Gauze Bandage 2"x4.1yds. 1 Sterile Eye Pad 1 Sterile Eye Wash 10ml 2 Butterfly Wound Closures Severe Bleeding and Burns

1 First Aid Tape Roll 1/2"x2.5 yds.

- 1 Combine Pad 5"x9"
- 1 Combine Pad 8"x10"
- 1 Roller Gauze Bandage 3"x4.1yds.

CPR

1 CPR Breathing Barrier

Protection

- 2 Medical Grade Vinyl Gloves
- 1 Instant Cold Compress
- 2 Alcohol Cleansing Pads
- 1 Insect Sting Relief Pads
- 1 Emergency Blanket 38"x60"
- 2 Chewable Aspirin Tablets
- 1 Triangular Bandage 42"x42"x59"

Instruments 1 Emergency First Aid Guide 1 Plastic Tweezers 1 Scissors 6 Assorted Safety Pins 2 Wooden Finger Splints

Visit RedCross.org for information on training in First Aid, CPR, AED and more

Manufactured in China for:

Genuine First Aid LLC. 600 Cleveland Street Suite 400 Clearwater FL 33755

www.GenuineFirstAid.com

GENUINE FIRST AID

Copyright 2009 Genuine First Aid LLC. All rights reserved.



ARC FIRST AID CONTAINS 303 PIECES HARDCASE

benzalkonium chloride, lidocaine, bacitracin zinc, neomycin sulfate, polymyxin b sulfatebacitracin zinc, neomycin sulfate, polymyxin b sulfate, water, isopropyl alcohol, benzocaine, alcohol, aspirin kit

Product Information								
Product T ype	HUMAN OTC DRUG	Item Code (Source)	NDC:52164-1106					
Packaging								
# Item Coo	le Package Descrip	otion Marketing Start Dat	e Marketing End Date					
1 NDC:52164-1106	-1 1 in 1 KIT							
Quantity of Pa	rts							
Part #	Package Quantity	Total P	roduct Quantity					
Part 1 1 PACKAG	E	0.9 g						

Route	of Administration		TOPICAL					
	Code (Source)							
			NDC:52124-0001					
Prod	uct Information							
	ISEPTIC TC Ilkonium chloride li		TTE					
	t 2 of 7		TTT					
D								
OTC m	onograph final pa	rt345			04/28/20	10		
			on Number or Monogra	ph Citation	Marke	ting Start I	Date Marke	ting End Date
Mar	keting Inforn	nation						
I NDC		0.5 g ili 1	MENNOL					
#	Item Code		Kage Description PACKAGE	Marketin	ig Start I	Jate	Marketing	End Date
Packa	0 0					_		
LIDOC	C AINE (UNII: 98PI200	987) (LIDO	CAINE - UNII:98PI20098	7)		LIDOCAINI	3	0.5 g in 100
	ALKONIUM CHLOR NGJUD5XGY)	IDE (UNII: F	5UM2KM3W7) (BENZAL	KONIÚM -			0.13 g in 100 g	
		-	edient Name				of Strength	Strength
Activ	e Ingredient/Ac		•					
	of Administration		TOPICAL					
	Code (Source)		NDC:52124-0004					
Prod	uct Information							
	lkonium chloride,							
	t 1 of 7 MUNE FIRST	' AID B	URN ANTISEP	TIC PAIN	RELI	FF WI	гн аг об	
D								
Part 7	1 TUBE		0	.5 g				
	1 PACKAGE		2	_				
Part 5	1 PACKAGE		0	.5 mL				
Part 4	2 PACKAGE		1	mL				

Active Ingredient/Active Moi	ety				
	edient Name		Basis of Stre	ength	Strength
BENZALKONIUM CHLORIDE (UNII: 1 UNII:7N6JUD5X6Y)	F5UM2KM3W7) (BENZALKO	NIUM -	BENZALKONIUM CHLORIDE	-	0.40 mL in 100 mL
Inactive Ingredients					
I	ngredient Name			Stre	ength
WATER (UNII: 059QF0KO0R)					
Packaging					
# Item Code Pacl	kage Description	Marketing Star	t Date	Marketi	ng End Date
1 NDC:52124-0001-1 0.8 mL in	1 PACKAGE				
Marketing Information					
Marketing Category Application	on Number or Monograph	Citation Mar	keting Start Date	e Mar	keting End Date
OTC monograph final part333		04/28	/2010		
Part 3 of 7					
STERILE ISOTONIC B	UFFERED GENUI	NE EYEWA	SH		
Product Information					
Item Code (Source)	NDC:52124-0005				
Route of Administration	OPHTHALMIC				
Active Ingredient/Active Moi	etv				
Ingredie		Basi	s of Strength		Strength
WATER (UNII: 059QF0K00R) (WATEF		WATER		98.16 m	nL in 100 mL
Inactive Ingredients					
	Ingredient Name				Strength
SODIUM CHLORIDE (UNII: 451W47IQ					
SODIUM PHOSPHATE, MONOBASIC					
SODIUM PHO SPHATE, DIBASIC (UN	μ: GK686LBA/4)				
	9 C V)				
EDETATE DISO DIUM (UNII: 7FLD91C BENZALKO NIUM CHLORIDE (UNII: 1					

Packaging								
# Item Code	Pack	age Description	Marketin	g Start Date	Marketii	ng End Date		
1 NDC:52124-0005-1	10 mL in 1	BOTTLE						
Marketing Infor	mation							
Marketing Category	Applicatio	n Number or Monogra	aph Citation	Marketing Start	Date Mark	keting End Date		
OTC monograph final	part349			04/28/2010				
Part 4 of 7								
ALCOHOL CLE isopropyl alcohol liquid		G PAD						
Product Information	n							
Item Code (Source)								
Route of Administration TOPICAL								
Active Ingredient/A	ctive Moi	ety						
	Ing	redient Name		Basis	of Strength	Strength		
ISOPROPYL ALCOHOL UNII:ND2M416302)	(UNII: ND2M	416302) (ISOPROPYL AL	COHOL -	ISOPRO Alcoh		70 mL in 100 mL		
Inactive Ingredients	5							
	I	ngredient Name			Stre	ngth		
WATER (UNII: 059QF0KC	00R)							
Packaging								
# Item Code	Pack	age Description	Marketin	g Start Date	Marketii	ng End Date		
1 NDC:52124-0002-1	0.5 mL in	1 PACKAGE						
Marketing Infor	mation							
Marketing Category	Applicatio	n Number or Monogr	aph Citation	Marketing Start	Date Mark	ceting End Date		
OTC monograph final	part333			04/28/2010				
Part 5 of 7								
INSECT STING	RELIEF	F PAD						
	benzocaine, alcohol liquid							

Product Information						
		NDC-53134 0000				
Item Code (Source)		NDC:52124-0008				
Route of Administration		TOPICAL				
Active Ingredient/Act	tive Moie	tv				
neuve ingreatent/neu		ient Name		Basis of S	trongth	Strength
BENZOCAINE (UNII: U3RS Y	-		V48 IW5)	BENZOCAINI	-	6 mL in 100 mL
ALCOHOL (UNII: 3K9958V				ALCOHOL	L.	60 mL in 100 mL
,			,			
Packaging						
# Item Code	Packa	nge Description	Marketin	ng Start Date	Mark	eting End Date
1 NDC:52124-0008-1	0.5 mL in 1	PACKAGE				
	Application art348	n Number or Monogra	aph Citation	Marketing Start	Date M	larketing End Date
		inder of hiologic		_		
Part 6 of 7						
CHEWABLE ASP	PIRIN					
aspirin tablet, chewable						
Product Information						
		NDC:52124-0012				
Product Information Item Code (Source) Route of Administration]	NDC:52124-0012 ORAL				
Item Code (Source)]					
Item Code (Source) Route of Administration	tive Moie	ORAL ty				
Item Code (Source) Route of Administration Active Ingredient/Act	tive Moie Ingred	ORAL ty ient Name			Strengtl	
Item Code (Source) Route of Administration Active Ingredient/Act	tive Moie Ingred	ORAL ty ient Name		Basis of ASPIRIN	Strengtl	h Strength 81 mg
Item Code (Source) Route of Administration Active Ingredient/Act ASPIRIN (UNII: R16C05Y76	tive Moie Ingred	ORAL ty ient Name			Strengtl	
Item Code (Source) Route of Administration Active Ingredient/Act ASPIRIN (UNII: R16C05Y76	tive Moie Ingred	ORAL ty ient Name			Strengtl	
Item Code (Source) Route of Administration Active Ingredient/Act ASPIRIN (UNII: R16CO5Y76) Inactive Ingredients	t ive Moie Ingred SE) (ASPIRIN	ORAL ty ient Name UNII:R16CO5Y76E) Ingredient Name			Strengtl	81 mg
Item Code (Source) Route of Administration Active Ingredient/Act ASPIRIN (UNII: R16CO5Y76 Inactive Ingredients FD&C YELLOW NO.6 (UN	t ive Moie Ingred SE) (ASPIRIN NII: H77VE193	ORAL ty ient Name UNII:R16CO5Y76E) Ingredient Name			Strengt	81 mg
Item Code (Source)	tive Moie Ingred SE) (ASPIRIN NII: H77VE193	ORAL ty ient Name - UNII:R16CO5Y76E) Ingredient Name A8)			Strengtl	81 mg

STARCH, CORN (UNII: O	8232NY3SJ)								
STEARIC ACID (UNII: 4ELV7Z65AP)									
SUCROSE (UNII: C151H8)	M554)								
Product Characteri									
Color								core	
Shape	ROUND			Size				11mi	
Flavor Imprint Code						ASP	IRIN		
Contains									
Packaging									
# Item Code	Pack	age Description	Μ	arketin	ig Star	t Date	Ma	arketin	ıg End Date
1 NDC:52124-0012-1	2 in 1 PAC	KAGE							
Marketing Infor	mation								
Marketing Category	Applicatio	on Number or Monogra	aph Cit	ation	Mark	eting Star	t Date	Mark	eting End Date
OTC monograph final	part345				04/28/2	2010			
Part 7 of 7									
GENUINE TRIE	PLE ANT	TIBIOTIC							
bacitracin zinc, neomy	cin sulfate,p	olymyxin b sulfate oi	ntment						
Product Informatio	n								
Item Code (Source)		NDC:52124-0003							
Route of Administratio	n	TOPICAL							
Active Ingredient/A	Active Moi	ety							
	Ingr	edient Name				Basis o	f Stren	gth	Strength
BACITRACIN ZINC (UNI	I: 89 Y4M234E	S) (BACITRACIN - UNII:5	58 H6 RW	O 52I)		BACITRACIN ZINC			400 [iU] in 1 g
NEO MYCIN SULFATE (U	JNII: 057Y626	693) (NEOMYCIN - UNII:	I16 Q D 7	X297)		NEOMYCI	N SULFA	TE	5 mg in 1 g
POLYMYXIN B SULFAT	E (UNII: 1937	1312D4) (POLYMYXIN B -	UNII:J2	VZ07J9	6K)	POLYMYX	IN B SUL	FATE	5000 [iU] in 1 g
Packaging									
# Item Code	Pack	kage Description	Μ	arketir	ng Star	t Date	Ma	arketin	ıg End Date
1 NDC:52124-0003-1	0.5 g in 1	TUBE							
Marketing Infor	mation								

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
OTC monograph final	part333	04/28/2010					
Marketing Information							
Marketing Info	rmation						
Marketing Info Marketing Category	rmation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
U		Marketing Start Date	Marketing End Date				

Labeler - American Red Cross (003255213)

Establishment						
Name	Address	ID/FEI	Business Operations			
GFA Production (Xiamen) Co., Ltd		421256261	manufacture			

Revised: 6/2010

American Red Cross