

**DR SABHARWALS- lidocaine 4% gel patch patch**  
**Dr. Sabharwal's Wound Care**

-----  
Lidocaine 4%

Temporarily Relieves Minor Pain

Topical Anesthetic

For external use only

- More than one patch on your body at a time
- On cut, irritated swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- At the same time as other topical analgesics
  
- Use only as directed.
- Read and follow all directions and warnings on this label.
- Rare case of serious burns have been reported with products of this type.
- Do not apply to wounds or damaged, broken or irritated skin.
- Do not allow contact with the eyes and mucous membranes.
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use.
- Do not use at the same time as other topical analgesic.
- Dispose of used patch in manner that always keeps product away from children and pets.
- Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch
- A transient burning sensation may occur upon application but generally disappears in several days.
- If a severe burning sensation occurs, discontinue use immediately.
- Discontinue use at least 1 hour before a bath or shower.
- Do not use immediately after a bath or shower.

Condition worsens

Redness is present.

Irritation develops.

Symptoms persist for more than 7 days or clear up and occur again within a few days. You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

ask a health professional before use.

If swallowed, get medical help or contact a Poison Control Center right away.

**Adult and children over 12 years**

Clean and dry affected area.

Remove backing from patch by firmly grasping both ends and gently pulling until back separates in middle.

Carefully remove smaller portion of backing from the patch and apply exposed portion of patch to affected area.

Use 1 patch for up to 12 hours.

**Children 12 years or younger:**  
ask a doctor

Store at room temperature 20-25 °C (68-77 °F)

Alpha Tocopherol Acetate, Aluminium Glycinate, Aluminium Hydroxide, Aluminium Sulphate, Borax, Carbomer, Colloidal Silicon Dioxide, DMDM Hydantoin, Glycerine, Kaolin, Polyacrylic Acid, Polyvinyl Alcohol, Polyvinylpyrrolidone, Propylene Glycol, Purified Water, Sodium Carboxymethyl Cellulose, Sodium Ethylenediaminetetraacetic Acid, Sodium Polyacrylate, Sorbitol, Sorbitan Monooleate, Tartaric Acid & Titanium Dioxide.

Questions? Call +91-718-739-5680

Topical Patch for External Use Only

Dr Sabharwal's  
Lidocaine 4% Gel Patch

NDC 71318-114-15

**Dr Sabharwal's®**  
**Lidocaine 4% Gel Patch**

**Dr Sabharwal's®**  
**Lidocaine 4% Gel Patch**



**MAXIMUM STRENGTH**

for temporary relief of pain:

- Back
- Neck
- Shoulders
- Knee & Elbow

**Pain Relieving Patch**

**Dr Sabharwal's®**  
**Lidocaine 4% Gel Patch**

Drug Facts	
<b>Active Ingredient</b> Lidocaine 4%.....	<b>Purpose</b> Topical anesthetic.
Use temporarily relieves minor pain.	
<b>Warnings:</b> For external use only.	
<b>Do not use:</b> • More than one patch on your body at a time. • On cut, irritated, swollen skin. • On puncture wounds. • For more than one week without consulting a doctor. • At the same time as other topical anesthetics.	
<b>When using this product:</b> • Use only as directed. • Read and follow all directions and warnings on this label. • Rare cases of serious burns have been reported with products of this type. • Do not apply to wounds or damaged, broken or irritated skin. • Do not allow contact with the eyes and mucous membranes. • Do not bandage tightly or apply local heat (such as heating pads) to the area of use. • Do not use at the same time as other topical anesthetics. • Dispose of used patch in manner that always keeps product away from children and pets. • Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch. • If a stinging/burning sensation may occur upon application but generally disappears in several days. • If a severe burning sensation occurs, discontinue use immediately. • Discontinue use at least 1 hour before a bath or shower. • Do not use immediately after a bath or shower.	
<b>Stop use and ask a doctor if:</b> • Condition worsens. • Itchiness is present. • Irritation develops. • Symptoms persist for more than 7 days or come up and occur again within a few days. • You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.	
<small>*This product is not manufactured or distributed by Chiltern, Inc., a division of Allergan® (Pain-Free Strength Lidocaine Patch).</small>	

**Adult and children over 12 years**

• Clean and dry affected area. • Remove backing from patch by firmly grasping both ends and gently pulling until back separates in middle. • Carefully remove smaller portion of backing from the patch and apply exposed portion of patch to affected area. • Use 1 patch for up to 12 hours.

**Children 12 years or younger:** ask a doctor.

**Other information:** Store at room temperature 20-25°C (68-77°F).

**Inactive Ingredients:** Alpha Tocopherol Acetate, Aluminium Glycinate, Aluminium Hydroxide, Aluminium Sulphate, Borax, Carbomer, Colloidal Silicon Dioxide, DMDM Hydantoin, Glycerine, Kaolin, Polyacrylic Acid, Polyvinyl Alcohol, Polyvinylpyrrolidone, Propylene Glycol, Purified Water, Sodium Carboxymethyl Cellulose, Sodium Ethylenediaminetetraacetic Acid, Sodium Polyacrylate, Sorbitol, Sorbitan Monooleate, Tartaric Acid & Titanium Dioxide.

**Questions? Call +91-905-677-0088**

Batch No.:  
Mfg. Date:  
Exp. Date:



01 681923 72042023  
085-4202 Rev. 01

**MAXIMUM STRENGTH**

**TOPICAL ANESTHETIC**

**FAST ACTING**

Quantity: 15 N Patch of Size 10cm x 14cm, Individually Packed

Product Code: 4202

**Dr. Sabharwal's Wound Care**

Mfg. In India by:  
**Dr. Sabharwal's Wound Care**  
137 Baramwala, Baroliwala (H.P.), India - 174 103  
Manager QA Customer Care Cell  
Telefax: +91 1722640018 Cell: +91 90567 70088  
E-mail: buyers@drsabharwal.in  
Mfg. Lic. No.: MNB/06/348

**DR SABHARWALS**  
lidocaine 4% gel patch patch

---

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71318-114
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	224 mg

### Inactive Ingredients

Ingredient Name	Strength
ALUMINIUM SULFATE OCTADECALHYDRATE (UNII: TCS9L00G8F)	
BORAX (UNII: 91MBZ8H3QO)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
DMDM HYDANTOIN (UNII: BYR0546TOW)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
POLYVINYL ALCOHOL (100000 MW) (UNII: 949E52Z6MY)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
KAOLIN (UNII: 24H4NWX5CO)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POVIDONE (UNII: FZ989GH94E)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	RECTANGLE	<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71318-114-15	15 in 1 CARTON	01/30/2024	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/30/2024	

**Labeler** - Dr. Sabharwal's Wound Care (862184668)

**Registrant** - Dr. Sabharwal's Wound Care (862184668)

## Establishment

Name	Address	ID/FEI	Business Operations
Dr. Sabharwal's Wound Care		862184668	manufacture(71318-114)

Revised: 1/2026

Dr. Sabharwal's Wound Care