

DR SABHARWALS- lidocaine 4% and menthol 1% patch patch
Dr. Sabharwal's Wound Care

Lidocaine 4%

Menthol 1%

Topical Anesthetic

Temporarily relieves minor pain associated with: arthritis, simple backache, bursitis, tendonitis, muscle strains, sprains & bruises.

For external use only

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

ask a health professional before use.

If swallowed, get medical help or contact a Poison Control Center right away.

Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch for up to 12 hours

children 12 years or younger:

- ask a doctor

Alpha Tocopherol Acetate, Aluminium Glycinate, Aluminium Hydroxide, Aluminium

Sulphate, Borax, Carbomer, Colloidal Silicon Dioxide, DMDM Hydantoin, Glycerine, Kaolin, Polyacrylic Acid, Polyvinyl Alcohol, Polyvinylpyrrolidone, Propylene Glycol, Purified Water, Sodium Carboxymethyl Cellulose, Sodium Ethylenediaminetetraacetic Acid, Sodium Polyacrylate, Sorbitol, Sorbitan Monooleate, Tartaric Acid & Titanium Dioxide.

Call +91-905-677-0088

Topical Patch for external use only

Temporarily relieves minor pain associated with: arthritis, simple backache, bursitis, tendonitis, muscle strains, sprains & bruises.

Dr Sabharwal's
Lidocaine 4% and Menthil 1% Patch

NDC 71318-115-15

Dr Sabharwal's®
Lidocaine 4% and Menthil 1% Patch

Dr Sabharwal's®
Lidocaine 4% and Menthil 1% Patch



MAXIMUM STRENGTH
for temporary relief of pain:

- Back
- Neck
- Shoulders
- Knee & Elbow

Pain Relieving Patch

Dr Sabharwal's®
Lidocaine 4% and Menthil 1% Patch

Drug Facts	
Active ingredients	Purposes
Lidocaine 4% Menthol 1%	Topical Anesthetic Topical Analgesic
Use temporarily relieves minor pain	
Warnings	
For external use only	
Do not use • more than 1 patch on your body at a time or on cut, irritated or swollen skin • on puncture wounds • for more than one week without consulting a doctor	
When using this product • use only as directed. Read and follow all directions and warnings on this carton • rare cases of serious burns have been reported with products of this type • do not apply to wounds or damaged, broken or irritated skin • do not allow contact with the eyes and mucous membranes • do not bandage tightly or apply local heat (such as heating pads) to the area of use • do not use at the same time as other topical analgesics • dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests the patch	
Stop use and ask a doctor if • condition worsens • redness is present • irritation develops • symptoms persist for more than 7 days or clear up and occur again within a few days • you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
adults and children over 12 years: • clean and dry affected area • remove backing from patch by firmly grasping both ends and gently pulling until back separates in middle • carefully remove smaller portion of backing from the patch and apply exposed portion of patch to affected area • use 1 patch for up to 12 hours children 12 years or younger: ask a doctor	
Inactive ingredients	
Alpha Tocopherol Acetate, Aluminum Glycinate, Aluminum Hydroxide, Aluminum Salophate, Borax, Carbomer, Colloidal Silicon Dioxide, DMDM Hydantoin, Glycerine, Kaolin, Polyacrylic Acid, Polyvinyl Alcohol, Polyvinylpyrrolidone, Propylene Glycol, Purified Water, Sodium Carboxymethyl Cellulose, Sodium Ethylenediaminetetraacetic Acid, Sodium Polyacrylate, Sorbitol, Sorbitan Monooleate, Tartaric Acid & Titanium Dioxide.	
Questions? Call +91-905-677-0088	

MAXIMUM STRENGTH

TOPICAL ANESTHETIC

FAST ACTING

Quantity: 15 N Patch of Size 10cm x 14cm, Individually Packed

Mfd. In India by:

Dr. Sabharwal's Wound Care

137 Buranwala, Baroliwala (H.P.), India - 174 103
 Manager QA Customer Care Cell
 Telefax: +91 1722640018 Cell: +91 90567 70088
 E-mail: buyers@drsabharwal.in
 Mfg. Lic. No.: MNB/06/348

DR SABHARWALS

lidocaine 4% and menthol 1% patch patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71318-115
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	224 mg
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	56 mg

Inactive Ingredients

Ingredient Name	Strength
ALUMINIUM SULFATE OCTADECALHYDRATE (UNII: TCS9L00G8F)	
WATER (UNII: 059QF0K00R)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
KAOLIN (UNII: 24H4NWX5CO)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DMDM HYDANTOIN (UNII: BYR0546TOW)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
POLYVINYL ALCOHOL (100000 MW) (UNII: 949E52Z6MY)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POVIDONE (UNII: FZ989GH94E)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
BORAX (UNII: 91MBZ8H3QO)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	

Product Characteristics

Color	white	Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71318-115-15	15 in 1 CARTON	01/30/2024	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M017	01/30/2024	

Labeler - Dr. Sabharwal's Wound Care (862184668)

Registrant - Dr. Sabharwal's Wound Care (862184668)

Establishment

Name	Address	ID/FEI	Business Operations
Dr. Sabharwal's Wound Care		862184668	manufacture(71318-115)

Revised: 1/2026

Dr. Sabharwal's Wound Care