VIOFAIRY 5% MINOXIDIL SPRAY.- 5% minoxidil spray. liquid Shenzhen Shandian Jingling Technology Co., Ltd.

83804-105

Active Ingredient

Minoxidil 5%

Purpose

Hair Regrowth Treatment

Use

to regrow hair on the top of the scalp

Warnings

For external use only Keep away from fire and flam

Do not use

You have no family history of hair loss, hair loss is sudden and/or patchy you are under 18 years of age. Do not use it on babies and children

When Using

Do not apply on other parts of the body

void contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water

It takes time to regrow hair. You may need to use this product 2 times a day for a least 4 months before you see results. The amount of hair regrowth is different for each person

Stop Use

chest pain, rapid heart beat, faintness, or dizziness occurs sudden, unexplained weight gain occurs your hands or feet swell

scalp irritation or redness occurs May be harmful if used when pregnant or breast-

feeding

. Keep Out Of Reach Of Children:If swallowed, get medical help or contact a Poison Control Center right away.

Ask Doctor

When Pregnant or breast-feeding

Keep Oot Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- .Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed
- .Spray directly on top of the scalp in the area to be treated Using more than directed or more often will not improve results
- . Continued use is necessary to increase and then maintain your hair regrowth .
- . Discontinuing use may result in hair loss.

Other information

Before use, read all information on the carton

Store at controlled room temperature 20 to 25 C (68 to 77°F)

Inactive ingredients

biotin
Deionized Water
Propylene Glycol
Ethyl Alcohol
Potassium Sorbate
GABA

Questions

service@amazonfairy.com

PRINCIPAL DISPLAY PANEL

SIZE: 42X42X145mm



5% MINOXIDIL With BIOTIN

VIOFAIRY

5% MINOXIDIL With BIOTIN

VIOFAIRY



Stimulate Natural Hair



Treat Damaged Hair



Stronger, Thicker and Fuller Hair



Reduces Hair Loss



GROWTH SERUM







5% MINOXIDIL With BIOTIN

DERMATOLOGIST #1 RECOMMENDED **ACTIVE INGREDIENT**

* USE TWICE DAILY * * 1-2 MONTH SUPPLY *

100ml ⊕ 3.38 fl.oz

DRUG FACTS

Active Ingredient

Minoxidil 5%

Hair Regrowth Treatment

Use to regrow hair on the top of the scalp

WARNINGS

- For external use only
- Keep away from fire and flame

- You have no family history of hair loss, hair loss is sudden and /or patchy.
- . You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use it on babies and children Your scalp is red, inflam-
- ed, infected, irritated, or painful.

 You use other medicines on the
- · Ask a Doctor before use if you

When Using This Product:

- Do not apply to other parts of the body.void contact with eyes. Incase of accidental contact, rinse eyes with a large amount of cool tap water.
- It takes time to regrow hair. You may need to use this product 2 times a day for a least 4 months before you see results, The amount of hair regrowth is different for each person.









DRUG FACTS(CONTINUED)

Stop Use and ask a doctor if:

- chest pain, rapid heart beat, faintness, or dizziness occurs sudden, unexplained weight gain occurs. your hands or feet swell.
- scalp irritation or redness occurs

 May be harmful if used when pregnant or breast-feeding
- Keep Out Of Reach Of Children: If swallowed, get medical help or contact a Poison Control Cente right away (1-800-222-1222)

DIRECTIONS:

- Apply 1ml (5 Sprays) twice a day. Once in the morning and another time in the evening before bed
- · Spray directly on top of the scalp in the area to be treated
- Using more than directed or more often will not improve results
- Continued use is necessary to increase and then maintain your hair regrowth.
- · Discontinuing use may result in hair loss.

OTHER INFORMATION:

- Before use, read all information on the carton.
- Store at controlled room temperature 20 to 25 C (68 to 77°F)

INACTIVE INGREDIENTS: Deionized Water, Propylene

Glycol, Ethyl Alcohol, Potassium Sorbate, GABA, Biotin

Furson Service Inc 4348 Sable Street, Denver, CO 80239, US

> FB33786 Lot number: QC61110 MFD Date: 27/12/2023 ExP Date: 26/12/2026

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83804-105

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength Strength	
	MINOXIDI (LINII: 59651205H1) (MINOXIDII - LINII: 59651205H1)	MINIOXIDII	5 a in 100 ml

Inactive Ingredients	
Ingredient Name	Strength
.GAMMAAMINOBUTYRIC ACID (UNII: 2ACZ 6IPC6I)	
ALCOHOL (UNII: 3K9958V90M)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BIOTIN (UNII: 6SO6U10H04)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

ı	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:83804-105- 01	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/30/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	01/30/2024	

Labeler - Shenzhen Shandian Jingling Technology Co., Ltd. (418636058)

Establishment			
Name	Address	ID/FEI	Business Operations
Shenzhen Shandian Jingling Technology Co., Ltd.		418636058	manufacture(83804-105)

Revised: 1/2024 Shenzhen Shandian Jingling Technology Co., Ltd.