

**GMC MEDICAL- zinc oxide and octinoxate**  
**Laboratoires dermo Cosmetik Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**GMC Medical®**

**Drug Facts**

**Active ingredients**

Zinc oxide 10.5%  
Octinoxate 7.5%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**WARNINGS**

**For external use only**

**Do not use on damaged or broken skin**

**When using this product:**

- Avoid contact with eyes. Rinse with water to remove.

**Stop use and ask a doctor if rash occurs**

**Keep out of reach of children.**

- If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- Apply generously and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours, or after swimming, towel drying, heavy perspiration or showering.
- Use a water-resistant sunscreen if swimming or sweating.
- Ask a doctor before using on infants under 6 months.

*Sun Protection Measures.* Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses.

**INACTIVE INGREDIENTS**

WATER/EAU, CYCLOMETHICONE, DIMETHICONE, PHENYL TRIMETHICONE,

POLYETHYLENE, PPG-3 MYRISTYL ETHER, PPG-3 MYRISTYL ETHER NEOHEPTANOATE, CETYL PEG/PPG-10/1 DIMETHICONE, MICA, SILICA, POLYGLYCERYL-10 DECAOLEATE, GLYCERIN, ISODODECANE, DISTEARDIMONIUM, HECTORITE, PROPYLENE CARBONATE, POLYGONUM AVICULARE EXTRACT, CASSIA ALATA (CANDLE TREE) LEAF EXTRACT, PANTHENOL, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, PHENOXYETHANOL, ETHYLHEXYLGLYCERIN

**OTHER INFORMATION**

Store at 59-86°F (15-30°C).

**QUESTIONS?**

USA: 1 (800) 341-1531

CANADA: 1 (800) 361-1263

**PRINCIPAL DISPLAY PANEL - Kit Carton**

**GMC MEDICAL®**

**ANTI-AGING TREATMENT  
GF ADVANCED DERM**

NDC 64127-134-01

**NDC 64127-174-01**

MISE EN GARDE	BÉNÉFICES DU PRODUIT	MODE D'EMPLOI	INDICATION
Usage externe seulement. Eviter tout contact avec les yeux.	Discuter d'abord avec votre dermatologue. Aide à normaliser les peaux sensibles. Aide à retarder les signes de vieillissement. La peau a une apparence plus ferme, lisse et les rides et ridules paraissent réduites.	Appliquer 5 coups de pompe sur visage et yeux. Emboucler avec les doigts humides. Rincer à l'eau tiède.	Lait nettoyant et démouillant épaississant. Visage et yeux. Peaux sensibles.
Usage externe seulement. Eviter tout contact avec les yeux.	Aide à retarder les signes de vieillissement. La peau a une apparence plus ferme, lisse et les rides et ridules paraissent réduites.	Appliquer 2 à 4 coups de pompe sur visage et cou et masser doucement pendant 30 secondes jusqu'à absorption.	Sérum anti-âge aux GF oligopeptides, céramides et antioxydants pour tous types de peau.
Usage externe seulement. Eviter tout contact avec les yeux.	Aide à retarder les signes de vieillissement. La peau a une apparence plus ferme, lisse et les rides et ridules paraissent réduites.	Appliquer 2 à 4 coups de pompe sur visage et cou et masser doucement pendant 30 secondes jusqu'à absorption.	Sérum anti-âge aux GF oligopeptides, céramides et antioxydants pour tous types de peau.
Usage externe seulement. Eviter tout contact avec les yeux. Voir l'arrière de la boîte pour la liste en français.	Protection solaire large spectre UVA-UVB. Répéter la barrière cutanée. Aide à protéger et promouvoir la revitalisation de la peau.	Appliquer généreusement 15 minutes avant l'exposition au soleil. Réappliquer de nouveau le produit toutes les 2 heures.	Crème anti-âge aux GF oligopeptides et céramides souches végétales pour tous types de peau.


WARNING	PRODUCT KEY	USE	INDICATION
For external use only. Avoid contact with eyes. See back of the box for warnings.	Helps delay the visible signs of aging. Skin looks firm and smooth, improving the appearance of fine lines and wrinkles.	Apply 2 to 4 pumps on face and neck and gently massage for 30 seconds until absorption.	Anti-aging serum with GF oligopeptides, ceramides and antioxidants for all skin types.
For external use only. Avoid contact with eyes.	Helps promote the skin's moisture barrier. UVA-UVB. Sun Protection Broad-Spectrum	Apply generously and every 15 minutes before sun exposure. Reapply at least every 2 hours.	Anti-aging cream with GF oligopeptides and plant stem cells for all skin types. Helps prevent sunburn.
For external use only. Avoid contact with eyes.	Helps delay the visible signs of aging. Skin looks firm and smooth, improving the appearance of fine lines and wrinkles.	Apply 2 to 4 pumps on face and neck and gently massage for 30 seconds until absorption.	Anti-aging serum with GF oligopeptides, ceramides and antioxidants for all skin types.
For external use only. Avoid contact with eyes.	Helps delay the visible signs of aging. Skin looks firm and smooth, improving the appearance of fine lines and wrinkles.	Apply 2 to 4 pumps on face and neck and gently massage for 30 seconds until absorption.	Anti-aging serum with GF oligopeptides, ceramides and antioxidants for all skin types.

FRONT PANEL



ANTI-AGING TREATMENT  
GF ADVANCED DERM  
TRAITEMENT ANTI-ÂGE





MV7001

ANTI-AGING TREATMENT  
GF ADVANCED DERM  
TRAITEMENT ANTI-ÂGE

GLUE AREA

MADE IN CANADA



©LABORATOIRES DERMO-COSMETIK  
68 STINSON, MONTREAL, QUEBEC, CANADA H4N 2E7



NAC GEK 02  
Version N01





#### 1 SOOTHING CLEANSING MILK (7 fl. oz.)

**INDICATIONS:** Soothing cleansing milk and make-up remover for face and eyes. Gently dissolves sebum and skin impurities without irritating the skin. Avoids dryness and leaves the skin soft and fresh. Helps to normalize sensitive skin.

**USE:** Morning and evening, apply and emulsify with wet fingers. Rinse with luke warm water.

#### 1 LAIT NETTOYANT APAISANT (200 ml)

**INDICATIONS:** Lait nettoyant, démaquillant et apaisant visage et yeux. Dissout délicatement le sébum et impuretés sans irriter la peau. Évite l'assèchement et laisse la peau lisse et fraîche. Aide à normaliser les peaux sensibles.

**MODE D'EMPLOI:** Matin et soir, appliquer et émulsionner avec les doigts humides. Rincer à l'eau tiède.

**INGREDIENTS:** WATER/EAU, OCTYLDODECANOYL CETEARYL SCONONANOATE, CH-22 ALCOHOLS, C12-20 ALKYL GLUCOSIDE, HEXYLENE GLYCOL, PPG-6, CETETH-20, TETRADECYL PENTABENZYL HYDROXYETHOXYNONANATE, ETHYLHEXYL GLYCERIN, LECITHIN, ARACHIDYL PROPIONATE, TOCOPHERYL ACETATE (VITAMIN E), RETINYL PALMITATE (VITAMIN A), ETHYL LINOLEATE, ETHYL UNDECYLATE (CMEA 3 G), BUTYLENE GLYCOL, PENTYLENE GLYCOL, HYDROXYETHYL PROPANEDIOL, BENZOIC ACID, POTASSIUM HYDROXIDE, CETYL ALCOHOL, DIHYDROXYACETIC ACID, BENZYL ALCOHOL, XANTHAN GUM, DISODIUM EDTA, ALLANTOIN, ALICE BARBADENSIS (ALOE VERA) LEAF JUICE

#### 2 GF ADVANCED DERM SERUM (1 fl. oz.)

**INDICATIONS:** Découvrez une innovation inspirée par la science des gènes. An advanced GF complex\* that combines GF oligopeptides, ceramides and antioxidants to hydrate, reinforce the skin's moisture barrier by hydration and help delay the visible signs of aging. Skin looks firm and smooth, improving the appearance of the lines and wrinkles.

**USE:** Daily application, morning and/or evening, on well cleansed skin, apply 2 to 4 pumps on face and neck, and gently massage for 30 seconds until absorption. For optimal results, follow with the GF Advanced Derm Cream.

\*Patent pending

#### 2 SÉRUM GF ADVANCED DERM (30 ml)

**INDICATIONS:** Découvrez une innovation inspirée par la science des gènes. Un complexe GF\* de pointe qui combine des GF oligopeptides, des céramides et des antioxydants pour hydrater, renforcer la barrière d'hydratation de la peau et aider à retarder les signes visibles du vieillissement. La peau a une apparence ferme et lisse, et les rides et ridules paraissent réduites.

**MODE D'EMPLOI:** quotidiennement, matin et/ou soir, sur une peau bien nettoyée, appliquez 2 à 4 coups de pompe sur visage et cou et massez doucement. Pour des résultats optimaux, attendez l'absorption complète du Sérum GF Advanced Derm et appliquez la Crème GF Advanced Derm.

\*En attente de brevet

**INGREDIENTS:** WATER/EAU, PISBOLDOALTIROMONAS FERMENT EXTRACT, HYDROLYZED WHEAT PROTEIN, HYDROLYZED SOY PROTEIN, TRIPETIDE-10, CITRULLINE, TRIPETIDE-11, CISTHIN, XANTHAN GUM, CARBOMER, TRIETHANOLAMINE, PHENOLYETHANOL, BUTYLENE GLYCOL, CAPRYL GLYCOL, GLUCOSE, CARRAGEENAN (CHONDRUS CRISPUS), ETHYLHEXYLGLYCERIN, CYCLOPENTASILOXANE, CYCLOHEXASILOXANE, GLYCERIN, HYDROLYZED MAMMOC ESCLENTIA TUBER EXTRACT, CETABETH-25, CETYL ALCOHOL, BIPHENIC ACID, CHOLESTEROL, CERAMIDE NP, CERAMIDE NS, CERAMIDE EOS, CERAMIDE EOP, CERAMIDE AP, CARBOXYL PHOSPHONOSINE, CARBOXYL-SPHINGOSINE, LAURETH-9, HYDROXYETHYLCELLULOSE, ACETYL DIPEPTIDE-1, CETYL ESTER, CITRULLUS LANATUS (WATERMELON) FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, LENS ESCULENTA (LENTIL) FRUIT EXTRACT, SODIUM LACTATE, SODIUM PCA, POLYDOECANAMIDE AMINUM TRAZADIPRENILTEINNE SULFONATE, POLYVINYLALCOHOL, CROSSPOLYMER, DIMETHICONE CROSSPOLYMER, IN-GLUCOSIDE-1, IN-HOLYTRIPETIDE-1, IN-GLUCOSIDE-2, ACETYL HEXAPEPTIDE-1 AMIDE, CYCLOTRIASILOXANE, DIMETHICONE, POLYACRYLAMIDE, CIS-CH ISOPHR AFFIN, LAURITH-2, SORBIC ACID, TETRAPETIDE-26, ARABIDOPSIS THALIANA EXTRACT, LECITHIN, MICROSCODUS USINATE, METHYL GLUCOSIDE, PHOSPHATE TRICHLORISINE COPPER COMPLEX, DIPALMITOYL HYDROXYPROLINE, WHEY PROTEIN LACTIS FERREUM, MACE ASSOSIDE, ERICOTHIONE, SODIUM HYALURONATE, DECAPOXY CARBOSINE HCL, XYLYL GLUCOSIDE, ANHYDROXYTOL, XYLYL ACRYLAMIDE AMMONIUM ACRYLATE COPOLYMER, POLYISOBUTYLENE POLYSCRYLATE 20 SODIUM HYDROXYLIDE, DISODIUM

#### 3 GF ADVANCED DERM CREAM (Net wt. 1.8 oz.)

**INDICATIONS:** An innovative alliance of GF oligopeptides, plant stem cells, and a plant derived sphingolipid complex that hydrates, nourishes, replenishes the skin's moisture barrier and helps delay the visible signs of aging. Helps promote the revitalization of the skin while improving the appearance of fine lines and wrinkles.

**USE:** Daily morning and/or evening, on well cleansed skin, apply 2 to 4 pumps on face and neck. For optimal results, can be applied on top of the GF Advanced Derm Serum.

#### 3 CRÈME GF ADVANCED DERM (50 ml)

**INDICATIONS:** Une technologie de pointe qui combine des GF oligopeptides, des cellules souches végétales et un complexe de sphingolipides, pour hydrater, nourrir, régénérer la barrière d'hydratation de la peau et aider à retarder les signes visibles du vieillissement. Aide à promouvoir la revitalisation de la peau et à retarder l'apparence des rides et des ridules.

**MODE D'EMPLOI:** Quotidiennement, matin et/ou soir, sur une peau bien nettoyée, appliquez 2 à 4 coups de pompe sur visage et cou. Pour des résultats optimaux, la crème peut être appliquée après le Sérum GF Advanced Derm.

**INGREDIENTS:** WATER/EAU, CETYL ALCOHOL, GLYCERIN STEARATE, PEG-75 STEARATE, CETEETH-20, STABETH-20, BUTYLENE GLYCOL, HISSOLUS, AMELIOSCHUS SEED EXTRACT, XANTHAN GUM, GLYCERIN, CARBOMER, POLYSCRYLATE 20, PALMITOYL TRIPETIDE-1, PALMITOYL TRIPETIDE-2, SOLAMINE, CETEARYL SCONONANOATE, PPG-3 MTRISTYLYL ETHER, PENTYLENE GLYCOL, CITRULLUS LANATUS (WATERMELON) FRUIT EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, LENS ESCULENTA (LENTIL) FRUIT EXTRACT, SODIUM LACTATE, SODIUM PCA, XYLYL GLUCOSIDE, ANHYDROXYTOL, XYLYL GLUCOSIDE, MALUS DOMESTICA FRUIT CELL CULTURE EXTRACT, LECITHIN, PHENOLYETHANOL, DECAPOXY CARBOSINE, IN-GLUCOSIDE-1, CETABETH-25, CETYL ALCOHOL, BIPHENIC ACID, CHOLESTEROL, CERAMIDE NP, CERAMIDE NS, CERAMIDE EOS, CERAMIDE EOP, CERAMIDE AP, CARBOXYL PHOSPHONOSINE, CARBOXYL-SPHINGOSINE, PARAFIN, PARDINA PARVONICA THALLUS EXTRACT, C12-18 ALKYL BENZOATE, TRIBEHENIN, CERAMIDE 2, PEG-10 RAPHESED STEROL, PALMITOYL HEAPEPTIDE-13, PROPYLENE GLYCOL DICAPRATE, HELIANTHUS ANNUUS (SUNFLOWER) SEED CAKE, HOEDERM VULGARE (BARLEY) EXTRACT, CUCUMIS SATIVUS CUCUMBER FRUIT EXTRACT, ORYZA SATIVA EXTRACT, DIMETHICONE, CYCLOPENTASILOXANE, POLYSCYRILONE-II, GLUTAMYLAMIDE, CYTOL, INDOL, ARTEMISA PLANKTON EXTRACT, BUTYROSPERMUM PERU (SHEA BUTTER), DIPALMITOYL HYDROXYPROLINE, TOCOPHERYL ACETATE (VITAMIN E), CYCLOTRIASILOXANE, DIMETHICONE, ISODODECYL SALICYLATE, ISOPROPYL BENZYL SALICYLATE, HYDROXYETHYL ACRYLATE, SODIUM ACRYLOYL DIMETHYL TAURATE COPOLYMER, HEAPEPTIDE-8, GERANIL GERANIL ISOROPANOL, CAPRYL GLYCOPYRROLIDONE, TERPINENE, DECAPOXY CARBOSINE HCL, ERICOTHIONE, SALICYLOL, HYDROXYPROSINE, MACE ASSOSIDE, POTASSIUM ASCORBATE, TOCOPHERYL PHOSPHATE (VITAMIN C), VITAMIN E, COTYLDODECANOL, ARACHIDYL PROPIONATE, RETINYL PALMITATE (VITAMIN A), ETHYL UNDECYLATE, ETHYL UNDECYLATE (CMEA 3 G), SODIUM HYALURONATE, CERAMIDE 3, HYDROLYZED CASHEI HYDROLYZED YEAST PROTEIN, LYSINE HYDROCHLORIDE, CHLORPHENESIN, TETRADECYL PENTABENZYL HYDROXYETHOXYNONANATE, POTASSIUM SORBATE, DISODIUM EDTA, ETHYLHEXYLGLYCERIN

Keep box for as long as you use the product.  
Garder la boîte jusqu'à la fin de l'utilisation du produit.

PARABEN-FREE • FRAGRANCE-FREE  
DERMATOLOGICALLY TESTED  
HYPOALLERGENIC  
NON-IRRITATING • ALCOHOL-FREE  
COLORANT-FREE

SANS PARABEN • SANS PARFUM  
TESTÉ SOUS CONTRÔLE DERMATOLOGIQUE  
HYPOALLERGENIQUE • NON IRRITANT  
SANS ALCOOL • SANS COLORANT

www.gmcmedicalsincare.com

AVAILABLE EXCLUSIVELY AT MEDICAL OFFICES.

#### 4 SUN PROTECTION CREAM BROAD-SPECTRUM UVA-UVB SPF 45 (Net wt. 1.9 oz.)

##### Drug Facts

Active Ingredients	Purpose
Zinc oxide 10.5% Octinoxate 7.5%	Sunscreen

##### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

##### WARNINGS

- For external use only.
- Do not use on damaged or broken skin.
- When using this product:
  - Avoid contact with eyes. Rinse with water to remove.
  - Stop use and ask a doctor if rash occurs.
  - Keep out of reach of children.
  - If swallowed, get medical help or contact a Poison Control Center right away.

##### DIRECTIONS

- Apply generously and evenly 5 minutes before sun exposure.
- Reapply at least every 2 hours, or after swimming, towel drying, heavy perspiration or showering.
- Use a water-resistant sunscreen if swimming or sweating.
- Ask a doctor before using on infants under 6 months.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 am - 2 pm.
  - Wear long-sleeved shirts, pants, hats and sunglasses.

**INACTIVE INGREDIENTS:** WATER/EAU, CYCLOHEXIMONE DIMETHICONE, PHENYL TRIMETHICONE, POLYETHYLENE GLYCOL, PPG-3 MTRISTYLYL ETHER, PPG-3 MTRISTYLYL ETHER, HEDERAPHOSPHATE, CETYL PEG-PPG-18 DIMETHICONE, NICA, SILICA, POLYGLYCERYL-10 DECYLATE, GLYCERIN, SODIUM STEAROYL DIMETHYLAMMONIUM HECTOATE, PROPYLENE CARBONATE, POLYGLYCOLUM ACRYLATE EXTRACT, CASIA ALATA (CANNEL TREE) LEAF EXTRACT, PANTHOYL TOCOPHYL ACETATE, TETRACOXYLALFOLYLSILANE, PHENOLYETHANOL, ETHYLHEXYLGLYCERIN

**OTHER INFORMATION**  
Store at 59-96°F (5-30°C)

**QUESTIONS?**  
USA: 1 (800) 349-1531  
CANADA: 1 (800) 368-1263

#### 4 CRÈME PROTECTION SOLAIRE LARGE SPECTRE UVA-UVB FPS 45 (50 ml)

##### INGRÉDIENTS MÉDICINAUX :

Oxyde de zinc 10,5 %  
Octinoxate 7,5 %

**INDICATIONS:** Cet écran solaire à large spectre UVA et UVB protège contre les coups de soleil.

**MODE D'EMPLOI:** Topique. Appliquez généralement 15 minutes avant l'exposition au soleil. Réappliquez de nouveau produit toutes les 2 heures ou après la baignade, le séchage à la serviette, après avoir transpiré abondamment ou après s'être lavé.

- Mesures de protection contre le soleil: Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que:
- Limitez le temps passé au soleil, notamment entre 10 et 14 heures
  - Porter de vêtements à manches longues, de pantalons, un chapeau et des lunettes de soleil.
  - Appliquer un écran solaire résistant à l'eau pour la baignade et la transpiration

**MISE EN GARDE:** Pour usage externe seulement. Ne pas utiliser sur une peau endommagée ou présentant des lésions. Éviter tout contact avec les yeux. Rincer à l'eau le cas échéant. Cesser d'utiliser si une eruption cutanée survient et consulter un médecin. Consulter un médecin avant de l'utiliser sur des enfants de moins de 6 mois. Garder hors de portée des enfants. En cas d'ingestion, consulter un médecin immédiatement ou appeler un centre anti-poison.

Entreposer à 5-30°C (59-86°F)

**INGRÉDIENTS NON MÉDICINAUX :** voir « Drug Facts »



**GMC MEDICAL®**

## **GMC MEDICAL**

zinc oxide and octinoxate kit

### **Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64127-174
---------------------	----------------	---------------------------	---------------

### **Packaging**



#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64127-174-01	1 in 1 BOX		

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	50 mL
Part 2	1 BOTTLE, PUMP	200 mL
Part 3	1 BOTTLE, PUMP	50 mL
Part 4	1 BOTTLE, PUMP	30 mL

### Part 1 of 4

## GMC MEDICAL SUN PROTECTION

zinc oxide and octinoxate cream

### Product Information

Item Code (Source)	NDC:64127-134
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
zinc oxide (UNII: SOI2LOH54Z) (zinc oxide - UNII:SOI2LOH54Z)	zinc oxide	11.6 mg in 100 mL
octinoxate (UNII: 4Y5P7MUD51) (octinoxate - UNII:4Y5P7MUD51)	octinoxate	8.3 mg in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PPG-3 MYRISTYL ETHER (UNII: 7913J43WZ5)	
MICA (UNII: V8A1AW0880)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POLYGLYCERYL-10 DECAOLEATE (UNII: NJR3XZA3NW)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
HECTORITE (UNII: 08X4KI73EZ)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
POLYGONUM AVICULARE TOP (UNII: ZCD6009IUF)	
SENNA ALATA LEAF (UNII: 4BXR6YZN92)	
PANTHENOL (UNII: WV9CM0O67Z)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64127-134-01	50 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/10/2014	

### Part 2 of 4

## GMC MEDICAL SOOTHING CLEANSING MILK

cleansing (cold creams, cleansing lotions, liquids, and pads) lotion

### Product Information

Route of Administration	TOPICAL
-------------------------	---------

### Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0K00R)	
INGR	OCTYLDODECANOL (UNII: 461N1O614Y)	
INGR	CETEARYL ISONONANOATE (UNII: P5O01U99NI)	
INGR	C14-22 ALCOHOLS (UNII: B1K89384RJ)	
INGR	C12-20 ALKYL GLUCOSIDE (UNII: K67N5Z1RUA)	
INGR	HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
INGR	PPG-5-CETETH-20 (UNII: 4AAN25P8P4)	
INGR	ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
INGR	ARACHIDYL PROPIONATE (UNII: QV5DAH3MSB)	
INGR	.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
INGR	VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
INGR	ETHYL LINOLEATE (UNII: MJ2YTT4J8M)	
INGR	ETHYL LINOLENATE (UNII: T54Y8H042V)	
INGR	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
INGR	PENTYLENE GLYCOL (UNII: 50C1307PZG)	
INGR	HYDROXYPHENYL PROPAMIDOBENZOIC ACID (UNII: 25KRT26H77)	
INGR	POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	DEHYDROACETIC ACID (UNII: 2KAG279R6R)	

INGR	BENZYL ALCOHOL (UNII: LKG8494WBH)	
INGR	XANTHAN GUM (UNII: TTV12P4NEE)	
INGR	EDETATE DISODIUM (UNII: 7FLD91C86K)	
INGR	ALLANTOIN (UNII: 344S277G0Z)	
INGR	ALOE VERA LEAF (UNII: ZY81Z83H0X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		200 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		02/10/2014	

### Part 3 of 4

## GMC MEDICAL GF ADVANCED DERM

other skin care preparations cream

### Product Information

Route of Administration	TOPICAL
-------------------------	---------

### Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
INGR	PEG-75 STEARATE (UNII: OT38R0N74H)	
INGR	CETETH-20 (UNII: I835H2IHHX)	
INGR	STEARETH-20 (UNII: L0Q8IK9E08)	
INGR	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
INGR	ABELMOSCHUS MOSCHATUS SEED (UNII: UN2QZ55I88)	
INGR	XANTHAN GUM (UNII: TTV12P4NEE)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	POLYSORBATE 20 (UNII: 7T1F30V5YH)	
INGR	PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
INGR	SQUALANE (UNII: GW89575KF9)	
INGR	CETEARYL ISONONANOATE (UNII: P5O01U99NI)	
INGR	PPG-3 MYRISTYL ETHER (UNII: 7913J43WZ5)	
INGR	PENTYLENE GLYCOL (UNII: 50C1307PZG)	
INGR	WATERMELON (UNII: 231473QB6R)	
INGR	APPLE (UNII: B423VGH5S9)	

INGR	<b>LENS CULINARIS FRUIT</b> (UNII: ZYZ076G9JH)	
INGR	<b>SODIUM LACTATE</b> (UNII: TU7HW0W0QT)	
INGR	<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)	
INGR	<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)	
INGR	<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	
INGR	<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
INGR	<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
INGR	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
INGR	<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
INGR	<b>NEPIDERMIN</b> (UNII: TZK30RF92W)	
INGR	<b>CETEARETH-25</b> (UNII: 8FA93U5T67)	
INGR	<b>BEHENIC ACID</b> (UNII: HB90488X0A)	
INGR	<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
INGR	<b>N-HEXANOYLSPHINGOSINE</b> (UNII: 038753E78J)	
INGR	<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
INGR	<b>PADINA PAVONICA</b> (UNII: 177U06NHZI)	
INGR	<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
INGR	<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)	
INGR	<b>CERAMIDE 2</b> (UNII: C04977SRJ5)	
INGR	<b>PEG-10 RAPESEED STEROL</b> (UNII: 258O76T85M)	
INGR	<b>PROPYLENE GLYCOL DICAPRATE</b> (UNII: U783H9JHWY)	
INGR	<b>HELIANTHUS ANNUUS SEEDCAKE</b> (UNII: 482WYF7XLC)	
INGR	<b>BARLEY</b> (UNII: 5PWM7YLI7R)	
INGR	<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
INGR	<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
INGR	<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PC10R)	
INGR	<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
INGR	<b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)	
INGR	<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
INGR	<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
INGR	<b>ISOPROPYLBENZYL SALICYLATE</b> (UNII: 0798EIC152)	
INGR	<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
INGR	<b>TEPRENONE</b> (UNII: S8S8451A4O)	
INGR	<b>DECARBOXY CARNO SINE HYDROCHLORIDE</b> (UNII: 6X7K9I5QR7)	
INGR	<b>ERGOTHIONEINE</b> (UNII: BDZ3DQM98W)	
INGR	<b>MADECASSOSIDE</b> (UNII: CQ2F5O6YIY)	
INGR	<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
INGR	<b>ARACHIDYL PROPIONATE</b> (UNII: QV5DAH3MSB)	
INGR	<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
INGR	<b>ETHYL LINOLEATE</b> (UNII: MJ2YTT4J8M)	
INGR	<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
INGR	<b>CERAMIDE 3</b> (UNII: 4370DF050B)	
INGR	<b>LYSINE HYDROCHLORIDE</b> (UNII: JNJ23Q2COM)	
INGR	<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
INGR	<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
INGR	<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
INGR	<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		50 mL in 1 BOTTLE, PUMP		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		02/10/2014	

## Part 4 of 4

### GMC MEDICAL GF ADVANCED DERM SERUM

other skin care preparations gel

## Product Information

Route of Administration	TOPICAL
-------------------------	---------

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	PREZATIDE (UNII: 39TG2H631E)	
INGR	XANTHAN GUM (UNII: TTV12P4NEE)	
INGR	TROLAMINE (UNII: 9O3K93S3TK)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
INGR	CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
INGR	DEXTROSE (UNII: IY9XDZ35W2)	
INGR	CARRAGEENAN (UNII: 5C69YCD2YJ)	
INGR	ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
INGR	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
INGR	CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	CETEARETH-25 (UNII: 8FA93U5T67)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	BEHENIC ACID (UNII: HB90488X0A)	
INGR	CHOLESTEROL (UNII: 97C5T2UQ7J)	
INGR	N-HEXANOYLSPHINGOSINE (UNII: 038753E78J)	
INGR	LAURETH-3 (UNII: F32E4CB0UJ)	
INGR	ACETYL TYROSYLARGININE CETYL ESTER (UNII: 3M7W78X5IR)	
INGR	WATERMELON (UNII: 231473QB6R)	
INGR	APPLE (UNII: B423VGH5S9)	
INGR	LENS CULINARIS FRUIT (UNII: ZYZ076G9JH)	
INGR	SODIUM LACTATE (UNII: TU7HW0W0QT)	
INGR	SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
INGR	NEPIDERMIN (UNII: TZK30RF92W)	
INGR	BASIC FIBROBLAST GROWTH FACTOR (HUMAN) (UNII: S3529G9M9V)	

INGR	<b>MECASERMIN</b> (UNII: 7GR9I2683O)	
INGR	<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
INGR	<b>C13-14 ISOPARAFFIN</b> (UNII: E4F12ROE70)	
INGR	<b>LAURETH-7</b> (UNII: Z95S6G8201)	
INGR	<b>SORBIC ACID</b> (UNII: X045WJ989B)	
INGR	<b>ARABIDOPSIS THALIANA</b> (UNII: A3L60HQ81)	
INGR	<b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)	
INGR	<b>WHEY</b> (UNII: 8617Z5FMF6)	
INGR	<b>MADECASSOSIDE</b> (UNII: CQ2F5O6YIY)	
INGR	<b>ERGOTHIONEINE</b> (UNII: BDZ3DQM98W)	
INGR	<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
INGR	<b>DECARBOXY CARNOSSINE HYDROCHLORIDE</b> (UNII: 6X7K9I5QR7)	
INGR	<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)	
INGR	<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	
INGR	<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
INGR	<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
INGR	<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		30 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		02/10/2014	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/10/2014	

**Labeler** - Laboratoires dermo Cosmetik Inc (249335480)

### Establishment

Name	Address	ID/FEI	Business Operations
Laboratoires dermo Cosmetik Inc		249335480	MANUFACTURE(64127-134, 64127-174)