

**GERI-KOT- sennosides tablet**  
**Geri-Care Pharmaceutical Corp**

-----  
**GC 451C 417**

**Active ingredient (in each tablet)**

Sennosides 8.6 mg

**Purpose**

Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use** for more than one week unless directed by a doctor.

**Ask a doctor before use if** you have

- stomach pain, nausea or vomiting
- noticed a change in bowel habits that lasts over two weeks

**Stop use and ask a doctor if** you have rectal bleeding

or fail to have a bowel movement after use of a laxative.

These may indicate a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not exceed 8 tablets in 24 hours

<b>Age</b>	<b>Starting Dose</b>	<b>Maximum Dose</b>
adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
children under 12 years	ask a doctor	

## Other information

- **each tablet contains:** calcium 20 mg
- **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken
- store at 20°C-25°C (68°F-77°F)

## Inactive ingredients

croscarmellose sodium, dicalcium phosphate, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, PEG, talc.

## Package Label

NDC 57896-417-01  
**GERI-CARE**<sup>®</sup>  
**GERI-KOT**  
 STANDARDIZED SENNA CONCENTRATE  
 NATURAL VEGETABLE  
 LAXATIVE  
 Compare to active ingredient in **SENOKOT**<sup>®</sup>†  
 100 Tablets 8.6 mg each

**Drug Facts**  
**Active ingredient (in each tablet)** Senosides 8.6 mg.  
**Purpose** Laxative  
**Uses** • relieves occasional constipation. (irregularity)  
 • generally produces a bowel movement in 6 to 12 hours  
**Warnings**  
 Do not use for more than one week unless directed by a doctor.  
 Ask a doctor before use if you have  
 • stomach pain, nausea or vomiting  
 • noticed a change in bowel habits that lasts over two weeks  
**Stop use and ask a doctor** if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions** • do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
Children under 12 years	Ask a doctor	

**Other information** • each tablet contains: calcium 20 mg • **Tamper Evident** Do not use if imprinted seal under cap is missing or broken  
 • store at 20°C-25°C (68°F-77°F)  
**Inactive ingredients:** croscarmellose sodium, dicalcium phosphate, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, PEG, talc.  
**Questions or comments? Call 1-800-540-3765**  
 †This product is not manufactured or distributed by the owner of the registered trademark SENOKOT<sup>®</sup>.  
 Dist. by: Geri-Care Pharmaceuticals Corp.  
 1295 Towbin Avenue, Lakewood, NJ 08701  
 REY 1123C  
 3 57896 45101 1

## GERI-KOT

sennosides tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57896-417
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

### Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	1122
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-417-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2024	
2	NDC:57896-417-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2024	
3	NDC:57896-417-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/01/2024	

**Labeler** - Geri-Care Pharmaceutical Corp (611196254)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)

Revised: 2/2024

Geri-Care Pharmaceutical Corp