

**HAIR REGEN MINOXIDIL 5% HAIR GROWTH TREATMENT- minoxidil 5% hair growth serum liquid**  
**Guangzhou Hanhai Trading Co., Ltd**

-----  
**83675-033**

**Active Ingredient**

Minoxidil 5% w/ v.

**Purpose**

Hair regrowth treatment for people

**Use**

to regrow hair on the top of the scalp

**Warnings**

For external use only. For use men only.  
Flammable: Keep away from fire or flame

**Do not use**

- You are a woman
- Your amount of hairloss is different than that shown on the side of this carton or your hairloss is on the front of the scalp Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**When Using**

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture
- It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some people, you may need to use this product for at least 4 months before you see results.

■ The amount of hair regrowth is different for each person. This product will not work for all people.

### **Stop Use**

- .Chest pain, rapid heartbeat, faintness, or dizziness occurs.
- .Sudden, unexplained weight gain occurs.
- .Your hands or feet swell.
- . Scalp irritation or redness occurs.
- .Unwanted facial hair growth occurs.
- You do not see hair regrowth in 4 months.

### **Ask Doctor**

If have heart disease.

### **Keep Out Of Reach Of Children**

Yes Keep Out Of Reach Of Children

### **Directions**

- apply one ml with fropper 2times a day directly onto the scalp in the hair loss area
  - using more or more often will not improve results
  - continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again
- For best results: Keep using (Men use twice a daily. Women use once a day).

### **Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with Hair Regrowth Treatment for men and women
- In clinical studies with mostly white men and women aged 18-49 years with moderate degrees of hair loss, Hair Regrowth Treatment for people provided more hair regrowth than minoxidil topical solution 2%
- store at 20° to 25°C (68° to 77°F). Keep tightly closed.

### **Inactive ingredients**


alcohol, propylene glycol, purified water

### **Questions**

wang@ywluyi.com

PRINCIPAL DISPLAY PANEL

108\*60mm 亮面



Read and keep carton and leaflet for full product information

Active ingredient Minoxidil 5% w/v

**Warnings**

For external use only. For use by men only.

Flammable: Keep away from fire or flame

**Do not use if**

- you are a woman
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- apply one mL 2 times a day directly onto the scalp in the hair loss area
- see carton and enclosed leaflet for complete directions
- using more or more often will not improve results
- continued use is necessary or hair loss will begin again

**Inactive ingredients**

alcohol, propylene glycol, purified water

**Questions or comments?**

1-800-719-9260

Store at 20° to 25°C (68° to 77°F).

Keep tightly closed.

HA(R) REGEN™

Distributed by  
HA(R) REGEN™

167 Madison Avenue  
Ste 205 #236  
New York City, NY 10016



# HAIR REGEN MINOXIDIL 5% HAIR GROWTH TREATMENT

minoxidil 5% hair growth serum liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83675-033
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:83675-033-01	360 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	02/02/2024	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M032	02/02/2024	

**Labeler** - Guangzhou Hanhai Trading Co., Ltd (419707381)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Guangzhou Hanhai Trading Co., Ltd		419707381	label(83675-033) , manufacture(83675-033)

Revised: 2/2024

Guangzhou Hanhai Trading Co., Ltd