

**LAXATIVE- bisacodyl tablet, delayed release**  
**Rite Aid Corporation**

-----  
**Rite Aid 44-327-Delisted**

***Active ingredient (in each tablet)***

Bisacodyl USP, 5 mg

***Purpose***

Stimulant laxative

***Uses***

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

***Warnings***

**Do not use**

if you cannot swallow without chewing.

**Ask a doctor before use if you have**

- a sudden change in bowel habits that lasts more than 2 weeks
- stomach pain, nausea or vomiting

**When using this product**

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity
- see end flap for expiration date and lot number

**Inactive ingredients**

acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

**NDC 11822-0327-7**

Compare to the active ingredient in  
**Dulcolax® Laxative Tablets\***

**LAXATIVE  
BISACODYL USP 5 mg**

STIMULANT LAXATIVE

Gentle, dependable constipation relief  
Enteric coated

ACTUAL SIZE

**200  
TABLETS**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED**

**SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by Sanofi-Aventis  
Deutschland GMBH, owner of the registered trademark Dulcolax® Laxative  
Tablets. 50844 REV0119B32706

**DISTRIBUTED BY:**

RITE AID, 30 HUNTER LANE,  
CAMP HILL, PA 17011

**[www.riteaid.com](http://www.riteaid.com)**

**SATISFACTION  
GUARANTEE**

If you're not satisfied, we'll  
happily refund your money.



actual size

NDC 11822-0327-7

Compare to the active ingredient in  
Dulcolax® Laxative Tablets\*

# LAXATIVE

**BISACODYL USP 5 mg**

**STIMULANT LAXATIVE**

Gentle, dependable constipation relief

Enteric coated



ACTUAL SIZE

**200**  
TABLETS

# LAXATIVE

**BISACODYL USP 5 mg**

**STIMULANT LAXATIVE**

Gentle, dependable constipation relief

Enteric coated



**200**  
TABLETS

No print area  
Lot no. & Exp. Date



TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**DISTRIBUTED BY:**  
RITE AID, 30 HUNTER LANE,  
CRIMP HILL, PA 17011  
www.riteaid.com

**SATISFACTION  
GUARANTEE**  
If you're not satisfied, we'll  
happily refund your money!

B-1702-327-06-R2  
REV0119B32706

\*This product is not manufactured or distributed by Sunovion.  
Dulcolax® (bismacodyl), name of the registered trademark Dulcolax® Laxative  
Tablets, 50944 R210119B32706

### Questions or comments? 1-800-426-9391

**Inactive ingredients:** acacia, ammonium hydroxide, calcium carbonate, carmellose gum, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, aryltrous, magnesium stearate, methylparaben, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

### Other information

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
■ avoid excessive humidity  
■ see end flap for expiration date and lot number

### Directions

adults and children ■ take with a glass of water  
12 years and over ■ take 1 to 3 tablets in a single daily dose  
children 6 to under ■ take 1 tablet in a single daily dose  
children under 6 years ■ ask a doctor

**Active ingredient (in each tablet)**  
Bisacodyl USP, 5 mg  
Stimulant laxative

**Purpose**  
■ for relief of occasional constipation and irregularity  
■ this product generally produces bowel movement in 6 to 12 hours

**Warnings**  
Do not use if you cannot swallow without chewing.  
Ask a doctor before use if you have  
■ stomach pain, nausea or vomiting  
■ a sudden change in bowel habits that lasts more than 2 weeks

**When using this product**  
do not chew or crush tablet(s)  
do not use within 1 hour after taking an antacid or milk  
you may have stomach discomfort, flatness and cramps  
after use of a laxative. These could be signs of a serious condition.  
■ you need to use a laxative for more than 1 week before use.  
If pregnant or breast-feeding, ask a health professional  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

B  
7  
7  
7  
3  
R

**LAXATIVE**

bisacodyl tablet, delayed release

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0327
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BISACODYL</b> (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>AMMONIA</b> (UNII: 5138Q19F1X)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>Polyvinyl Acetate Phthalate</b> (UNII: 58QVG85GW3)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	

Product Characteristics			
<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	5
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0327-5	2 in 1 CARTON	03/25/2002	10/13/2024
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0327-7	1 in 1 CARTON	03/25/2002	10/13/2024
2		200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:11822-0327-6	1 in 1 CARTON	03/25/2002	10/13/2024
3		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/25/2002	10/13/2024

**Labeler** - Rite Aid Corporation (014578892)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(11822-0327) , pack(11822-0327)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0327) , pack(11822-0327)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(11822-0327)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(11822-0327)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-0327)

Revised: 11/2023

Rite Aid Corporation