

**10% POVIDONE IODINE NASAL SWAB- povidone iodine nasal swab solution
IIMED MEDICAL MEXICANA S DE RL DE CV**

IIMED - 10% Povidone Iodine Nasal Swab

Active ingredient

Povidone-iodine USP 10%

Purpose

Antiseptic

Uses

- • antiseptic skin preparation
- • helps reduce bacteria that can potentially cause skin infections

Warnings

For external use only

Do not use

- • if allergic to iodine
- • in the eyes
- • on children less than 3 years old

Ask a doctor before use if injuries are

- • deep or puncture wounds
- • serious burns

Stop use and ask a doctor if

- • redness, irritation, swelling or pain persists or increases
- • infection occurs

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or consult a poison control center immediately.

Avoid excessive heat.Store at room temperature.

Directions

NASAL APPLICATION:

- Use a tissue to clean the inside of



both nostrils, including the inside tip of nostril. Discard.



- Insert swab comfortably into one nostril and rotate for 30 seconds, covering all surfaces. Discard swabstick.



- Using a 2nd swab, repeat step 2 with the other nostril.



- Repeat the application in both nostrils, using the 3rd and 4th swabs.



- Do not blow nose. If solution drips, gently wipe with a tissue.

Other information

- • 1% titratable iodine
- • not made with natural rubber latex
- • for hospital or professional use only

Inactive ingredients

disodium phosphate, glycerin, hydroxyethylcellulose, nonoxynol-10, simethicone, water

Package Label



ANTISEPTIC
**NASAL
SWABS**

**POVIDONE-IODINE
USP 10%**

+ Presaturated

Non-sterile.
Single use only.
This product is not made
with natural rubber latex.



1
4-INCH SATURATED
SWABSTICK

**LEFT
NOSTRIL**



NDC 53329-497-26

ANTISEPTIC
**NASAL
SWABS**

**POVIDONE-IODINE
USP 10%**

+ Presaturated

Non-sterile.
Single use only.
This product is not made
with natural rubber latex.



1
4-INCH SATURATED
SWABSTICK

**RIGHT
NOSTRIL**

LOT

⌚ YYYY-MM-DD

Drug Facts

Active ingredient Purpose

Povidone-iodine USP 10%..... Antiseptic

Uses

- antiseptic skin preparation
- helps reduce bacteria that can potentially cause skin infections

Warnings

For external use only

Do not use

- if allergic to iodine
- in the eyes
- on children less than 3 years old

Ask a doctor before use if injuries are

- deep or puncture wounds
- serious burns

Stop use and ask a doctor if

- redness, irritation, swelling or pain persists or increases
- infection occurs

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or consult a poison control center immediately.

Avoid excessive heat. Store at room temperature. ▶



www.medline.com

©2022 Medline Industries, LP
Made in the USA by: Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA.
1-800-MEDLINE V1 RG22APL

REF MDS1982


Drug Facts (continued)

Directions


NASAL APPLICATION:



1. Use a tissue to clean the inside of both nostrils, including the inside tip of nostril. Discard.



2. Insert right swab comfortably into right nostril and rotate for 30 seconds, covering all surfaces. Discard swabstick.



3. Using left swab, repeat step 2 with left nostril.



4. Repeat the application in both nostrils, using the new left and right swabs.



5. Do not blow nose. If solution drips, gently wipe with a tissue.

Other information

- 1% titratable iodine
- not made with natural rubber latex
- for hospital or professional use only

Inactive ingredients

disodium phosphate, glycerin, hydroxyethylcellulose, nonoxynol-10, simethicone, water

**Protect From Freezing,
Avoid Excessive Heat.**
Temperature limits:
15°C-30°C

10% POVIDONE IODINE NASAL SWAB

povidone iodine nasal swab solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83062-497(NDC:53329-497)
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%) (UNII: S38J6RZN16)	
NONOXYNOL-10 (UNII: K7O76887AP)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83062-497-26	10 mL in 1 PACKET; Type 0: Not a Combination Product	10/15/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	10/15/2023	

Labeler - IIMED MEDICAL MEXICANA S DE RL DE CV (812894376)**Registrant** - Medline Industries, LP (025460908)**Establishment**

Name	Address	ID/FEI	Business Operations
IIMED MEDICAL MEXICANA S DE RL DE CV		812894376	relabel(83062-497) , repack(83062-497)