TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment
Target Corporation

Target Up &Up Triple Antibiotic Ointment

Drug Facts

Active Ingredients

Bacitracin 400

Neomycin 3.5 mg

Polymyxin B 5,000 units

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Uses

First aid to help prevent infection in minor:
- cuts
- scrapes
- burns

Warnings

For external use only

Do not use if
- in or near the eyes
- on large areas of the body

Ask a doctor before use if you have
- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if
- you need ot use longer than 1 week
- condition persists or gets worse
- a rash or other allergic reaction develops

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily.
- may be covered with a sterile bandage

Other information

Store at a controlled room temperature 20º-25ºC (68º-77ºF)

Inactive ingredients

Petrolatum

Questions and Comments ? 1-800-910-6874

Principal Display Panel

Target Up&Up NDC 11673-892-56

Tripel Anitibiotic Ointment

Polymxiin B Sulfate

Bacitracin Zinc

Neomycin Sulfate

First aid Antibiotic Ointment

NET WT 1oz(28g)

Total NET WT 2OZ (56g)

Original Strength Antibiotic Ointment

Bacitracin Zinc/Neomycin Sulfate/
Polymyxin B Sulfate

First aid antibiotic ointment

up&up™

NET WT 1 OZ (28 g)

NDC 11673-892-56

Active ingredients (in each gram)	***Purpose***
Bacitracin 400 units	First aid antibiotic
Neomycin 3.5 mg	First aid antibiotic
Polymyxin B 5,000 units	First aid antibiotic

Uses first aid to help prevent infection in minor ▪ cuts ▪ scrapes ▪ burns ***Warnings*** **For external use only. Do not use** ▪ if you are allergic to any of the ingredients ▪ in or near the eyes ▪ over large areas of the body **Ask a doctor before use if you have** ▪ deep or puncture wounds ▪ animal bites ▪ serious burns **Stop use and ask a doctor if** ▪ you need to use longer than 1 week ▪ condition persists or gets worse ▪ rash or other allergic reaction develops **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately. ***Directions*** ▪ clean affected area ▪ apply a small amount (equal to the surface area of tip of finger) on area 1 to 3 times daily ▪ may be covered with a sterile bandage ***Other information*** ▪ store at controlled room temperature 20°-25°C (68°-77°F).

Questions or comments? **1-800-910-6874**

245 07 0076 R00 C-002262-01-035

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:11673-892
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-892-56	2 in 1 CARTON	01/31/2024	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/31/2024	

Labeler - Target Corporation (006961700)

Revised: 1/2024 Target Corporation