MINOXIDIL 2%- minoxidil lotion MINOXIDIL 5%- minoxidil lotion Centro Internacional de Cosmiatría, S.A.P.I. de C.V.

Warnings

For external use only

Flammable: Keep away from fire or flame.

Do not use if

your degree of hair loss is different than that shown on the side of this carton, because this product may not work for you you have no family history of hair loss your hair loss is sudden and/or patchy your hair loss is associated with childbirth you do not know the reason for your hair loss you are under 18 years of age. Do not use it on babies and children. your scalp is red, inflamed, infected, irritated, or painful you use other medicines on the scalp

Ask a doctor before use if you have

Heart disease

When using this product

Do not apply on other parts of the body.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.

The amount of hair regrowth is different for each person. This product will not work for everyone.

Stop use and ask a doctor if

chest pain, rapid heartbeat, faintness, or dizziness occurs sudden, unexplained weight gain occurs your hands or feet swell scalp irritation or redness occurs unwanted facial hair growth occurs you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

DIRECTIONS

Before each application, prime the sprayer by holding the bottle upright and pump the sprayer 5 times to ensure delivery of full spray. Do not inhale mist.

Apply 1 mL with sprayer (8 sprays) 2 times a day directly onto the scalp in the hair loss area.

Using more or more often will not improve results.

Continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.

ALCOHOL 3K9958V90M 0.25 g IACT ANHYDROUS CITRIC ACID XF417D3PSL 0.0093 g IACT BUTYLATED HYDROXYTOLUENE 1P9D0Z171K 0.001 g IACT PROPYLENE GLYCOL 6DC9Q167V3 0.637 g IACT WATER 059QF0KO0R 0.0827 g IACT

Purpose


Hair regrowth treatment.


Use

To regrow hair on the scalp.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Hair regrowth treatment





MINOXIDIL 2% ninoxidil lotion						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code	e (Source)	NDC	77229-050	
Route of Administration	TOPICAL					
Active Ingredient/Active	Moiety					
Ingred	lient Name		Basis of St	rength	Strength	
MINOXIDIL (UNII: 5965120SH1) (I	MINOXIDIL - UNII:5965120SH1	.)	MINOXIDIL		0.02 g in 1 g	
Inactive Ingredients						
	Ingredient Name			S	trength	
ALCOHOL (UNII: 3K9958V90M)				0.25 g in	1 g	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)					0.0093 g in 1 g	
ANHYDROUS CITRIC ACID (UNII:	XF417D3PSL)			0.0055 g	mig	
•				0.001 g i		
ANHYDROUS CITRIC ACID (UNII: BUTYLATED HYDROXYTOLUEN PROPYLENE GLYCOL (UNII: 6DC	E (UNII: 1P9D0Z171K)			-	n 1 g	

Pa	ackaging							
#	Item Code	Pa	ackage Description		Marketing St Date	art	Marketing End Date	
1	NDC:77229- 050-01		g in 1 BOTTLE, DISPENSING; Type 0: Not a 02/08/2024				Putt	
2	NDC:77229- 050-13	3 g in 1 BOTTLE Combination Pro	, DISPENSING; Type 0: Not oduct					
			, DISPENSING; Type 0: Not a oduct		02/08/2024			
Marketing Information								
Marketing Applica Category		Applicat	tion Number or Monograph Citation		Marketing Start Date		Marketing End Date	
01	C Monograph D	rug M032		0	2/07/2024			
M	INOXIDIL	. 5%						
ni	noxidil lotion							
Р	roduct Info	rmation						
P	roduct Type		HUMAN OTC DRUG	Item Coo	le (Source)		NDC:77229-099	
	oute of Admii	nistration	TOPICAL					
A	ctive Ingred	lient/Active	Moiety					
Ingredient Name Basis of Stren					eng	th Strength		
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)				L)	MINOXIDIL 0.02 g in 1 g			
Inactive Ingredients								
Ingredient Name Strength								
ALCOHOL (UNII: 3K9958V90M)						0.25 g in 1 g		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)						0.0093 g in 1 g		
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)						0.001 g in 1 g 0.637 g in 1 g		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)								
WATER (UNII: 059QF0K00R) 0.0827 g in 1 g								
D	ackaging							
. ·	Item Code		akana Description		Marketing St	art	Marketing End	
Ħ				2	Date		Date	
-	NDC:77229- 099-01	Combination Pro			02/08/2024			
2	NDC:77229- 099-13	3 g in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product 02/08/2024						
3	NDC:77229- 099-16	6 g in 1 BOTTLE Combination Pro	, DISPENSING; Type 0: Not oduct	а	02/08/2024			

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
M032	02/07/2024				
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date			

Labeler - Centro Internacional de Cosmiatría, S.A.P.I. de C.V. (814124954)

Establishment						
Name	Address	ID/FEI	Business Operations			
Centro Internacional de Cosmiatría, S.A.P.I. de C.V.		814124954	manufacture(77229-050, 77229-099)			

Revised: 2/2024

Centro Internacional de Cosmiatría, S.A.P.I. de C.V.