

HEATING PAIN RELIEF- methyl salicylate, menthol cream
SUNSET NOVELTIES, INC

72937-180-42

Menthol 10%

Methyl Salicylate 18%

Topical Analgesic.

USE

Aid for temporary local relief of minor pain in muscles or joints.

For external use only. · Ask a doctor before use if you have redness over affected area

Use only as directed

Do not bandage tightly or use with a heating pad

Avoid contact with eyes and mucous membranes

Do not apply to wounds or damaged, broken or irritated skin

If you experience an allergic reaction, discontinue use and consult a doctor.

Do not expose the area treated with product to heat or direct sunlight.

STOP USE AND ASK A DOCTOR IF

Condition worsens

Redness is present

Irritation develops

Symptoms persist for more than 7 days or clear up occur again within a few days

You experience signs injury, such as pain, swelling or blistering where the product was applied.

IF PREGNANT OR BREAST - FEEDING

Ask a health professional before use.

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

Adults and Children over 12 years:

- Apply a small amount on the affected area.
- Massage in circular motion, let set for a few seconds.
- Repeat as necessary, but no more than 3 to 4 times daily.
- Wash hands with soap and water after use.

Children under 12 years of age: do not use, consult a doctor

Store tightly closed in a dry place at controlled room temperature between 59°-86° F (15°-30° C).

Water (Aqua), Paraffinum Liquidum, Glyceryl Stearate, Stearic Acid, Cetyl Alcohol, Dimethicone, Glycereth-26, Acrylamide/Sodium Acrylate Copolymer, Trideceth-6, Caprylyl Glycol, Phenoxyethanol, Hexylene Glycol, Stearyl Alcohol, Triethanolamine, Sodium Hyaluronate, Sodium PCA, Wheat Amino Acids, Panthenol, Symphytum Officinale (Comfrey) Extract, Hydroxyproline, Cannabidiol, FD&C Yellow No.6 (CI 15985).

SUNSET - HEATING PAIN RELIEF CREAM 4 oz TUBE LIMITED EDITION



NDC# 72937-180-42

Drug Facts

Active ingredients	Purpose
Menthol 10%	Topical Analgesic
Methyl Salicylate 18%	Topical Analgesic

Use
Aid for temporary local relief of minor pain in muscles or joints.

Warnings
• For external use only. • Ask a doctor before use if you have redness over affected area.

When using this product
• Use only as directed.
• Do not bandage tightly or use with a heating pad.
• Avoid contact with eyes and mucous membranes.
• Do not apply to wounds or damaged, broken or irritated skin.
• A transient burning sensation or redness may occur upon application but generally disappears in several days.
• If you experience an allergic reaction, discontinue use, and consult a doctor.
• Do not expose the area treated with product to heat or direct sunlight.

Stop use and ask a doctor if
• Condition worsens.
• Redness is present.
• Irritation develops.
• Symptoms persist for more than 7 days or clear up occur again within a few days.
• You experience signs injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breast-feeding
Ask a health professional before use.

Keep out of reach of children
If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and Children over 12 years:
• Apply a small amount on the affected area.
• Massage in circular motion, let set for a few seconds..
• Repeat as necessary, but no more than 3 to 4 times daily.
• Wash hands with soap and water after use.
Children under 12 years of age: do not use, consult a doctor.

Other information
Store tightly closed in a dry place at controlled room temperature between 59°-86° F (15°-30° C).

Inactive Ingredients
Water (Aqua), Paraffinum Liquidum, Glyceryl Stearate, Stearic Acid, Cetyl Alcohol, Dimethicone, Glycereth-26, Acrylamide/Sodium Acrylate Copolymer, Trideceth-6, Caprylyl Glycol, Phenoxyethanol, Hexylene Glycol, Stearyl Alcohol, Triethanolamine, Sodium Hyaluronate, Sodium PCA, Wheat Amino Acids, Panthenol, Symphytum Officinale (Comfrey) Extract, Hydroxyproline, Cannabidiol, FD&C Yellow No.6 (CI 15985).

*This statement has not been evaluated by the Food and Drug Administration (FDA). This product is not intended to diagnose, treat, cure or prevent any disease.

LESS THAN 0.3% THC MADE IN USA
Exclusively Distributed by: SUNSET NOVELTIES.

5700 PEMBROKE RD WEST PARK, FL 33023.
(888) 367 4916.

www.sunsetcbd hemp.com



HEATING PAIN RELIEF

methyl salicylate, menthol cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72937-180
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	9.8 g in 100 mL
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	17.6 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERETH-26 (UNII: NNE56F2N14)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
COMFREY LEAF (UNII: DG4F8T839X)	
CANNABIDIOL (UNII: 19GBJ60SN5)	
WATER (UNII: 059QF0KO0R)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
AMINO ACIDS, WHEAT (UNII: 0370GZL32F)	
PANTHENOL (UNII: WW9CM0067Z)	
HYDROXYPROLINE (UNII: RMB44WO89X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE 1000 (UNII: MCU2324216)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
TROLAMINE (UNII: 9O3K93S3TK)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
MINERAL OIL (UNII: T5L8T28FGP)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

Product Characteristics

Color	orange (Light Orange)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72937-180-42	118 mL in 1 TUBE; Type 0: Not a Combination Product	02/07/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/25/2023	

Labeler - SUNSET NOVELTIES, INC (067218145)

Revised: 2/2024

SUNSET NOVELTIES, INC