

**CHILDRENS BENADRYL DYE-FREE ALLERGY- diphenhydramine hydrochloride solution**  
**Kenvue Brands LLC**

-----  
**Children's Benadryl<sup>®</sup> DYE-FREE ALLERGY**

***Drug Facts***

**Active ingredient (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if the child is** taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

<b>Age (yr)</b>	<b>Dose (mL)</b>
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

### **Other information**

- **each 5 mL contains:** sodium 10 mg
- store between 20-25°C (68-77°F)
- **do not use if carton tape or bottle wrap imprinted with "Sealed For Your Safety" is broken or missing**
- see bottom panel for lot number and expiration date

### **Inactive ingredients**

anhydrous citric acid, carboxymethylcellulose sodium, flavors, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol solution

### **Questions or comments?**

call **1-877-717-2824** or **215-273-8755** (collect)

### **PRINCIPAL DISPLAY PANEL**

NDC 50580-535-01

Children's  
Benadryl®

DYE-FREE ALLERGY

Diphenhydramine HCl/antihistamine  
12.5 mg/5 mL oral solution

4-6 Hours/Dose

RELIEF OF:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes

- Itchy Throat or Nose

✓ Free Of:

- Dyes
- Alcohol
- Sugar
- Parabens
- High Fructose  
Corn Syrup

Bubble Gum!  
Flavored Liquid

4 fl oz (118 mL)

# Children's Benadryl

How can we help?

☎ 1-877-717-2824

benadryl.com

NDC 50580-535-01

# Children's Benadryl

## DYE-FREE ALLERGY

Diphenhydramine HCl/antihistamine  
12.5 mg/5 mL oral solution

4-6 Hours/Dose

### RELIEF OF:

- ✓ Runny Nose
- ✓ Sneezing
- ✓ Itchy, Watery Eyes
- ✓ Itchy Throat or Nose



### Free Of:

- Dyes
- Alcohol
- Sugar
- Parabens
- High Fructose Corn Syrup



# Children's Benadryl

## DYE-FREE ALLERGY

### Tips for Outdoor Allergens:



- Avoid being outside when the pollen count is high, typically in the morning
- Shower and change clothing after spending time outdoors

### Tips for Indoor Allergens:



- Wash sheets and blankets in hot water and use the dryer weekly
- Minimize contact and keep pets out of the bedroom to help with pet allergies

For more information, visit:



## Bubble Gum!


Flavored Liquid

[www.benadryl.com](http://www.benadryl.com)

4 fl oz (118 mL)

Active ingredient made in Japan  
Distributed by:  
JOHNSON & JOHNSON CONSUMER INC.  
McNeil Consumer Healthcare Division  
Fort Washington, PA 19034 USA  
©J&JCI 2020

30048562



Children's  
**Benadryl**

**DYE-FREE  
ALLERGY**

**Drug Facts**

Active ingredient (in each 5 mL)	Purpose
Diphenhydramine HCl 12.5 mg	Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing

**Drug Facts (continued)**

**Directions**


- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

**Other information**

- each 5 mL contains: sodium 10 mg



## CHILDRENS BENADRYL DYE-FREE ALLERGY

diphenhydramine hydrochloride solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50580-535
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	

## Product Characteristics

<b>Color</b>	white (Clear, colorless)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-535-01	1 in 1 CARTON	12/01/2015	
1		118 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		
2	NDC:50580-535-08	1 in 1 CARTON	06/16/2022	
2		236 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		
3	NDC:50580-535-02	2 in 1 PACKAGE	11/18/2024	
3		1 in 1 CARTON		
3		236 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2008	

**Labeler** - Kenvue Brands LLC (118772437)