

**QM GREEN BARRIER- lactic acid, salicylic acid solution**  
**Aspen Veterinary Resources**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**FOR INDUSTRIAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

**WARNING**

Causes serious eye irritation. Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas.

**DIRECTIONS:**

**IMPORTANT:** Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.  
Directions for Teat Dipping

**Pre-Milking/Prepping:** Using proper cleaning procedures, wash teats with appropriate udder wash solution or pre-dip/spray each teat prior to milking. Teats should then be dried with single-service towels.

**Post-Milk Dipping:** Using fresh QM Green Barrier, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** QM Green Barrier is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

**FIRST AID**

**Eye Contact:** Rinse with plenty of water.

**Skin Contact:** Rinse with water.

**Ingestion:** Rinse mouth. Get medical attention if symptoms occur.

**Inhalation:** Get medical attention if symptoms occur.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION:** Contact local poison control.

**Principal display panel and representative label**

**aspen DIARY SOLUTIONS**

**QM GREEN BARRIER**

**Non iodine Barrier Teat Dip**

An aid in reducing the spread of organisms which may cause mastitis

**ACTIVE INGREDIENTS:**

Lactic Acid.....2.2%

Salicylic acid.....0.1%

**SKIN CONDITIONING SYSTEM:**

(contains propylene glycol, glycerin, lanolin, aloe).....23.0%

**INERT INGREDIENTS:**.....74.7%

**TOTAL:**.....100.0%

NET CONTENTS: 208 L (55 US GAL)

6301478

Manufactured for:

Aspen Veterinary Resources®, Ltd.

3155 Heartland Drive, Liberty, MO 64068

1-800-203-5620

761214/5300/0315



# QM GREEN™ BARRIER



<b>ACTIVE INGREDIENTS:</b>	
Lactic acid .....	2.2%
Salicylic acid .....	0.1%
<b>SKIN CONDITIONING SYSTEM:</b>	
(contains propylene glycol, glycerin, lanolin, aloe).....	23.0%
<b>INERT INGREDIENTS:</b> .....	74.7%
<b>TOTAL:</b> .....	100.0%

### Non Iodine Barrier Teat Dip

An aid in reducing the spread of organisms which may cause mastitis

#### FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

#### DIRECTIONS:

**IMPORTANT:** Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

#### Directions for Teat Dipping

**Pre-Milking/Prepping:** Using proper cleaning procedures, wash teats with appropriate udder wash solution or pre-dip/ spray each teat prior to milking. Teats should then be dried with single-service towels.

**Post-Milk Dipping:** Using fresh QM Green Barrier, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** QM Green Barrier is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

#### WARNING

Causes serious eye irritation. Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas.

#### FIRST AID

**Eye Contact:** Rinse with plenty of water.

**Skin Contact:** Rinse with water.

**Ingestion:** Rinse mouth. Get medical attention if symptoms occur.

**Inhalation:** Get medical attention if symptoms occur.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION:** Contact local poison control.

### Sellador barrera de pezones sin iodo

Ayuda a evitar la proliferación de organismos que pueden causar mastitis

#### PARA USO INDUSTRIAL SOLAMENTE

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USA HUMANO

#### INSTRUCCIONES:

**IMPORTANTE:** No lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el contenedor original.

#### Instrucciones para el sellado de pezones

**Pre-ordeno/Preparación:** Utilizar procedimientos adecuados para la limpieza, enjuagar cada ubre con la solución de limpieza adecuada o usar una solución en spray o de inmersión, antes de empezar el ordeño. Los pezones deben luego secarse utilizando toallas de uso único.

**Sellado del pezón posterior al ordeño:** Bañe toda la superficie de cada pezón en un recipiente que contenga QM Green Barrier fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo. **Uso Expandido:** Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por aproximadamente 10 días antes de parir.

**PRECAUCIÓN:** QM Green Barrier no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágalas tratar con un veterinario.

#### ATENCIÓN

Provoca irritación ocular grave. Lave la piel minuciosamente después del manejo. No se mezcle con el blanqueo o otros productos tratados con cloro - causará el gas de cloro.

#### PRIMEROS AUXILIOS

**Contacto con los ojos:** Enjuague con mucha agua.

**Contacto con la piel:** Enjuague con agua.

**Ingestión:** Enjuague la boca. Consultar un médico si los síntomas aparecen.

**Inhalación:** Consultar un médico si los síntomas aparecen.

**LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO**

**INFORMACIÓN DE EMERGENCIA SOBRE SALUD:** Contacto local de veneno.

NET CONTENTS: 208 L (55 US GAL)  
**6301478**



Manufactured for:  
Aspen Veterinary Resources®, Ltd.  
3155 Heartland Drive, Liberty, MO 64068  
1-800-203-5620  
761214/5300/0315

## QM GREEN BARRIER

lactic acid, salicylic acid solution

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:46066-401
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LACTIC ACID</b> (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	22 mg in 1 mL
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>ALOE</b> (UNII: V5VD430YW9)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-401-16	18900 mL in 1 PAIL		
2	NDC:46066-401-17	56800 mL in 1 DRUM		
3	NDC:46066-401-21	208000 mL in 1 DRUM		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/10/2015	

**Labeler** - Aspen Veterinary Resources (627265361)

Revised: 6/2025

Aspen Veterinary Resources