

CHILDREN PAIN AND FEVER RELIEVER- acetaminophen tablet, chewable
Target Corporation

Children's Pain and Fever Chewables Bubblegum Flavor

Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen.

Allergy Alert:

acetaminophen may cause severe skin reaction. Symptom may include:

- skin reddening
- blister
- rash. If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning:

If sore throat is severe, persists for more than 2 days is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- find the right dose on chart below. If possible, use weight to dose; otherwise use age.
- chew completely do not swallow whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lbs)	under 24	24-35	36-47	48-59	60-71	72-95
Age (yr)	under 2 years	2-3 years	4-5 years	6-8 years	9-10 years	11 years
Dose (tablets)*	ask a doctor	1 tablet	1 ½ tablets	2 tablets	2 ½ tablets	3 tablets

Other information

- store at room temperature. Avoid high humidity. Protect from light.
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, crospovidone, D&C Red No. 30, dextrose, flavor, hydroxypropylcellulose, magnesium stearate, maltodextrin, silicon dioxide, sodium carboxymethylcellulose, starch, sucralose.

Questions or comments ?**1-800-910-6874****Principal Display Panel**

NDC 11673-240-24

Compare to active ingredient in Children's Tylenol® Chewables*

Children's

ACETAMINOPHEN

Chewable tabs, 160 mg

pain reliever/fever reducer

aspirin free

ibuprofen free

AGES 2-11 YEARS

BUBBLEGUM FLAVOR

Naturally and Artificially Flavored

24 CHEWABLE TABLETS

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Junior Strength Tylenol® Meltaways®.

IMPORTANT: Keep this carton for future reference on full labeling.

Distributed by Target Corporation

Minneapolis, MN 55403

© 2014 Target Brands, Inc.

Shop Target.com

children's acetaminophen

chewable tabs, 160 mg



Compare to active ingredient in
Children's Tylenol® Chewables*

NDC 11673-240-24

children's acetaminophen

chewable tabs, 160 mg



pain reliever/fever reducer
aspirin free
ibuprofen free

AGES

2-11

YEARS



24

CHEWABLE TABLETS

24 CHEWABLE TABLETS



16086241GTFC

COATING
FREE AREA

Lot: _____
Exp: _____

Drug Facts (continued)
Inactive ingredients: citric acid, croscopolone, D&C Red No. 30, dextrose, flavor, hydroxypropylcellulose, magnesium stearate, malic acid, silicon dioxide, sodium carboxymethylcellulose, starch, sucralose
Questions or comments? 1-800-910-6874

This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol Chewables, 50844 HEV1013645008
Distributed by Target Corporation
©2019 Target Brands, Inc.
Shop target.com

IMPORTANT:
Keep this carton for future reference on full labeling.

Drug Facts

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Active ingredient (in each chewable tablet) Acetaminophen 160 mg. **Purpose** Pain reliever/fever reducer

Uses temporarily relieves minor aches and pains due to:
the common cold ■ flu ■ headache ■ sore throat ■ toothache ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes: more than 5 doses in 24 hours, which is the maximum daily amount

with other drugs containing acetaminophen

Allergy Alert: acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away

Drug Facts (continued)

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist

if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present

These could be signs of a serious condition.
Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions this product does not contain directions or complete warnings for adult use. do not give more than directed (see overdose warning) find the right dose on chart below. If possible, use weight to dose; otherwise, use age. chew completely do not swallow whole repeat dose every 4 hours while symptoms last do not give more than 5 times in 24 hours

Weight (lbs)	under 24	24-35	36-47	48-59	60-71	72-95
Age (yrs)	under 2 years	2-3 years	4-5 years	6-8 years	9-10 years	11 years
Dose (tablets)*	ask a doctor	1 tablet	1½ tablets	2 tablets	2½ tablets	3 tablets

*or as directed by a doctor
Other information store at room temperature. Avoid high humidity. Protect from light
see end flap for expiration date and lot number

COATING
FREE AREA

COATING
FREE AREA





CHILDREN PAIN AND FEVER RELIVER

acetaminophen tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-240
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPROVIDONE (120 .MU.M) (UNII: 68401960MK)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	pink	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	BUBBLE GUM	Imprint Code	RP160
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-240-24	4 in 1 CARTON	11/11/2019	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/11/2019	

Labeler - Target Corporation (006961700)

Revised: 11/2025

Target Corporation