

LIDOCAINE 4% CREAM- lidocaine cream
Medcore LLC

Lidocaine 4%
Topical Anesthetic Cream

Drug Facts

Active ingredient

Lidocaine 4% w/w

Purpose

Topical anesthetic

Uses

Temporarily relieves pain and itching due to:

- minor cuts
- sunburn
- minor scrapes
- minor burns
- insect bites
- minor skin irritations

Warnings

For external use only.

When using this product

- do not use in or near the eyes
- do not use in large quantities, particularly over raw surfaces or blistered areas
- do not use if pregnant or breastfeeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

Adults and children 2 years and older:

apply externally to the affected area up to 3 to 4 times a day

Adults and children 12 years and older:

Apply externally to the affected area up to 6 times a day.

children under 2 years ask a doctor

OTHER INFORMATION

Store at 20-25°C (68-77°F); excursions permitted to 15-30°C (59-86°F). See USP Controlled Room Temperature

INACTIVE INGREDIENTS

STEARIC ACID , GLYCERYL-STEARATE, PEG-100 STEARATE , SODIUM POLYACRYLATE , GLUCOSAMINE SULFATE , TROLAMINE , LAURETH, ISOSTEARYL PALMITATE, PROPYLENE GLYCOL , DIMETHYL SULFONE , C13-14 ISOPARAFFIN, PHENOXYETHANOL, POLYACRYLAMIDE, CETOSTEARYL ALCOHOL , CHONDROITIN SULFATE , Pure Water, Peppermint oil

Stop use and ask a doctor if

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Manufactured For:

Medcore LLC 3048 Valley Rd.
Basking Ridge, NJ 07920
Questions or Comments Please call
908-280-2269

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

NDC:82461-419-30

Lidocaine 4%

Topical Anesthetic Cream

Medcore LLC

30 gram

Drug Facts

Active ingredient: Lidocaine 4% w/w. Purpose: Topical anesthetic

Uses: Temporarily relieves pain and itching due to: - minor cuts - sunburn - minor scrapes - minor burns - insect bites - minor skin irritations

Warnings: For external use only. When using this product - do not use in or near the eyes - do not use in large quantities, particularly over raw surfaces or blistered areas - do not use if pregnant or breastfeeding.

DIRECTIONS: Adults and children 2 years and older: apply externally to the affected area up to 3 to 4 times a day. Adults and children 12 years and older: Apply externally to the affected area up to 6 times a day. Children under 2 years ask a doctor.

Stop use and ask a doctor if - allergic reaction occurs - condition worsens or does not improve within 7 days - symptoms clear up and return within a few days - redness, irritation, swelling, pain or other symptoms begin or increase

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

OTHER INFORMATION: Store at 20-25°C (68-77°F); excursions permitted to 15-30°C (59-86°F). See USP Controlled Room Temperature.

INACTIVE INGREDIENTS: STEARIC ACID, GLYCERYL STEARATE, PEG-100 STEARATE, SODIUM POLYACRYLATE, GLUCOSAMINE SULFATE, TRICHLAMINE LAURETH, ISOSTEARYL PALMITATE, PROPYLENE GLYCOL, DIMETHYL SULFONE, CIS-14 ISOPARAFFIN, PHENOXYETHANOL, POLYACRYLAMIDE, CETOSTEARYL ALCOHOL, CHONDROITIN SULFATE, Pure Water, Peppermint oil

Manufactured For: Medcore LLC 3048 Valley Rd. Basking Ridge, NJ 07920 Questions or Comments Please call 908-280-2260



NDC:82461-419-30

30 gram

Lidocaine 4%

Topical Anesthetic Cream



Lot Nr.:

Exp:



NDC:82461-419-30

Lidocaine 4%

Topical Anesthetic Cream



30 gram

LIDOCAINE 4% CREAM

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82461-419
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)	
PEG-100 MONOSTEARATE (UNII: YD01N1999R)	
SODIUM POLYACRYLATE (250000 MW) (UNII: 05I15JNI2J)	
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)	
TROLAMINE (UNII: 9O3K93S3TK)	
LAURETH-7 (UNII: Z95S6G8201)	
ISOSTEARYL PALMITATE (UNII: 9EHU0R7ER1)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYACRYLAMIDE (10000 MW) (UNII: E2KR9C9V2I)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CHONDROITIN SULFATE (BOVINE) (UNII: 6IC1M3OG5Z)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82461-419-30	1 in 1 BOX	05/04/2026	

1	30 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/04/2026	

Labeler - Medcore LLC (069802634)

Revised: 5/2026

Medcore LLC