

**DRAMAMINE LESS DROWSY MECLIZINE HYDROCHLORIDE- meclizine hydrochloride tablet**  
**JC World Bell Wholesale Co., Inc.**

-----  
**Dramamine Less Drowsy Meclizine Hydrochloride**

***Drug Facts***

***Active ingredient (in each tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Use***

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

***Warnings***

**Do not give**

to children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking**

sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a doctor before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- take first dose 1/2 to 1 hour before starting activity
- **adults and children 12 years and over:** 1 to 2 tablets once daily, or as directed by a doctor

***Other information***

store at room temperature 20°-25°C (68°-77°F).

***Inactive ingredients***

anhydrous lactose, corn starch, colloidal silicon dioxide, D&C yellow no. 10 aluminum lake, magnesium stearate, microcrystalline cellulose

***Questions?***

**1-800-382-7219Dramamine.com**

**Package Labeling:**



### Directions

- take first dose ½ to 1 hour before starting activity
- **adults and children 12 years and over:** 1 to 2 tablets once daily, or as directed by a doctor

### Other information

- store at room temperature 20° – 25°C (68° - 77°F)
- **do not use if pouch is opened.**

**Questions? 1-800-382-7219 Dramamine.com**

Dist. by: Medtech Products Inc., Tarrytown, NY 10591  
A Prestige Consumer Healthcare company. Made in India.  
©2024 Trade dress is owned by Medtech Products Inc. All rights reserved.  
DAUS091701

R53271

### Directions

- take first dose ½ to 1 hour before starting activity
- **adults and children 12 years and over:** 1 to 2 tablets once daily, or as directed by a doctor

### Other information

- store at room temperature 20° – 25°C (68° - 77°F)
- **do not use if pouch is opened.**

**Questions? 1-800-382-7219 Dramamine.com**

Dist. by: Medtech Products Inc., Tarrytown, NY 10591  
A Prestige Consumer Healthcare company. Made in India.  
©2024 Trade dress is owned by Medtech Products Inc. All rights reserved.  
DAUS091701

R53271

To Open: Fold Along Dotted Line. Tear At Slit Or Use Scissors. >

MECLIZINE HYDROCHLORIDE 25MG/ANTIEMETIC

Dramamine®

**motion sickness**

**LESS DROWSY**

2 TABLETS

See carton for full information.

**Active ingredient (in each tablet)**

Meclizine HCl 25 mg.....Antiemetic

**Purpose**

**Use** for prevention and treatment of these symptoms associated with motion sickness: ■ nausea ■ vomiting ■ dizziness

To Open: Fold Along Dotted Line. Tear At Slit Or Use Scissors. >

MECLIZINE HYDROCHLORIDE 25MG/ANTIEMETIC

**Dramamine®**

**motion sickness**

**LESS DROWSY** 2 TABLETS

See carton for full information.

**Active ingredient (in each tablet)**

Meclizine HCl 25 mg .....Antiemetic

**Purpose**

**Use** for prevention and treatment of these symptoms associated with motion sickness: ■ nausea ■ vomiting ■ dizziness

To Open: Fold Along Dotted Line. Tear At Slit Or Use Scissors. >

MECLIZINE HYDROCHLORIDE 25MG/ANTIEMETIC

**Dramamine®**

**motion sickness**

**LESS DROWSY** 2 TABLETS

See carton for full information.

**Active ingredient (in each tablet)**

Meclizine HCl 25 mg .....Antiemetic

**Purpose**

**Use** for prevention and treatment of these symptoms associated with motion sickness: ■ nausea ■ vomiting ■ dizziness

## DRAMAMINE LESS DROWSY MECLIZINE HYDROCHLORIDE

meclizine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50269-526(NDC:63029-903)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name			Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)			MECLIZINE HYDROCHLORIDE	25 mg
Inactive Ingredients				
Ingredient Name				Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)				
STARCH, CORN (UNII: O8232NY3SJ)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
Product Characteristics				
Color	yellow	Score	2 pieces	
Shape	ROUND	Size	9mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50269-526-00	2 in 1 BOX	09/01/2011	
1		20 in 1 PACKET; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M009	09/01/2011	

**Labeler** - JC World Bell Wholesale Co., Inc. (805257581)

**Registrant** - JC World Bell Wholesale Co., Inc. (805257581)