

**AMAZON BASIC CARE ACETAMINOPHEN - acetaminophen tablet**  
**Amazon.com Services LLC**

-----

***Drug Facts***

***Active ingredient (in each tablet)***

Acetaminophen USP 325 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the user has** liver disease

**Ask a doctor or pharmacist before use if the user is** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 tablets every 4 to 6 hours while symptoms last</li><li>• do not take more than 10 tablets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children 6 years to under 12 years	<ul style="list-style-type: none"><li>• take 1 tablet every 4 to 6 hours while symptoms last</li><li>• do not take more than 5 tablets in 24 hours</li><li>• do not use for more than 5 days unless directed by a doctor</li></ul>
children under 6 years	ask a doctor

***Other information***

- store between 20° to 25°C (68° to 77°F)
- **do not use if carton is open or if printed foil seal under bottle cap is open or torn.**

***Inactive ingredients***

povidone, pregelatinized starch (maize), stearic acid

***Questions or comments?***

call **1-855-274-4122**

**DISTRIBUTED BY:  
AMAZON.COM SERVICES LLC  
410 TERRY AVENUE N., SEATTLE, WA 98109**

Made in India

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 325 mg (100 Tablets Bottle)**

**amazon**  
basic+care

**Regular Strength**  
**NDC 72288-405-10**

**Acetaminophen**  
**Tablets 325 mg**  
Pain Reliever/  
Fever Reducer

**DO NOT USE WITH**  
**OTHER MEDICINES**  
**CONTAINING**  
**ACETAMINOPHEN**

100 TABLETS  
325 mg EACH

amazon  
basic+care

Regular Strength

NDC 72288-405-10  
**Acetaminophen**  
Tablets 325 mg  
Pain Reliever/  
Fever Reducer

**DO NOT USE WITH  
OTHER MEDICINES  
CONTAINING  
ACETAMINOPHEN**

100 TABLETS  
325 mg EACH

**Do not use if printed foil seal under bottle cap is open or torn.**  
**Active ingredient (in each tablet)** Acetaminophen USP 325 mg.....Pain reliever/fever reducer  
**Purpose**  
**Uses** ■ temporarily relieves minor aches and pains due to: ■ headache  
■ muscular aches ■ backache ■ minor pain of arthritis  
■ the common cold ■ toothache ■ premenstrual and menstrual cramps  
■ temporarily reduces fever  
**Warnings**  
**Liver warning:** This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if ■ adult takes more than 4,000 mg of acetaminophen in 24 hours ■ child takes more than 5 doses in 24 hours, which is the maximum daily amount ■ taken with other drugs containing acetaminophen ■ adult has 3 or more alcoholic drinks every day while using this product. **Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin redness ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away. **Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. **Ask a doctor before use if the user has liver disease. Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin. Stop use and ask a doctor if** ■ pain gets worse or lasts more than 10 days in adults ■ pain gets worse or lasts more than 5 days in children under 12 years ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children. Overdose warning:** in case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.  
**Directions** ■ **do not take more than directed (see overdose warning)** adults and children 12 years and over ■ take 2 tablets every 4 to 6 hours while symptoms last ■ do not take more than 10 tablets in 24 hours unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor. Children 6 years to under 12 years ■ take 1 tablet every 4 to 6 hours while symptoms last ■ do not take more than 5 tablets in 24 hours ■ do not use for more than 5 days unless directed by a doctor. Children under 6 years: ask a doctor.  
**Other information** ■ store between 20° to 25°C (68° to 77°F) ■ **do not use if printed foil seal under bottle cap is open or torn.**  
**Inactive ingredients** polydione, pregelatinized starch (maize), stearic acid  
**Questions or comments?** call 1-855-274-4122  
DISTRIBUTED BY: AMAZON.COM SERVICES LLC  
410 TERRY AVENUE N., SEATTLE, WA 98109  
© 2024 AMAZON.COM, INC. OR ITS AFFILIATES.  
ALL RIGHTS RESERVED.  
Made in India  
Gluten Free  
P 1 4 3 4 0 5 9 LM-5678

Unvarnished Zone  
(dotted line not for printing)  
12 x 40 mm

## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 325 mg (100 Tablets Bottle Carton)

amazon  
basic+care

Regular Strength NDC 72288-405-10

Compare to  
Regular Strength  
Tylenol® Tablets  
active ingredient\*

Acetaminophen  
Tablets 325 mg  
Pain Reliever/Fever Reducer

100 TABLETS  
325 mg EACH

**DO NOT USE WITH OTHER MEDICINES  
CONTAINING ACETAMINOPHEN**

**amazon**

**Regular Strength**

**Acetaminophen**  
Tablets 325 mg  
Pain Reliever/Fever Reducer

**amazon**

**Regular Strength** NDC 72288-405-10

**Acetaminophen**  
Tablets 325 mg  
Pain Reliever/Fever Reducer

**100 TABLETS**  
325 mg EACH

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

actual size

**basic+care**

Compare to Regular Strength Tylenol® Tablets active ingredient\*

**1** 1195515104886 **6**

P1054617 LM-5679

Unvarnished Zone  
(dotted line not for printing)  
42 x 19 mm

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Drug Facts (continued)**

adults and children 12 years and over

- take 2 tablets every 4 to 6 hours while symptoms last
- do not take more than 10 tablets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children 6 years to under 12 years

- take 1 tablet every 4 to 6 hours while symptoms last
- do not take more than 5 tablets in 24 hours
- do not use for more than 5 days unless directed by a doctor

children under 6 years ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is open or if printed foil seal under bottle cap is open or torn.

**Inactive ingredients**  
poloxamer, pregelatinized starch (maize), stearic acid

**Questions or comments?** call 1-855-274-4172

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, Distributor of Tylenol® Regular Strength tablets.

**GLUTEN FREE**

**DISTRIBUTED BY:**  
AMAZON CARE SERVICES, LLC  
410 TERRY AVENUE N, SEATTLE, WA 98109  
© 2024 AMAZON.COM, INC. OR ITS AFFILIATES. ALL RIGHTS RESERVED.  
Made in India

<b>AMAZON BASIC CARE ACETAMINOPHEN</b> acetaminophen tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72288-405
<b>Route of Administration</b>	ORAL		

**DO NOT USE IF CARTON IS OPEN OR IF PRINTED FOIL SEAL UNDER BOTTLE CAP IS OPEN OR TORN.**

**Drug Facts**

**Active ingredient (in each tablet)**    **Purpose**  
Acetaminophen USP 325 mg    Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - menstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if adult takes more than 4,000 mg of acetaminophen in 24 hours

- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:
 

- skin redness
- hives
- itching
- blistering
- rash

 If a skin reaction occurs, stop use and seek medical help right away.

**Drug Facts (continued)**

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the user has liver disease**

**Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.**  
**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

**Inactive Ingredients**

Ingredient Name	Strength
POVIDONE K30 (UNII: U725QWY32X)	
STARCH, CORN (UNII: O8232NY3SJ)	
PALMITOSTEARIC ACID (UNII: Q8Y7S3B85M)	

**Product Characteristics**

Color	WHITE (White to off White)	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	N74
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-405-10	1 in 1 CARTON	05/15/2024	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/15/2024	

**Labeler** - Amazon.com Services LLC (128990418)**Registrant** - Aurohealth LLC (078728447)**Establishment**

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	ANALYSIS(72288-405) , MANUFACTURE(72288-405)