

CAREALL ACETAMINOPHEN- acetaminophen tablet
New World Imports, Inc

Drug Facts

Active Ingredient

Acetaminophen 325mg

Purpose

Pain reliever / Fever reducer

Keep out of Reach of Children

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center immediately (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Uses

Temporary relieves minor aches and pains due to: the common cold, headache, toothache, muscular aches, backache, minor pain of arthritis, premenstrual and menstrual cramps.

Temporarily reduces fever

Liver warning:This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250mg) in 24 hours for adults or 5 tablets (1,625mg) in 24 hours for children. Severe liver damage may occur if:

Adult takes more than 4,000mg of acetaminophen in 24 hours

Child takes more than 5 doses in 24 hours, which is the maximum daily amount

Taken with other drugs containing acetaminophen

Adult has 3 or more alcoholic drinks every day while using this product

Allergy Alert:Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters or rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use:

With any other drug containing acetaminophen (prescription or nonprescription) If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

If you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if user has:

liver disease

is a child with pain of arthritis

Ask a doctor or pharmacist before use if:the user is taking the blood thinnig drug warfarin.

Stop use and ask a doctor if:

Adult's pain gets worse or lasts for more than 10 days.

Child's pain gets worse or lasts more than 5 days.

Fever gets worse or lasts for more than 3 days.

Redness or swelling is present.

New symptoms occur.

These could be signs of a serious condition.

If pregnant or breast-feeding,ask a health professional before use.

Adults and children 12 years and over:

Take 2 tablets every 4 to 6 hours while symptoms last

Do not take more than 10 tablets in 24 hours, unless directed by a doctor.

Do not use for more than 10 days unless directed by a doctor

Children 6-11 years:

Take 1 tablet every 4 to 6 hours while symptoms last.

Do not take more than 5 tablets in 24 hours, unless directed by a doctor.

Do not use for more than 5 days unless directed by a doctor

Children under 6 years of age:Ask a doctor

povidone, pregelatinized starch, sodium starch glycolate, stearic acid

NDC 51824-085-01

CAREALL®
Regular Strength
Acetaminophen

Pain Reliever / Fever Reducer

†Compare to the active ingredient of Regular Strength Tylenol®



100 TABLETS
325 MG EACH

DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet) Purpose
Acetaminophen 325 mg.....Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - toothache
- minor pain from arthritis
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if:

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- rash
- skin reddening
- blisters

 If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

PEEL BACK HERE FOR MORE DRUG FACTS

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademark, Tylenol®.



Distributed by:
CareALL Products
160 Athens Way
Nashville, TN 37228
www.careallproducts.com

COATING FREE AREA FOR LOT/EXP

STOP PEELING

Drug Facts (continued)

Ask a doctor before use if the user:

- has liver disease
- is a child with pain of arthritis

Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin

Stop use and ask a doctor if:

- adult's pain gets worse or lasts more than 10 days
- child's pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> ■ take 2 tablets every 4 to 6 hours while symptoms last ■ do not take more than 10 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor 	
children 6-11 years	<ul style="list-style-type: none"> ■ take 1 tablet every 4 to 6 hours while symptoms last ■ do not take more than 5 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 5 days unless directed by a doctor 	
children under 6 years	<ul style="list-style-type: none"> ■ ask a doctor 	

Other information

- store between 20-25°C (68-77°F)

Inactive ingredients: povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments? Call 1-844-705-4384

CAREALL ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51824-085
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white (white)	Score	2 pieces
Shape	ROUND (Round Circle)	Size	10mm
Flavor		Imprint Code	M2A3;57344
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51824-085-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/18/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/18/2021	

Labeler - New World Imports, Inc (075372276)

Revised: 12/2025

New World Imports, Inc