

MICROKLENZ ANTIMICROBIAL- benzethonium chloride liquid
Medline Industries, LP

073 MicroKlenz First Aid Antiseptic

Active ingredient

Benzethonium Chloride 0.1%

Purpose

First Aid Antiseptic

Uses

For first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Warnings

For external use only. Avoid contact with eyes.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use in or near the eyes
- do not apply over large areas of the body or in large quantities
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- condition worsen or if symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean affected area
- Adjust nozzle and spray a small amount of this product on the area 1 to 3 times daily
- If used as a wet compress, keep bandage wet with solution

- If covered with a sterile bandage, let dry first.

Inactive ingredients

citric acid, cocamidopropyl betaine, disodium phosphate, phenoxyethanol, water

Manufacturing Information

Manufactured for:

Medline Industries, LP

Three Lakes Drive, Northfield, IL 60093 USA

Made in the USA with foreign and domestic materials

www.medline.com

1-800-MEDLINE (633-5463)

REF: CRR108008

V2 RG22SAP

Package Label



Drug Facts	
Active ingredient Benzethonium Chloride 0.1%	Purpose First Aid Antiseptic
Uses For first aid to help prevent infection in: ■ minor cuts ■ scrapes ■ burns	
Warnings For external use only. Avoid contact with eyes. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns When using this product ■ do not use in or near the eyes ■ do not apply over large areas of the body or in large quantities ■ do not use longer than 1 week unless directed by a doctor Stop use and ask doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Clean affected area ■ Adjust nozzle and spray a small amount of this product on the area 1 to 3 times daily ■ If used as a wet compress, keep bandage wet with solution ■ If covered with a sterile bandage, let dry first.	
Inactive ingredients citric acid, cocamidopropyl betaine, disodium phosphate, phenoxyethanol, water	

Not made with Natural Rubber Latex.
www.medline.com
Made in the USA with foreign and domestic materials for: Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA.
1-800-MEDLINE V2 RG22SAP
0 80196 31660 4

MICROKLENZ ANTIMICROBIAL

benzethonium chloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-073
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.1 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-073-08	236 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/01/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/01/2007	

Labeler - Medline Industries, LP (025460908)**Registrant** - Medline Industries, LP (025460908)

Revised: 11/2024

Medline Industries, LP