

XCELLDERMA- wound cream cream
Regenerex Pharma INC

Clean the affected area. Apply Xcellderma. Reapply after 24 hours.

Warnings: External use only. Avoid contact with eyes. Not to be applied over deep or puncture wounds, infections or lacerations. If condition worsens or does not improve within 7 days, stop use and consult a doctor.

Indications: To cover and protect abrasions, skin tears, pressure ulcers and minor burns.

Inactive ingredients: Polyethylene Glycol 4000, Polyethylene Glycol 400, Water, Citric Acid, Potassium Citrate, Benzoic Acid, Rubidium Chloride, Calcium Chloride.

Keep out of reach of children.

To serve as a wound protectant



CELLULOSE

BANDAGE | SKIN PROTI

Net Wt. 1 oz.



XCELLDERMA

wound cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84076-111
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	0.001 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CALCIUM CHLORIDE ANHYDROUS (UNII: OFM21057LP)	
RUBIDIUM CHLORIDE (UNII: N3SHC5273S)	
POLYETHYLENE GLYCOL 4000 (UNII: 4R4HFI6D95)	
ZINC CHLORIDE (UNII: 86Q357L16B)	0.002 g in 1 g
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
WATER (UNII: 059QF0KO0R)	
POTASSIUM CITRATE ANHYDROUS (UNII: 86R1NVR0HW)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84076-111-01	30 g in 1 TUBE; Type 0: Not a Combination Product	03/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	03/01/2024	

Labeler - Regenerex Pharma INC (119109997)

Establishment

Name	Address	ID/FEI	Business Operations
Regenerex Pharma Inc		119109997	manufacture(84076-111)

Revised: 5/2025

Regenerex Pharma INC