

**THOMPSON BURN CREAM WITH LIDOCAINE- benzalkonium chloride,  
lidocaine cream  
THOMPSON BURN CREAM WITH LIDOCAINE- benzalkonium chloride,  
lidocaine cream  
Thompson Safety**

-----

**Thompson Safety Burn Cream with Lidocaine**

***Drug Facts***

***Active Ingredients***

Benzalkonium Chloride 0.13%

Lidocaine HCl 0.5%

***Purpose***

Topical antiseptic

Topical analgesic

***Uses***

First aid to help prevent infection in minor cuts, scrapes and burns.

For the temporary relief of pain and itching associated with:

- sunburn
- minor burns
- insect bites
- minor skin irritaion
- cuts
- scrapes

***Warnings***

**For external use only.**

**Do not use**

- in the eyes
- over large areas of the body or on deep puncture wounds, animal bites, or serious burns
- in large quantities, particularly over raw surfaces or blistered areas

**Stop use and ask a doctor if**

- the condition gets worse
- condition clears up and recurs within a few days
- condition persists for more than 7 days

**Keep out of reach of children.**

If swaallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- **Adults and childred 2 years and over:**

clean the affected area, apply a small amount not more than 3 to 4 times daily

- **Children under 2 years:**

do not use, consult a doctor

**Other Information**

- store at room temperature (do not freeze)
- tamper evident sealed packets
- do not use any opened or torn packets

**Inactive ingredients**

aloe barbadensis leaf juice\*, cetearyl alcohol\*, aloe vera\*, disodium EDTA\*, emulsifying wax\*, ethyl alcohol\*, ethylhexylglycerin\*, glycerin\*, glyceryl stearate\*, methylparaben\*, mineral oil, maltodextrin\*, paraffin\*, propylene glycol\*, propylparaben\*, purified water\*, PEG-100 stearate\*, phenoxyethanol\*, stearic acid\*, triethanolamine\*, white petrolatum\*, white wa\*x

\*may contain

**Questions or comments?**

- **877.506.4291**

**BURN CREAM**

**WITH LIDOCAINE**

**BENZALKONIUM CHLOROIDE / LIDOCAINE HCL**

**TOPICAL ANTISEPTIC**

ANTISEPTIC AND PAIN RELIEVING CREAM 0.9 g PACKETS

FOR MINOR CUTS, SCRAPES AND BURNS

25 / BOX THOMPSON

SAFETY WORKS BUSINESS THRIVES

<p><b>Drug Facts</b></p> <p><b>Active ingredient</b> Benzalkonium Chloride 0.13% ..... Topical antiseptic Lidocaine HCl 0.5% ..... Topical analgesic</p> <p><b>Purpose</b> Topical antiseptic Topical analgesic</p> <p><b>Uses</b> First aid to help prevent infection in minor cuts, scrapes and burns. For the temporary relief of pain and itching associated with: ■ sunburn ■ minor burns ■ insect bites ■ minor skin irritation ■ cuts ■ scrapes</p> <p><b>Warnings</b> For external use only. Do not use ■ in the eyes ■ over large areas of the body or on deep puncture wounds, animal bites, or serious burns ■ in large quantities, particularly over raw surfaces or blistered areas</p>	<p><b>Drug Facts (continued)</b> Stop use and ask a doctor if ■ the condition gets worse ■ condition clears up and recurs within a few days ■ condition persists for more than 7 days</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> ■ Adults and children 2 years and over: clean the affected area, apply a small amount not more than 3 to 4 times daily ■ Children under 2 years: do not use, consult a doctor</p> <p><b>Other information</b> ■ store at room temperature (do not freeze) ■ tamper evident sealed packets ■ do not use any opened or torn packets <small>(continued on next panel)</small></p>	<p><b>Drug Facts (continued)</b> <b>inactive ingredients</b> aloe barbadensis leaf juice*, cetearyl alcohol*, aloe vera*, disodium EDTA*, emulsifying wax*, ethyl alcohol*, ethylhexylglycerin*, glycerin*, glyceryl stearate*, methylparaben*, mineral oil, maltodextrin*, paraffin*, propylene glycol*, propylparaben*, purified water, PEG-100 stearate*, phenoxyethanol*, stearic acid*, triethanolamine*, white petrolatum*, white wax*</p> <p>*may contain</p> <p><b>Questions or comments?</b> ■ 877.506.4291</p> <p>Retain carton for complete product information.</p>	<p><b>BURN CREAM WITH LIDOCAINE</b></p> <p>BENZALKONIUM CHLOROIDE / LIDOCAINE HCL TOPICAL ANTISEPTIC</p> <p>ANTISEPTIC AND PAIN RELIEVING CREAM FOR MINOR CUTS, SCRAPES AND BURNS 0.9 g PACKETS</p> <p>25/Box</p> <p><b>THOMPSON</b> SAFETY WORKS   BUSINESS THRIVES</p>	<p><b>BURN CREAM WITH LIDOCAINE</b></p> <p>ANTISEPTIC AND PAIN RELIEVING CREAM</p> <p>Product CS93973</p> <p>Distributed by Thompson Safety Houston, TX 77073 877.506.4291 www.thompson-safety.com</p>
--	--	---	--	--

<p><b>Drug Facts</b></p> <p><b>Active ingredient</b> Benzalkonium Chloride 0.13% ..... Topical antiseptic Lidocaine HCl 0.5% ..... Topical analgesic</p> <p><b>Purpose</b> Topical antiseptic Topical analgesic</p> <p><b>Uses</b> First aid to help prevent infection in minor cuts, scrapes and burns. For the temporary relief of pain and itching associated with: ■ sunburn ■ minor burns ■ insect bites ■ minor skin irritation ■ cuts ■ scrapes</p> <p><b>Warnings</b> For external use only. Do not use ■ in the eyes ■ over large areas of the body or on deep puncture wounds, animal bites, or serious burns ■ in large quantities, particularly over raw surfaces or blistered areas</p>	<p><b>Drug Facts (continued)</b> Stop use and ask a doctor if ■ the condition gets worse ■ condition clears up and recurs within a few days ■ condition persists for more than 7 days</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> ■ Adults and children 2 years and over: clean the affected area, apply a small amount not more than 3 to 4 times daily ■ Children under 2 years: do not use, consult a doctor</p> <p><b>Other information</b> ■ store at room temperature (do not freeze) ■ tamper evident sealed packets ■ do not use any opened or torn packets <small>(continued on next panel)</small></p>	<p><b>Drug Facts (continued)</b> <b>inactive ingredients</b> aloe barbadensis leaf juice*, cetearyl alcohol*, aloe vera*, disodium EDTA*, emulsifying wax*, ethyl alcohol*, ethylhexylglycerin*, glycerin*, glyceryl stearate*, methylparaben*, mineral oil, maltodextrin*, paraffin*, propylene glycol*, propylparaben*, purified water, PEG-100 stearate*, phenoxyethanol*, stearic acid*, triethanolamine*, white petrolatum*, white wax*</p> <p>*may contain</p> <p><b>Questions or comments?</b> ■ 877.506.4291</p> <p>Retain carton for complete product information.</p>	<p><b>BURN CREAM WITH LIDOCAINE</b></p> <p>BENZALKONIUM CHLOROIDE / LIDOCAINE HCL TOPICAL ANTISEPTIC</p> <p>ANTISEPTIC AND PAIN RELIEVING CREAM FOR MINOR CUTS, SCRAPES AND BURNS 0.9 g PACKETS</p> <p>25/Box</p> <p><b>THOMPSON</b> SAFETY WORKS   BUSINESS THRIVES</p>	<p><b>BURN CREAM WITH LIDOCAINE</b></p> <p>ANTISEPTIC AND PAIN RELIEVING CREAM</p> <p>Product CS93973</p> <p>Distributed by Thompson Safety Houston, TX 77073 877.506.4291 www.thompson-safety.com</p>
--	--	---	--	--

# THOMPSON BURN CREAM WITH LIDOCAINE

benzalkonium chloride, lidocaine cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73408-985
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	5 mg in 1 g
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73408-985-73	25 in 1 BOX	02/16/2024	
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/16/2024	

# THOMPSON BURN CREAM WITH LIDOCAINE

benzalkonium chloride, lidocaine cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73408-940
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	5 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>WHITE WAX</b> (UNII: 7G1J5DA97F)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0K00R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73408-940-73	25 in 1 BOX	02/16/2024	
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/16/2024	

**Labeler** - Thompson Safety (080998015)

**Registrant** - Unifirst First Aid Corporation (832947092)

## Establishment

Name	Address	ID/FEI	Business Operations
Prestige Packaging		080667761	pack(73408-940, 73408-985)

## Establishment

Name	Address	ID/FEI	Business Operations
Medique Products		086911794	pack(73408-985, 73408-940)

Revised: 2/2024

Thompson Safety