

**AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 27C- octinoxate, octocrylene, titanium dioxide cream**  
**Aekyung Industrial Co., Ltd.**

-----  
**67225-5127 AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 27C**

Octinoxate 6.50 %

Titanium Dioxide 5.12 %

Octocrylene 3.00 %

Sunscreen

■ Helps prevent sunburn.

■ If used as directed with other sun protection measures ( **See Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**For external use only**

■ damaged skin or broken skin.

this product ■ keep out of eyes. Rinse with water to remove.

and ask a doctor ■ rash occurs.

If swallowed, get medical help or contact poison control center right away.

■ Protect the product in this container from excessive heat and avoid storing it under direct sun. ■ Do not crush or drop product. ■ Handle with care. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.


Directions

■ Apply the product on your skin with the included applicator by rubbing the product with the applicator and gently patting it on your skin. ■ Apply liberally 15 minutes before sun exposure.

■ **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating.

Water, Betula Platyphylla Japonica Juice, Dipropylene Glycol, Pentaerythrityl Stearate/Caprate/Caprylate/Adipate, Phenyl Trimethicone, Polymethylsilsesquioxane, Hydrogenated Poly(C6-14 Olefin), Niacinamide, Euphorbia Cerifera (Candelilla) Wax, Dimethicone, Cyclopentasiloxane, Butylene Glycol, Aloe Barbadensis Leaf Extract, Squalane, Triisostearin, 1,2-Hexanediol, Cyclohexasiloxane, Propanediol, Cetyl PEG/PPG-10/1 Dimethicone, Aluminum Hydroxide, Sodium Glutamate, VP/Hexadecene Copolymer, C30-45 Alkyl Methicone, Stearic Acid, p-Anisic Acid, Dimethicone/PEG-10/15 Crosspolymer, C30-45 Olefin, Glyceryl Caprylate, Betula Platyphylla Japonica Bark Extract, Glycerin, Fragrance, Triethoxycaprylylsilane, Panthenol, Tocopheryl Acetate,

Ceramide NP, Stearyl Heptanoate, Adenosine, Myristoyl/Palmitoyl Oxostearamide/Arachamide MEA, Cholesterol, Hydrolyzed Hyaluronic Acid, Polyhydroxystearic Acid, Sodium Hyaluronate, Lactobacillus Ferment Lysate, Linoleic Acid, BHT, Sodium Citrate, Boron Nitride, Tocopherol, Aphanothece Sacrum Polysaccharide, Glycine Soja (Soybean) Oil, Ethylhexylglycerin, Lecithin, Disodium EDTA, Sodium Ascorbyl Phosphate, sh-Polypeptide-60, Alpha-Isomethyl Ionone, Benzyl Benzoate, Benzyl Salicylate, Linalool, +/- may contain (Titanium Dioxide (CI 77891), Iron Oxide (CI 77491), Iron Oxide (CI 77492), Iron Oxide (CI 77499))



## AGE20'S SIGNATURE ESSENCE PACT INTENSE COVER 27C

octinoxate, octocrylene, titanium dioxide cream

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:67225-5127 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.7168 g in 14 g |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)           | OCTOCRYLENE       | 0.42 g in 14 g   |
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 0.91 g in 14 g   |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)  |          |
| <b>HYDROGENATED POLY(C6-14 OLEFIN; 2 CST)</b> (UNII: POTX083987) |          |
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)                         |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                           |          |
| <b>P-ANISIC ACID</b> (UNII: 4SB6Y7DMM3)                          |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                     |          |
| <b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)                         |          |
| <b>ADENOSINE</b> (UNII: K72T3FS567)                              |          |
| <b>PENTAERYTHRITYL STEARATE</b> (UNII: T9BY3B181Z)               |          |
| <b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)                    |          |
| <b>CERAMIDE NP</b> (UNII: 4370DF050B)                            |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)                     |          |
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)                     |          |
| <b>C30-45 OLEFIN</b> (UNII: 6DWD51M008)                          |          |
| <b>TRIOSOSTEARIN</b> (UNII: 71503RH8KG)                          |          |
| <b>MONOSODIUM GLUTAMATE</b> (UNII: W81N5U6R6U)                   |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)               |          |
| <b>STEARYL HEPTANOATE</b> (UNII: 2M4UGL1NCN)                     |          |
| <b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)                       |          |
| <b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)                       |          |
| <b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836S5JG51DR)             |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                    |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU00)                     |          |
| <b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)          |          |
| <b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)                     |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                                  |          |
| <b>POLYHYDROXYSTEARIC ACID STEARATE</b> (UNII: 8KQ7I65XZE)       |          |
| <b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)                          |          |
| <b>NIACINAMIDE</b> (UNII: 25X51I8RD4)                            |          |
| <b>HYALURONIC ACID</b> (UNII: S270N0TRQY)                        |          |
| <b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)                            |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)                            |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                       |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)                       |          |
| <b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)  |          |
| <b>C30-45 ALKYL METHICONE</b> (UNII: NFX970DSI2)                 |          |
| <b>BETULA PLATYPHYLLA RESIN</b> (UNII: 1B33PG6N4K)               |          |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                         |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)                               |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                               |          |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                |          |
| <b>PANTHENOL</b> (UNII: WW9CM0067Z)                              |          |
| <b>TOCOPHEROL</b> (UNII: R0ZB2556P8)                             |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X) |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y10)                            |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)                        |          |
| <b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)     |          |
| <b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)                     |          |

|  |  |
|--|--|
| <b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)                         |  |
| <b>MYRISTOYL/PALMITOYL OXOSTEARAMIDE/ARACHAMIDE MEA</b> (UNII: 1211AIM8G7) |  |
| <b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)                                   |  |
| <b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)                                    |  |
| <b>SOYBEAN OIL</b> (UNII: 241ATL177A)                                      |  |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:67225-5127-2 | 1 in 1 BOX  | 02/16/2024           |                    |
| 1 | NDC:67225-5127-1 | 40 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 02/16/2024           |                    |

### Labeler - Aekyung Industrial Co., Ltd. (690511126)

### Establishment

| Name                         | Address | ID/FEI    | Business Operations     |
|------------------------------|---------|-----------|-------------------------|
| Aekyung Industrial Co., Ltd. |         | 690511126 | manufacture(67225-5127) |

Revised: 12/2025

Aekyung Industrial Co., Ltd.