

ASPERFLEX- menthol and methyl salicylate cream
Akron Pharma Inc.

AsperFlex
Tough on Pain
Non-greasy-Topical Analgesic Cream
Deep Penetrating Pain Relief

DRUG FACTS

Active Ingredient

Menthol 10%

Methyl Salicylate 15 %

Purpose

External analgesic

Uses

temporary relieves the minor aches and pain of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad
- on a child under 12 years of age with arthritis-like conditions

Ask a doctor before use if you have

redness over the affected area

When using this product

- avoid contact with eyes or mucous membranes
- do not bandage tightly

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive skin irritation occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions**adults and children 12 years of age and older:**

apply to affected area not more than 3 to 4 times daily

children under 12 years of age:consult a doctor

Other Information

store at 20°-25°C (68°-77°F).

Close cap tightly after use.

Inactive ingredients

carbomer homopolymer, cetyl alcohol glycerin, glyceryl monostearate, methylparaben, stearic acid, propyl 4-hydroxybenzoate, polysorbate 80, trolamine, purified water

Questions or Comments?

Call toll-free 1-877-255-6999.

Ultra Strength

NDC 71399-6854-3

Provides deep relief from muscle aches & joint pain

AsperFlex™

TOUGH ON PAIN



Non-greasy

Topical Analgesic Cream

Deep Penetrating Pain Relief

NET WT. 3 OZ (85 g)

Drug Facts	Purposes
Active Ingredients	External analgesic
Menthol 10%.....	External analgesic
Methyl Salicylate 15%.....	External analgesic
Uses temporary relieves the minor aches and pain of muscles and joints associated with:	
■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
Warnings	
For external use only.	
Do not use ■ on wounds or damaged skin ■ with a heating pad ■ on a child under 12 years of age with arthritis-like conditions	
Ask a doctor before use if you have redness over the affected area	
When using this product	
■ avoid contact with eyes or mucous membranes ■ do not bandage tightly	
Stop use and ask a doctor if ■ condition worsens or symptoms persist for more than 7 days ■ symptoms clear up and occur again within a few days ■ excessive skin irritation occurs	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
Directions ■ use only as directed ■ adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor	
Other information ■ Store at room temperature 59°F-86°F (20°C-25°C) Close cap tightly after use.	
Inactive Ingredients Carbomer, Cetyl Alcohol, Glycerin, Glyceryl Monostearate, Methylparaben, Polysorbate 80, Propyl 4-hydroxybenzoate, Purified Water, Stearic Acid, Trolamine.	
Questions or Comments?	
Call toll-free 1-877-255-6999.	

Akron Pharma
 Manufactured for:
 Akron Pharma, Inc.
 Fairfield, NJ-07004
 www.akronpharma.com

Rev.:12/2024



Compare to Bengay® active ingredients

ASPERFLEX

menthol and methyl salicylate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71399-6854
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	100 mg in 1 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	150 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-6854-3	85 g in 1 TUBE; Type 0: Not a Combination Product	09/13/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/13/2024	

Labeler - Akron Pharma Inc. (067878881)

Revised: 1/2026

Akron Pharma Inc.