

OXYGEN - oxygen gas

Wright & Filippis, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Oxygen

Principal for Oxygen Product



Distributed by:



WRIGHT FILIPPIS &

WARNING: HIGH PRESSURE GAS CYLINDER

Improper filling or abuse of this cylinder, or failure to heed this warning may cause serious injury or loss of life. DO NOT ALTER OR MODIFY CYLINDER OR RELATED COMPONENTS. DO NOT OVER PRESSURIZE. Keep out of the reach of children. Cylinders that have been refinished and/or exposed to elevated temperatures must be hydrostatically tested before filling. Do not use caustic paint strippers. Aluminum cylinders subject to action of fire or heated to temperatures in excess of 350°F must be withdrawn from service and condemned. Valves and safety relief devices must be removed and replaced by trained personnel. Do not alter or change safety discs. Replace pressure relief devices only with complete assemblies supplied by the valve manufacturer. DO NOT FILL WITH OXIDIZING GASES WITHOUT PROPER CLEANING. Cylinders, valves, and assemblies must be specially cleaned for oxygen. Verify cylinder content and pressure monthly, or more frequently if required. Store and use with adequate ventilation.

Pressure:	PSIG at 70°F
Cylinder Size:	
Contents:	Liters/Cu.Ft.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications: **Rx ONLY.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

WARNING: HIGH PRESSURE OXIDIZING GAS VIGOROUSLY ACCELERATES COMBUSTION


- Use only with pressure reducing equipment and apparatus cleaned and designed for oxygen service and rated for cylinder pressure.
- Open valve slowly. Close valve after each use and when empty. Keep cylinder, cylinder valve, all equipment that connects, free of oil and grease to avoid violent ignition.
- Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.
- Pursuant to recommendations by Compressed Gas Association, do not expose pressurized cylinders to temperatures in excess of 125°F.
- DO NOT REMOVE THIS PRODUCT LABEL.
Use only in accordance with product instructions and material safety data sheet.

Date code: 1102

Label: 0035-000

Corporate Headquarters
Rochester Hills, MI 48309

Please call your local
office for refills or returns.



**OXYGEN,
REFRIGERATED
LIQUID
USP**

UN 1073



CONTENTS: _____ **LITERS**

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑

△WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER
PRESSURE
VIGOROUSLY ACCELERATES COMBUSTION.
NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY
EXPLODE ON IGNITION OR IMPACT.
CAN CAUSE SEVERE FROSTBITE.
Keep oil, grease, and combustibles away.
Use only with equipment cleaned for oxygen service.
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use suitable hand truck for container movement.
Avoid spills. Do not walk on or roll equipment over spills.
Container temperature should not exceed 52°C (125°F).
Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

△FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

△WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction
DO NOT REMOVE THIS PRODUCT LABEL.



Filled and Distributed By:
Wright & Filippis
Rochester Hills, Michigan
(800) 482-0222

CAS NO: 7782-44-7

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:62806-0001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62806-0001-1	164 L in 1 CYLINDER		
2	NDC:62806-0001-2	425 L in 1 CYLINDER		
3	NDC:62806-0001-3	684 L in 1 CYLINDER		
4	NDC:62806-0001-4	1699 L in 1 CYLINDER		
5	NDC:62806-0001-5	3454 L in 1 CYLINDER		
6	NDC:62806-0001-6	6500 L in 1 CYLINDER		
7	NDC:62806-0001-7	20 L in 1 DEWAR		
8	NDC:62806-0001-8	46 L in 1 DEWAR		
9	NDC:62806-0001-9	60 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1988	

Labeler - Wright & Filippis, Inc. (809443943)

Establishment

Name	Address	ID/FEI	Business Operations
Wright & Filippis, Inc.		809443943	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Wright & Filippis, Inc.		832904820	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Wright & Filippis, Inc.		106503840	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Wright & Filippis, Inc.		006139133	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Wright & Filippis, Inc.		139364975	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Wright & Filippis, Inc.		163965429	manufacture

Revised: 12/2009

Wright & Filippis, Inc.