

TOE FUNGUS- tolnaftate solution
Imperial Feet B.V.

Imperial Feet Toe Fungus 83837-001-01

Active ingredient

Tolnaftate

Ask a doctor

If irritation occurs or there is no improvement within 4 weeks, discontinue use and consult a doctor

Purpose

Antifungal

Use

Cures most fungus on toes

Keep out of reach of children

Supervise children in the use of this product.

Stop Use Section

If irritation occurs or there is no improvement within 4 weeks, discontinue use and consult a doctor.

Directions

- Wash the affected area and dry thoroughly.
- Apply a thin layer of the product over affected are twice daily (morning and night) or as directed by a doctor.
- Supervise children in the use of this product.
- Pay special attention to spaces between toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
- If condition persists longer, consult a doctor.

Warnings

- Do not use on children under 2 years of age unless directed by a doctor.
- For external use only.
- Avoid contact with the eyes.

- If irritation occurs or there is no improvement within 4 weeks, discontinue use and consult a doctor.

Other Information

Store between 20 C and 30 C (68 F and 86 F)

Inactive Ingredients

Alpha-Bisabolene, Chlorphenesin, Glycerin, Horse Chestnut, Jojoba Oil, Methyl Gluceth-20, Phenoxyethanol, Piroctone Olamine, Polyethylene Glycol 400, Polyoxyl 40 Hydrogenated Castor Oil, Squalene, Tea Tree Oil, Water

Principle Display Panel



The solution for
TOE FUNGUS

Anti fungal treatment
and healthier looking toes

| Drug Facts | |
|---|----------------|
| Active Ingredient | Purpose |
| Tolnaftate 1% | Antifungal |
| Uses | |
| Cures most fungus on toes | |
| Warnings | |
| <ul style="list-style-type: none"> • Do not use on children under 2 years of age unless directed by a doctor. • For external use only. • Avoid contact with the eyes. • If irritation occurs or there is no improvement within 4 weeks, discontinue use and consult a doctor. | |
| Directions | |
| <ul style="list-style-type: none"> • Wash the affected area and dry thoroughly. • Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of this product. • Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. • If condition persists longer, consult a doctor. | |
| Other Information | |
| • Store between 20°C and 30°C(68°F and 86°F) | |
| Inactive Ingredients Alpha -Bisabolene, Chlorphenesin, Glycerin, Horse Chestnut, Jojoba Oil, Methyl Gluceth-20, Phenoxyethanol, Piroctone Olamine, Polyethylene Glycol 400, Polyoxyl 40 Hydrogenated Castor Oil, Squalene, Tea Tree Oil, Water | |

Ref.:32217/03





75 ml/2.5 OZ



8 720254 597973

www.imperialfeet.com
Manufactured for Imperial Feet Inc. by Creative Essences, 15320 Comet St, Santa Fe Springs, CA 90670 USA

TOE FUNGUS

tolnaftate solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:83837-001

| | | | | |
|--|--|---|-----------------------------|---------------------------|
| Route of Administration | TOPICAL | | | |
| Active Ingredient/Active Moiety | | | | |
| | Ingredient Name | Basis of Strength | Strength | |
| | TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV) | TOLNAFTATE | 1 g in 100 mL | |
| Inactive Ingredients | | | | |
| | Ingredient Name | Strength | | |
| | SQUALENE (UNII: 7QVM220FJH) | | | |
| | WATER (UNII: 059QF0KO0R) | | | |
| | .ALPHA.-BISABOLENE (UNII: SUQ209P6FX) | | | |
| | PHENOXYETHANOL (UNII: HIE492ZZ3T) | | | |
| | METHYL GLUCETH-20 (UNII: J3QD0LD11P) | | | |
| | JOJOBA OIL (UNII: 724GKU717M) | | | |
| | HORSE CHESTNUT (UNII: 3C18L6RJAZ) | | | |
| | POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | | | |
| | PIROCTONE OLAMINE (UNII: A4V5C6R9FB) | | | |
| | CHLORPHENESIN (UNII: I670DAL4SZ) | | | |
| | POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) | | | |
| | GLYCERIN (UNII: PDC6A3C0OX) | | | |
| | TEA TREE OIL (UNII: VIF565UC2G) | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:83837-001-01 | 75 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | 02/19/2024 | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | M005 | 02/19/2024 | | |

Labeler - Imperial Feet B.V. (386790021)