# LORATADINE- loratadine tablet, chewable Rite Aid

-----

children's allergy relief loratadine chewable tablets USP, 5 mg

**Drug Facts** 

### **Active ingredient (in each tablet)**

Loratadine USP, 5 mg

### **Purpose**

Antihistamine

#### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

### **Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

adults and children	chew 2 tablets daily; not more	
6 years and over	than 2 tablets in 24 hours	
children 2 to under	chew 1 tablet daily; not more	
6 years of age	than 1 tablet in 24 hours	
children under 2	ask a doctor	
years of age		
consumers with		
liver or kidney	ask a doctor	
disease		

### Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- store between 20° to 25°C (68° to 77°F).

### **Inactive ingredients**

aspartame, citric acid anhydrous, colloidal silicon dioxide, D&C red No. 27 aluminum lake, FD&C blue No. 2 aluminum lake, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

### Questions?

call 1-800-406-7984

**DISTRIBUTED BY: RITE AID 30 HUNTER LANE** CAMP HILL, PA 17011

### PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

**RITE** 

**AID**<sub>®</sub>

**PHARMACY** 

\*Compare to the active ingredient in Children's Claritin® Chewables

children's

allergy relief

loratadine chewable tablets USP, 5 mg

**INDOOR & OUTDOOR ALLERGIES** antihistamine

NON-DROWSY<sup>†</sup>

### 24 hour relief of:

sneezing runny nose itchy, watery eyes itchy throat or nose

## ages 2 years

& older

<sup>†</sup>WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

grape flavored

ACTUAL

SIZE

30

**CHEWABLE** 

**TABLETS** 

The chewable tablets are to be chewed before swallowing.				



# children's allergy relief

loratadine chewable tablets USP, 5 mg



Compare to the active ingredient in Children's Claritin® Chewables

# children's allergy relief

loratadine chewable tablets USP, 5 mg

INDOOR & **OUTDOOR ALLERGIES** 

NON-DROWSY

sneezing runny nose itchy, watery eyes itchy throat or nose ages 2 years

& older \*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL. antihistamine



grape flavored



The chewable tablets are to be chewed before swallowing



# children's allergy relief

loratadine chewable tablets USP, 5 mg

### Drug Facts

Active ingredient (in each tablet) Loratadine USP, 5 mg ...... Antihistamine

Purpose

Drug Facts (continued)

Directions

adults and children 6 years and over

chew 2 tablets daily; not more than 2 tablets in 24 hours

### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose ito
- itchy, watery eyes
- sneezing
- itching of the nose or throat

### Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- store between 20° to 25°C (68° to 77°F).


### Inactive ingredients


aspartame, citric acid anhydrous, colloidal silicon dioxide, D&C red No. 27 aluminum lake, FD&C blue No. 2 aluminum lake, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions? call 1-800-406-7984

Keep the carton. It contains important information. See end panel for expiration date.

# GLUE - NO COATING





## LORATADINE

loratadine tablet, chewable

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-7240	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	5 mg	

Inactive Ingredients		
Ingredient Name	Strength	
aspartame (UNII: Z0H242BBR1)		
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)		
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS 185U6K)		
ALUMINUM OXIDE (UNII: LMI26O6933)		
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)		
magnesium stearate (UNII: 70097M6I30)		
mannitol (UNII: 3OWL53L36A)		
microcrystalline cellulose (UNII: OP1R32D61U)		
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)		
stearic acid (UNII: 4ELV7Z65AP)		

Product Characteristics				
Color PURPLE (light to medium purple with a slightly speckled appearance) Score no score			no score	
Shape	ROUND (Flat face, beveled edge)	Size	10 mm	
Flavor	GRAPE	Imprint Code	753	
Contains				

	Packaging				
l	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date	
l	1 NDC:11822-7240-0	1 in 1 CARTON	04/01/2018		
l	1	30 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210088	0 4/0 1/20 18	

# **Labeler -** Rite Aid (014578892)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ohm Laboratories		184769029	MANUFACTURE(11822-7240)	

Revised: 6/2018 Rite Aid