PENICHILLIN- tetracaine cream Sambria Pharmaceuticals, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Tetracaine 2%

Purpose

External Analgesic

Uses

For temporary relief of pain and itching due to minor skin irritation.

Warnings

For external use only. Avoid contact with eyes. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Stop use and ask doctor if condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center immediately.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For adults and children two-years or older: Apply to affected area not more than 3 or 4 times daily.

Children under 2 years of age: consult a physician. Apply in a circular motion for 30 to 60 seconds.

Inactive ingredients

Aqua (Deionized Water), Arnica Montana Flower Extract, C13-14 Isoparaffin, Chrondroitin Sulfate, Emu Oil, Ethoxydiglycol, Ethylhexyglycerin, Glucosamine Sulfate, Isopropyl Palmitate, Laureth-7, Melaleuca Alternifolia (Tea Tree) Oil, Methylsulfonylmethane (MSM), Phenoxyethanol, Polyacrylamide, Propylene Glycol, StearicAcid, Triethanolamine.

Other information

Protect this product from excessive heat and direct sun. Never tested on animals, just late clients.

Product label

So that the only crying you do... is in the clubs.

No need for prayers to prevent or reduce tattoo, permanent make up, sugaring or waxing pain. Individually wrapped to maximize ingredient freshness and potency.

PENICHILLIN

TETRACAINE 2% 3ml / .10 fl. oz.

DRUG FACTS

ACTIVE INGREDIENTS:

Tetracaine 2% Analgesic PURPOSE:

External

USES: For temporary relief of pain and itching due to minor skin irritation.

WARNINGS: For external use only.
Avoid contact with eyes. Do not use in large quantities, particularly over raw surfaces or blistered areas. Stop use and ask doctor if condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days. Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center immediately.

DIRECTIONS FOR USE:

For adults and children two-years or older: Apply to affected area not more than 3 or 4 times daily. Children under 2 years of age: consult a

Children under 2 years of age: consult a physician. Apply in a circular motion for 30 to 60 seconds.

INACTIVE INGREDIENTS: Aqua (Deionized Water), Arnica Montana Flower Extract, C13-14 Isoparaffin, Chrondroitin Sulfate, Emu Oil, Ethoxydiglycol, Ethylhexyglycerin, Glucosamine Sulfate, Isopropyl Palmitate, Laureth-7, Melaleuca Alternifolia (Tea Tree) Oil, Methylsulfonylmethane (MSM), Phenoxyethanol, Polyacrylamide, Propylene Glycol, StearicAcid, Triethanolamine.

OTHER INFORMATION: Protect this product from excessive heat and direct sun. Never tested on animals, just late clients.

QUESTIONS OR COMMENTS:

FDA Registered: NDC No. ###### hello@ladypeng.com

> Distributed by Lady Peng, LLC Portland OR, 97206 MADE IN THE USA

PENICHILLIN

tetracaine cream

Product Information

Item Code (Source)	NDC:54723-014
	Item Code (Source)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)			
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)			
CHONDROITIN SULFATE (BOVINE) (UNII: 6IC1M3OG5Z)			
EMU OIL (UNII: 344821WD61)			
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A118X02B)			
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)			
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)			
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)			
LAURETH-7 (UNII: Z95S6G8201)			
TEA TREE OIL (UNII: VIF565UC2G)			
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
POLYACRYLAMIDE (CROSSLINKED; 2 MOLE PERCENT BISACRYLAMIDE) (UNII: 9FPL31B58Q)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
TROLAMINE (UNII: 903K93S3TK)			

l	P	ackaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:54723-014- 01	3 mL in 1 PACKET; Type 0: Not a Combination Product	03/31/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	03/31/2023		

Labeler - Sambria Pharmaceuticals, LLC (078676259)

Revised: 8/2023 Sambria Pharmaceuticals, LLC