TOPCARE HYDROCORTISONE- hydrocortisone cream Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Topco Associates LLC. Hydrocortisone 1% Cream Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema
- psoriasis
- poison ivy, oak, sumac
- insect bites
- detergents
- jewelry
- cosmetics
- soaps
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

Directions

Click here to enter Directions

Warnings

For external use only

Do not use

- for the treatment of diaper rash. Ask a doctor.
- in the genital area if you have a vaginal discharge. Ask a doctor.

When using this product

- avoid contact with the eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- for itching of skin irritation, inflammation, and rashes:
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- for external anal and genital itching, adults:
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

store at 20°-25°C (68°-77°F)

Inactive ingredients

aloe barbadensis leaf juice, avena sativa (oat) kernel extract, benzyl alcohol, butylated hydroxytoluene, cetostearyl alcohol, cetyl alcohol, chamomilla recutita (matricaria) flower extract, diazolidinyl urea, dimethicone, distearyldimonium chloride, edetate disodium, glycerin, glyceryl monostearate, hydrolyzed collagen, hydrolyzed elastin, hydrolyzed jojoba esters, jojoba esters, magnesium ascorbyl phosphate, menthyl lactate, methyl gluceth-20, methylparaben, petrolatum, polysorbate 60, potassium hydroxide, PPG-12/SMDI copolymer, propylparaben, purified water, retinyl palmitate, stearamidopropyl PG-dimonium chloride phosphate, steareth-2, steareth-21, stearyl alcohol, tocopheryl acetate

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

COMPARE TO CORTIZONE ·10®

INTENSIVE HEALING FORMULA

ACTIVE INGREDIENT

Itch & Rash Relief Cream

Intensive Healing Formula[†]

Relieves Itch

[†]Contains Healing Moisturizers Enriched with Vitamins A, C & E

With Antioxidants & Chamomile

MAXIMUM STRENGTH
OUR PHARMACISTS RECOMMEND
Hydrocortisone 1% Cream
ANTI-ITCH CREAM
Intensive Healing Formula[†]
NET WT 1 OZ (28 g)



Itch & Rash Relief Cream

Intensive Healing Formula[†]



COMPARE TO CORTIZONE • 10® INTENSIVE HEALING FORMULA **ACTIVE INGREDIENT***

Relieves Itch

[†]Contains Healing Moisturizers Enriched with Vitamins A, C & E With Antioxidants & Chamomile

RELIEVES:

- Rashes & Redness Eczema & Psorlasis
- Inflammation & Irritation Dry, Itchy Skin



MAXIMUM STRENGTH

Hydrocortisone 1% Cream

ANTI-ITCH CREAM

Intensive Healing Formulat

NET WT 1 OZ (28 g)





*This product is not manufactured or distributed by Chattem, Inc., distributor of Cortizone*10® Intensive Healing Formula.



Scan here for more information





Drug Facts

Active ingredient

Directions Purpose

Drug Facts (continued)

- more taching of skin i mitation, inflammation, and rashes:
 adults and children 2 years of age and older: apply to affected are and more than 3 to 4 times daily
- temporarily relieves itching associated with mirror skin irritations, inflammation, andra shesidus to:

- than 3 b 4 times de lify

 thin 3 b 4 times de lify

 thing a bliden under 2 years of age do not use a sk adoctor

 for external analamd genital liching, adults:

 when practical, learn he affected are a with milds cop and warm water and
 rinsethoroughly

 genity dry by patting or blotting with bilet tissue or a soft clothbefore applying

 applytoaffected area not more than 3 b 4 times do lify

 dhilden under 12 years of age a sk adoctor
- andrashes due to:

 cozena
 poria sis
 poison ivy, o ak, sum ac
 insect bites
 detargants
 jeweiry
 osmatics
 seo ps
 seb or heic dermatitis
 mopratily rollieve sectornal and and genital tiching
 other use of this product should only be under the a deice and supervision of a doctor

Warnings

- for the treatment of diaper rash. As ka doctor. in the genital area if you have a vaginal discharge. Ask a doctor.

When using this product

- avoid contact with the eyes
 to not use more than directed unless told to do so by a doctor
 to not put directly into the rectum by using fingers or any mechanical device orapplicator

Stop useand ask a doctor if

- condition worsers, symptoms persist for morethan 7 days or clear up and coccur again within a few days, and do not begin use of anyother hydrocortisone product unless you have a sked a doctor
- rectal ble eding o ccurs


Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Other information ■ sb a at 20°-25°C (68°-77°F)

Inactive ingredients also barbadensis leaf juice, aven asativa (cat) ke mel IMACUVE INGIPERIENTS alice barba de resis leaf jude, a ven assituraj con hermet extract, benayi alic orlo, judy lade in lydrogotiumen, extoster y lade obil, cel yi alic ohio, chamomillare cutita (matricaria) flower extract, diazo lidin yl urea, dimatricone, distanyidim onium chiloride, edia bia discolium, glori in, glorgari monostearate, phydrograe de diagen, hydrograed e lastin, hydrograed jojdo a estera, jojdos aestera, magnesium asc orbyl pro sphi et, emerithylla datie, methyl gluco thi-20, methylga raben, per hollatum, polysorbate etc., potassium hydroxide, PPG-12/SMD copilymer, po pyb araben, purified water, ratinyl palmitate, aberamidoprop yl PG-dimonium chloride phosphate, ste are thi-2, stearath-21, stearyl a lochol, to cophenyl ace bate

Questions or comments?1-88-423-0139

DISTRIBUTED BYTOPCO ASSOCIATES ILC, ELK GROVE VILLAGE, IL 60007 ©TOPCO PERA1019 QUESTIONS?1-988-423-0139 topcare@topco.com www.topcarebrand.com



hydrocortisone cream

Proc	luct	Infor	mation
Proc		umor	manon

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:36800-939

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
HYDROCORTISONE (UNII: WI4X0 X7BPJ) (HYDROCORTISONE - UNII:WI4X0 X7BPJ)	HYDROCORTISONE	1 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
OAT (UNII: Z6J799EAJK)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z171K)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CHAMO MILE (UNII: FGL3685T2X)	
DIAZO LIDINYL UREA (UNII: H5RIZ3MPW4)	
DIMETHICO NE (UNII: 92RU3N3Y1O)	
DISTEARYLDIMO NIUM CHLO RIDE (UNII: OM9 573ZX3X)	
EDETATE DISO DIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4)	
HYDROLYZED JOJOBA ESTERS (ACID FORM) (UNII: UDR641JW8W)	
MAGNESIUM ASCORBYL PHO SPHATE (UNII: 0 R8 22556 M5)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
METHYL GLUCETH-20 (UNII: J3QD0LD11P)	
METHYLPARABEN (UNII: A2I8 C7HI9 T)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
VITAMIN A PALMITATE (UNII: 1D1K0 N0 VVC)	
STEARETH-2 (UNII: V56DFE46J5)	
STEARETH-21 (UNII: 53J3F32P58)	
STEARYL ALCOHOL (UNII: 2KR8914H1Y)	
$\textbf{STEARAMIDO PRO PYL PRO PYLENE GLYCO L-DIMO NIUM CHLO RIDE PHO SPHATE} \ (UNII: \ W6000 \ VEI5Y)$	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
.ALPHATO CO PHERO L ACETATE (UNII: 9E8 X80 D2L0)	
HYDROLYZED BOVINE ELASTIN (BASE; 1000 MW) (UNII: ZR28QKN0WT)	

Product Characteristics

Color	WHITE	Score
Shape		Size
Flavor		Imprint Code
Contains		

	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:36800-939-64	1 in 1 CARTON	03/15/2020	
	1	28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/15/2020	

Labeler - Topco Associates LLC (006935977)

Revised: 3/2020 Topco Associates LLC