

**BHI MIGRAINE-** acetic acid, araneus diadematus, asafetida, bryonia alba whole, tribasic calcium phosphate, activated charcoal, cinchona officinalis bark, marsdenia condurango bark, tubocurarine chloride, kalmia latifolia leaf, lycopodium clavatum spore, sodium sulfate, phosphoric acid, pulsatilla vulgaris, claviceps purpurea sclerotium, and silicon dioxide tablet  
**MediNatura Inc**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**BHI Migraine Tablet**

**INGREDIENT SECTIONS**

**Each tablet contains:** Aceticum acidum 6X, \*Aranea diadema 8X, \*Asafoetida 6X, \*Bryonia alba 30X, Calcarea phosphorica 10X, \*Carbo vegetabilis 10X, \*Cinchona officinalis 4X, \*Condurango 4X, \*Curare 10X, \*Kalmia latifolia 8X, \*Lycopodium clavatum 6X, Natrum sulphuricum 6X, Phosphoricum acidum 6X, \*Pulsatilla 4X, \*Secale cornutum 6X, \*Silicea 10X, Strychninum nitricum 8X 17.6 mg each.

**\*Natural Ingredients**

**INACTIVE INGREDIENTS**

Lactose, Magnesium stearate

**PURPOSE**

*Migraine Relief Tablets*

**Relieves:**

- **Headache Pain**
- **Headache Pain with Nausea**
- **Neck Muscle Tension**

**USES**

For the temporary relief of minor headache pain, headache pain with nausea, neck muscle tension

**DIRECTIONS**

**At first sign of symptoms:**

**Adults:** 1 tablet every 1/2 to 1 hour until symptoms lessen, then continue with standard dosage. **Do not** exceed 12 tablets in 24 hours.

**Standard dosage:**

**Adults:** 3 tablets per day, taking 1 tablet every 4 to 6 hours.

**For children under 18,** consult your health professional.

**Allow tablets to dissolve completely in the mouth, do not swallow.**

**WARNINGS**

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** If symptoms persist or worsen, a health professional should be consulted. **Ask a doctor before use** if you have never had migraines diagnosed by a health professional, you have a headache that is different from your usual migraines, you have the worst headache of your life, you have fever and stiff neck, you have a migraine so severe as to require bed rest. **Do not use** if known sensitivity to BHI Migraine or any of its ingredients exists.

## KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children.

### Questions?

Call weekdays  
9am - 5pm EDT  
1-844-MediNatura  
(1-844-633-4628)  
or email  
info@MediNatura.com

Distributed by:  
MediNatura  
PO Box 717  
Southeastern, PA 19399  
www.MediNatura.com



**Active Ingredients:** Each tablet contains: Aceticum acidum 6X, \*Aranea diadema 6X, \*Asafetida 6X, \*Bryonia alba 30X, Calcarea phosphorica 10X, \*Carbo vegetabilis 10X, \*Cinchona officinalis 4X, \*Condurango 4X, \*Curare 10X, \*Kalmia latifolia 6X, \*Lycopodium clavatum 6X, Natrum sulphuricum 6X, Phosphoricum acidum 6X, \*Pulsatilla 4X, \*Secale comutum 6X, \*Silboa 10X, Strychninum nitricum 6X 17.6 mg each. \*Natural Ingredients

**Inactive Ingredients:** Lactose, Magnesium stearate  
**Tamper Evident:** Use this product only if imprinted shrink seal around neck and cap is intact.  
Store tightly closed at room temperature. Protect from light and moisture.

X is a homeopathic dilution. For more information, see www.MediNatura.com.  
These statements have not been reviewed by the Food and Drug Administration. They are supported by traditional homeopathic principles.

6030348/MN1

NDC 62795-1019-2

**BHI**  
**MIGRAINE**

Migraine Relief Tablets

Relieves:

- Headache Pain
- Headache Pain with Nausea
- Neck Muscle Tension

HOMEOPATHIC

100 Tablets

**Uses:** For the temporary relief of minor headache pain, headache pain with nausea, neck muscle tension

**Directions:** At first sign of symptoms: Adults: 1 tablet every 1/2 to 1 hour until symptoms lessen, then continue with standard dosage. Do not exceed 12 tablets in 24 hours. Standard dosage: Adults: 3 tablets per day, taking 1 tablet every 4 to 6 hours.

For children under 18, consult your health professional.

Allow tablets to dissolve completely in the mouth, do not swallow.

**Warnings:** If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If symptoms persist or worsen, a health professional should be consulted. Ask a doctor before use. If you have never had migraines diagnosed by a health professional, you have a headache that is different from your usual migraines, you have the worst headache of your life, you have fever and stiff neck, you have a migraine so severe as to require bed rest. Do not use if known sensitivity to Migraine or any of its ingredients exists.  
Lot#: Exp:



Uncoated

## BHI MIGRAINE

acetic acid, araneus diadematus, asafetida, bryonia alba whole, tribasic calcium phosphate, activated charcoal, cinchona officinalis bark, marsdenia condurango bark, tubocurarine chloride, kalmia latifolia leaf, lycopodium clavatum spore, sodium sulfate, phosphoric acid, pulsatilla vulgaris, claviceps purpurea sclerotium, and silicon dioxide tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62795-10 19
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETIC ACID (UNII: Q40Q9N063P) (ACETIC ACID - UNII:Q40Q9N063P)	ACETIC ACID	6 [hp_X]
ARANEUS DIADEMATUS (UNII: 6T6CO7R3Z5) (ARANEUS DIADEMATUS - UNII:6T6CO7R3Z5)	ARANEUS DIADEMATUS	8 [hp_X]
ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	ASAFETIDA	6 [hp_X]
BRYONIA ALBA WHOLE (UNII: 56K0VVT47P) (BRYONIA ALBA WHOLE - UNII:56K0VVT47P)	BRYONIA ALBA WHOLE	30 [hp_X]
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	10 [hp_X]
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	10 [hp_X]
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	4 [hp_X]
MARSDENIA CONDURANGO BARK (UNII: R23QIR6YBA) (MARSDENIA CONDURANGO	MARSDENIA	4 [hp_X]

BARK - UNII:R23QIR6YBA)	CONDURANGO BARK	4 [hp_X]
<b>TUBOCURARINE CHLORIDE</b> (UNII: 900961Z8VR) (TUBOCURARINE - UNII:W9YXS298BM)	TUBOCURARINE CHLORIDE	10 [hp_X]
<b>KALMIA LATIFOLIA LEAF</b> (UNII: 79N6542N18) (KALMIA LATIFOLIA LEAF - UNII:79N6542N18)	KALMIA LATIFOLIA LEAF	8 [hp_X]
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	6 [hp_X]
<b>SODIUM SULFATE</b> (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	6 [hp_X]
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	6 [hp_X]
<b>PULSATILLA VULGARIS</b> (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	4 [hp_X]
<b>CLAVICEPS PURPUREA SCLEROTIUM</b> (UNII: 01G9XEA93N) (CLAVICEPS PURPUREA SCLEROTIUM - UNII:01G9XEA93N)	CLAVICEPS PURPUREA SCLEROTIUM	6 [hp_X]
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	10 [hp_X]
<b>STRYCHNINE NITRATE</b> (UNII: O642E96711) (STRYCHNINE - UNII:H9Y79VD43J)	STRYCHNINE NITRATE	8 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	Leafman
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62795-1019-2	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/2015	

**Labeler** - MediNatura Inc (079324099)

### Establishment

Name	Address	ID/FEI	Business Operations
MediNatura Inc		102783016	manufacture(62795-1019)