

SUNSTATION USA SPF-30 SPORT SUNSCREEN- zinc oxide lotion
RENU LABORATORIES, LLC

SUNSTATION USA SPF-30 SPORT SUNSCREEN

Active Ingredients

Octyl Methoxy Cinnamate 7.00% Sunscreen

Titanium Dioxide 1.25% Sunscreen

Zinc Oxide 1.25% Sunscreen

Octyl Salicylate 1.00% Sunscreen

Purpose

Octyl Methoxy Cinnamate 7.00% Sunscreen

Titanium Dioxide 1.25% Sunscreen

Zinc Oxide 1.25% Sunscreen

Octyl Salicylate 1.00% Sunscreen

USES

- Helps prevent sunburn.
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of swimming or sweating
- If used as directed with other sun protection measures (see Directions), decreases the risk of cancer and early skin aging caused by the sun.

WARNINGS

- For external use only.
- **DO NOT USE** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash or irritation develops and lasts
- **Keep out of reach of children.**
- If swallowed, get medical help, or contact a Poison Control Center right away.
- **If pregnant or breast-feeding,** ask a health professional before use.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure and as needed.
- Children under 6 months of age: ask a doctor.
- After 80 minutes of swimming or sweating.
- Immediately after towel drying.
- At least every 2 hours.

- **Sun Protection Measures** - Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially between 10am and 2pm.
- Wear long sleeve shirts, pants, hats and sunglasses.

OTHER INGREDIENTS

Aloe Barbadensis (Aloe Vera) Leaf Juice, Calendula Officinalis (Marigold) Flower Extract, Caprylyl Glycol, Cetareth-20, Cetearyl Alcohol, Deionized Water, Dimethicone, Glycerin, Hexylene Glycol, Isocetyl Stearate, Malva Sylvestris (Mallow) Flower Extract, Panax Ginseng Root Extract, Phenoxyethanol, Polyester-7, Neopentyl Glycol, Diheptanoate, Sorbitol, Stearic Acid,

Symphytum Officinale (Comfrey) Leaf Extract, Triethanolamine, Tocopheryl Acetate (Vitamin E)

SUNSTATION USA®

SPF-30 SPORT SUNSCREEN

OXYBENZONE & PARABEN FREE

UVA/UVB PROTECTION SUNSCREEN

Keep out of reach of children.

If swallowed, get medical help, or contact a Poison Control Center right away.

Protect the product in this container from excessive heat and direct sun

QUESTIONS ?

816-686-1345

SUNSTATION PRODUCT LABEL

SUNSTATION USA[®]

SPF-30 SPORT SUNSCREEN

OXYBENZONE & PARABEN FREE - UVA/UVB PROTECTION SUNSCREEN

DRUG FACTS:

Active Ingredients

Octyl Methoxy Cinnamate 7%
Octyl Salicylate 1%

Titanium Dioxide 1.25%
Zinc Oxide 1.25%



Purpose

Sunscreen

USES:

- Helps prevent sunburn. ■ higher SPF gives more sunburn protection
- retains SPF after 80 minutes of swimming or sweating ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS:

For external use only.

Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash or irritation develops and lasts.

Keep out of reach of children.

If swallowed, get medical help, or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use

DIRECTIONS:

■ Apply liberally 15-minutes before sun exposure and as needed.

■ Children under 6 months of age: ask a doctor.

Reapply:

- After 80 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

OTHER INFORMATION:

■ Protect the product in this container from excessive heat and direct sun.

INACTIVE INGREDIENTS: Aloe Barbadensis (Aloe Vera) Leaf Extract, Calendula Officinalis (Marigold) Flower Extract, Caprylyl Glycol, Ceteareth-20, Cetearyl Alcohol, Cetyl Alcohol, Chamomilla Recutita (Matricaria) (Chamomile) Flower Extract, Deionized Water, Dimethicone, Glycerin, Hexylene Glycol, Isocetyl Stearate, Malva Sylvestris (Mallow) Flower Extract, Panax Ginseng Root Extract, Phenoxyethanol, Polyester-7 (and) Necpenty Glycol Diheptanoate, Sorbitol, Stearic Acid, Symphytum Officinale (Comfrey) Leaf Extract, Triethanolamine, Tocopherol Acetate

Questions?

(816)686-1345

Distributed by Sunstation USA

St. Louis, MO 63122

SUNSTATIONUSA.COM

NET CONTENT: 32 fl. oz. (946 ml)

MADE IN THE USA



SUNSTATION USA SPF-30 SPORT SUNSCREEN

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76348-407
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	63 g in 896 g

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	9 g in 896 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	11.2 g in 896 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	11.2 g in 896 g

Inactive Ingredients

Ingredient Name	Strength
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DIMETHICONE 350 (UNII: 2Y53S6ATLU)	
WATER (UNII: 059QF0KO0R)	
ISOCETYL STEARATE (UNII: 3RJ7186O9W)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
POLYESTER-7 (UNII: 0841698D2F)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
MALVA SYLVESTRIS FLOWER (UNII: 12X9J152BS)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
MATRICARIA RECUTITA FLOWERING TOP (UNII: 3VNC7T6Z02)	
COMFREY LEAF (UNII: DG4F8T839X)	
SORBITOL (UNII: 506T60A25R)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76348-407-01	896 g in 1 CONTAINER; Type 0: Not a Combination Product	02/20/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/20/2024	

Labeler - RENU LABORATORIES, LLC (119451815)

Registrant - RENU LABORATORIES, LLC (119451815)

Establishment

Name	Address	ID/FEI	Business Operations
RENU LABORATORIES, LLC		119451815	manufacture(76348-407)

Revised: 1/2025

RENU LABORATORIES, LLC