SMOKERS NICOTINE RELIEF- aspidosperma quebracho blanco, avena sativa, epinephrine, lobelia inflata, milk thistle, st johns wort, strychnos nux vomica seed, valerian, wood creosote lozenge TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Smokers Nicotine Relief

Adrenalinum HPUS 6x, 12x, 18x Avena sativa HPUS 3x, 6x, 9x Carduus marianus HPUS 3x, 6x Hypericum HPUS 6x, 12x, 18x Kreosotum HPUS 12x, 18x Lobelia HPUS 6x, 12x Nux vomica HPUS 6x, 12x, 18x Quebracho HPUS 6x, 12x, 18x Valeriana officinalis HPUS 6x, 12x, 18x

"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Sorbitol, Xylitol, Natural flavor (Spearmint, Peppermint, Menthol), Lactose, Sucralose, Acesulfame Potassium, Calcium Stearate, Spirulina Extract, Riboflavin

According to homeopathic indications, these ingredients temporarily relieve and calm smoker's nicotine related symptoms of: • cravings • withdrawal • irritability

- nicotine cleansing cough/lung support after diagnosis by a physician.
- *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.
- Suitable for adults and children 12 years and above. To use a lozenge, place it in your mouth, and let it dissolve slowly. Try not to chew or swallow the lozenge. For the first week before quitting, use one lozenge 6 times a day. Do not smoke cigarettes after your quit date. After your quit date for weeks 1 through 6, use at least 9 lozenges per day or as often as needed instead of smoking a cigarette.
- For weeks 7 through 12, use at least 6 lozenges per day or as often as needed instead of smoking a cigarette. After 12 weeks from your quit date, use lozenges as needed. Use the lozenge at least 10 minutes before or 10 minutes after eating. Can use up to 20 lozenges per day. Gum and lozenges are interchangeable. Homeopathic remedies may not be effective for everyone.

USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.

- This product is intended to complement not replace standard smoking medical treatments. Initial worsening of symptoms may occur.
- If you are pregnant or breast-feeding, ask a health care professional before use.
- Keep out of reach of children under the age of 12.

Stop use and ask a doctor if: • New symptoms such as cough, congestion, allergies, and/or mouth, teeth or jaw problems occur.

• There are no known contraindications. • Active ingredients are micro-diluted are therefore non-toxic with no known side effects. • Store in a cool dark location. • Smoker's Nicotine ReliefTM Homeopathic Lozenges are a homeopathic dilution.

Active Ingredients Purpose

Adrenalinum HPUS 6x, 12x, 18x......Stress, Fatigue Avena sativa HPUS 3x, 6x, 9x.....Nicotine cleansing Carduus marianus HPUS 3x, 6x.....Liver support Hypericum HPUS 6x, 12x, 18x....Melancholy, Mood swings Kreosotum HPUS 12x, 18x....Mental Nicotine withdrawal Lobelia HPUS 6x, 12x......Physical Nicotine withdrawal Nux vomica HPUS 6x, 12x, 18x.....Stress, Irritability Quebracho HPUS 6x, 12x, 18x......Cough / lung support Valeriana officinalis HPUS 6x, 12x, 18x.....Agitation, Anxiety

To use a lozenge, place it in your mouth, and let it dissolve slowly. Try not to chew or swallow the lozenge. For the first week before quitting, use one lozenge 6 times a day.

Do not smoke cigarettes after your quit date. After your quit date for weeks 1 through 6, use at least 9 lozenges per day or as often as needed instead of smoking a cigarette. For weeks 7 through 12, use at least 6 lozenges per day or as often as needed instead of smoking a cigarette. After 12 weeks from your quit date, use lozenges as needed.

Use the lozenge at least 10 minutes before or 10 minutes after eating. Can use up to 20 lozenges per day.



SMOKERS NICOTINE RELIEF

aspidosperma quebracho blanco, avena sativa, epinephrine, lobelia inflata, milk thistle, st johns wort, strychnos nux vomica seed, valerian, wood creosote lozenge

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Sou	ırce)	NDC:17312-0	37
Route of Administration	ORAL				
Active Ingredient/Active Moiety					
Ingredient Name			Basis of St	rength	Strength
AVENA CATIVA EL OMEDINO TOD (LINII, MACCO DETEL (AVENA CATIVA			ATTENIA CATITIA I	EL OWEDING	

FLOWERING TOP - UNII:MA9CQJ3F7F) (AVENA SATIVA	TOP	9 [hp_X]
EPINEPHRINE (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)	EPINEPHRINE	18 [hp_X]
MILK THISTLE (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)	MILK THISTLE	6 [hp_X]
ST. JOHN'S WORT (UNII: UFH8805FKA) (ST. JOHN'S WORT - UNII:UFH8805FKA)	ST. JOHN'S WORT	18 [hp_X]
WOOD CREOSOTE (UNII: 3JYG22FD73) (WOOD CREOSOTE - UNII:3JYG22FD73)	WOOD CREOSOTE	18 [hp_X]
LOBELIA INFLATA (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)	LOBELIA INFLATA	12 [hp_X]
STRYCHNOS NUX-VOMICA SEED (UNII: 269 XH139 19) (STRYCHNOS NUX-VOMICA SEED - UNII: 269 XH139 19)	STRYCHNOS NUX-VOMICA SEED	18 [hp_X]
ASPIDO SPERMA QUEBRACHO-BLANCO BARK (UNII: 52B1340190) (ASPIDO SPERMA QUEBRACHO-BLANCO BARK - UNII:52B1340190)	ASPIDOSPERMA QUEBRACHO-BLANCO BARK	18 [hp_X]
VALERIAN (UNII: JWF5YAW3QW) (VALERIAN - UNII:JWF5YAW3QW)	VALERIAN	18 [hp_X]

Inactive Ingredients				
Ingredient Name	Strength			
SORBITOL (UNII: 506T60A25R)				
XYLITOL (UNII: VCQ006KQ1E)				
SPEARMINT (UNII: J7I2T6 IV1N)				
PEPPERMINT (UNII: V95R5KMY2B)				
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)				
LACTOSE (UNII: J2B2A4N98G)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)				
CALCIUM STEARATE (UNII: 776 XM70 47L)				
SPIRULINA MAXIMA (UNII: 9 K7IG15M0 Q)				
RIBO FLAVIN (UNII: TLM2976 OFR)				

Product Characteristics				
Color	white, white	Score	score with uneven pieces	
Shape	OVAL ((Lozenge))	Size	10 mm	
Flavor	MINT	Imprint Code	TRP	
Contains				

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:17312-037- 14	4 in 1 CARTON	03/23/2015		
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		03/22/2015		

Labeler - TRP Company (105185719)

Revised: 3/2017 TRP Company