

**GOLD LABEL B NUMB- lidocaine hydrochloride, epinephrine  
hydrochloride spray  
SCALP TECH INC**

-----  
**SCALP TECH (as PLD) - GOLD LABEL - B NUMB (82617-104)**

**ACTIVE INGREDIENT**

LIDOCAINE HCL 5%

EPINEPHRINE (SUPPLIED AS EPINEPHRINE HYDROCHLORIDE) 0.01%

**PURPOSE**

LOCAL ANESTHETIC

**USES**

TEMPORARILY RELIEVES SYMPTOMS DUE TO HEMORRHOIDS, HEMORRHOIDAL TISSUES OR PILES:

- ITCHING
- PAIN
- SORENESS
- BURNING

**WARNINGS**

FOR EXTERNAL USE ONLY.

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU HAVE

- HEART DISEASE
- HIGH BLOOD PLESSURE
- THYROID DISEASE
- DIABETES
- DIFFICULTY IN URINATION
- TAKE MEDICINE FOR
- HIGH BLOOD PRESSURE
- DEPRESSION

WHEN USING THIS PRODUCT DO NOT PUT INTO THE RECTUM BY USING FINGERS OR ANY MECHANICAL DEVICE OR APPLICATOR.

STOP USE AND ASK A DOCTOR IF

- BLEEDING OCCURS
- CONDITION WORSENS OR DOES NOT IMPROVE WITHIN 7 DAYS
- REDNESS, IRRITATION, SWELLING, PAIN OR OTHER SYMPTOMS OCCUR
- YOU EXPERIENCE
- WEAKNESS

- CONFUSION
- HEADACHE
- DIFFICULTY BREATHING
- PALE, GREY OR BLUE COLOURED SKIN.

THESE MIGHT BE SIGNS OF METHEMOGLOBINEMIA, A RARE DISORDER, WHICH MAY APPEAR UP TO 2 HOURS AFTER USE.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, CALL A POISON CONTROL CENTER OR GET MEDICAL HELP RIGHT AWAY.

## **DIRECTIONS**

ADULTS AND CHILDREN 12 YEARS AND OVER

- CLEANSE THE AFFECTED AREA WITH MILD SOAP AND WARM WATER
- RINSE WELL OR PAT WITH AN APPROPRIATE CLEANSING PAD
- GENTLY DRY BY PATTING OR BLOTTING WITH TOILET TISSUE OR A SOFT CLOTH BEFORE APPLYING THIS PRODUCT
- USE SPRAY PUMP TO APPLY EXTERNALLY TO THE AFFECTED AREA UP TO 4 TIMES DAILY
- DO NOT USE MORE OFTEN THAN DIRECTED

## **OTHER INFORMATION**

- STORE AT ROOM TEMPERATURE (15° - 30°C)

## **INACTIVE INGREDIENTS**

AQUA, ETHOXYDIGLYCOL, PHENOXYETHANOL, ALLANTOIN, ETHYLHEXYLGLYCERIN

## **QUESTIONS?**

1 (800) 611-7720



## GOLD LABEL B NUMB

lidocaine hydrochloride, epinephrine hydrochloride spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82617-104
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	5 g in 100 mL
<b>EPINEPHRINE HYDROCHLORIDE</b> (UNII: WBB0470038) (EPINEPHRINE - UNII:YKH834O4BH)	EPINEPHRINE HYDROCHLORIDE	0.01 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIETHYLENE GLYCOL MONOETHYL ETHER</b> (UNII: A1A18X02B)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	

### Packaging

	Marketing Start	Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82617-104-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	02/22/2024	
<b>Marketing Information</b>				
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	OTC Monograph Drug	M015	02/23/2023	

**Labeler -** SCALP TECH INC (200711913)

Revised: 1/2026

SCALP TECH INC