

WEST DIP- iodine solution

WestAgro, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

WESTAGRO West Dip

SANITIZING TEAT DIP

with GLYCERIN

ACTIVE INGREDIENT:

Iodine 1.0%

From Polyethoxy polypropoxy polyethoxy ethanol-iodine complex

pH 4 Minimum

ACT

ADVANCED CONDITIONIN TECHNOLOGY

U.S. Patent No.

5,368,868

NPE FREE Formula

Manufactured by:

WESTAGRO

11100 N. Congress Ave. Kansas City, MO

64153-1296

PRODUCT BENEFITS

- **Mild pH-balanced formula.**
- **Cosmetic-grade complexors plus glycerin.**
- **University tested using National Mastitis Council protocols. Proven effective in reducing the incidence of mastitis.**
- **Sprayable**

DIRECTIONS FOR USE:

GENERAL INSTRUCTIONS

- Use at full strength (Do not dilute).
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use West Dip teat dip for cleaning or sanitizing equipment.

TEAT DIPPING INSTRUCTIONS

PRE-DIPPING

West Agro recommends the use of Quarter Mate sanitizing teat dip as a predip. However, if you choose to use West Dip:

- Make sure udder and teats are clean and dry.
- Check foremilk and udder for mastitis.
- Dip or spray cow's teats with West Dip.
- Allow 30 to 60 seconds contact time.
- Dry cow's teats with a single service paper towel before milking.

- Attach milker unit.

POST-DIPPING

- Immediately after removing inflations, dip or spray cow's teats with West Dip. Do not wipe.
- If outside temperature is below freezing, allow West dip teat dip to air-dry on cow's teats before cow leaves the parlor; or allow teat dip to remain on cow's teats for one minute, then dry teats with a single service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

Made in U.S.A.

0127-E0404

Copyright 2004, West Agro, Inc.

0127

NDC 33392-127

KEEP OUT OF REACH OF CHILDREN

! CAUTION

FIRST AID

Contact with product can cause irritation to eyes. Keep out of eyes.

Eye Contact: Flush with water. Remove contact lenses, if present, after the first five minutes. Then continue flushing.

If Swallowed: Drink large quantities of water and induce vomiting.

STORAGE AND DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

Read and understand all directions before using this product. For additional information refer to the Material Safety Data Sheet (MSDS) available from your West Agro dealer.

CHEMTREC EMERGENCY No. 1-800-424-9300

NET CONTENTS:

LOT NO:

EXPIRATION DATE:

PRODUCT BENEFITS

- Mild pH-balanced formula.
- Cosmetic-grade complexors plus glycerin.
- University tested using National Mastitis Council protocols. Proven effective in reducing the incidence of mastitis.
- Sprayable.

**DIRECTIONS FOR USE:****GENERAL INSTRUCTIONS**

- Use at full strength (Do not dilute).
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking. Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use West Dip® teat dip for cleaning or sanitizing equipment.

TEAT DIPPING INSTRUCTIONS**PRE-DIPPING**

West Agro recommends the use of QuarterMate® sanitizing teat dip as a predip. However, if you choose to use West Dip®:


- Make sure udders and teats are clean and dry.
- Check foremilk and udder for mastitis.
- Dip or spray cow's teats with West Dip®.
- Allow 30 to 60 seconds contact time.
- Dry cow's teats with a single service paper towel before milking.
- Attach milker unit.

POST DIPPING

- Immediately after removing inflations, dip or spray cow's teats with West Dip®. Do not wipe.
- If outside temperature is below freezing, allow West Dip® teat dip to air-dry on cow's teats before cow leaves the parlor; or allow teat dip to remain on cow's teats for one minute, then dry teats with a single service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

CHEMTREC EMERGENCY:
1-800-424-9300

Made in USA
0127-H1215



WESTAGRO®

West Dip®

**SANITIZING TEAT DIP
WITH GLYCERIN**

ACTIVE INGREDIENT:

Iodine *1.0%
* From Polyethoxy polypropoxy polyethoxy ethanol-iodine Complex
pH 4 Minimum



U.S. Patent No. 5,368,868



Manufactured by:

WESTAGRO®

11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700

© Copyright 2015, Made in USA

0127

NDC# 33392-127

**KEEP OUT OF
REACH OF CHILDREN**

**FIRST AID:**

Contact with product can cause irritation to eyes. Keep out of eyes.

If in Eyes: Flush with water. Remove contact lenses, if present, after the first five minutes. Then continue flushing.

If Swallowed: Drink large quantities of water and induce vomiting.

STORAGE AND DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

Read and understand all directions before using this product. For additional information refer to the Safety Data Sheet (SDS) available from your West Agro dealer.

NOT FOR HUMAN USE

NET CONTENTS: 55 US GAL. (208.2 L)

LOT NO.:

EXP. DATE:

**WEST DIP**

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:33392-127
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10.2 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33392-127-02	56.8 L in 1 PAIL		
2	NDC:33392-127-01	208.4 L in 1 DRUM		
3	NDC:33392-127-27	1042.2 L in 1 TANK		
4	NDC:33392-127-23	18927 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2012	

Labeler - WestAgro, Inc. (069288728)

Registrant - WestAgro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		002222368	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		044610140	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
Agri-Service LLC		147765796	repack

Establishment

Name	Address	ID/FEI	Business Operations
Graham Dairy Supply Inc		014157770	repack

Revised: 1/2018

WestAgro, Inc.