

**COSEDAL DROPS- dextromethorphan hbr, guaifenesin liquid**  
**Menper Distributors, Inc.**

-----  
**Cosedal Drops**

**Active ingredients**

Dextromethorphan HBR

Guaifenesin

**Purpose**

Cough Suppressant

Expectorant

**Uses**

- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold and help loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

**Warnings**

**Do not exceed recommended dosage.**

- A persistent cough may be a sign of a serious condition. If cough persists more than one week, tends to reoccur, or is accompanied by fever, rash, or persistent headache, consult a doctor.

**Do not use:**

- This product for persistent or chronic cough, such as occurs with smoking, asthma, or emphysema or if cough is accompanied by excessive phlegm (mucus), unless directed by a doctor.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Keep out of reach of children.**

**If you are pregnant or breast-feeding,**ask a health professional before use.

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

**Directions**

Do not exceed 6 doses in 24 hours.

---

age	dose
12 years of age and over	2 teaspoonfuls (10 mL) every 4 hours
Children 6 to under 12 years of age	1 teaspoonful (5 mL) every 4 hours
Children 2 to under 6 years of age	1/2 teaspoonful (2.5 mL) every 4 hours

Children under 2 years of age


consult your doctor

## Other information

Store this product between 15°-30°C (59°-86°F)

**Inactive ingredients** Citric acid, D&C red #33, glycerin, methylparaben, propylene glycol, propylparaben, raspberry flavor, sucrose, water

**Questions?** call 1-800-560-5223 M-F 9 AM to 4 PM Eastern.



<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each 5 mL)</b>                  Dextromethorphan HBR 10 mg ..... Cough suppressant                  Guaifenesin 100 mg ..... Expectorant</p> <p><b>Uses</b>                  ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold and helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.</p> <p><b>Warnings</b>                  Do not exceed recommended dosage.                  A persistent cough may be a sign of a serious condition. If cough persists for more than one week, tends to recur, or is accompanied by fever, rash or persistent headache, consult a doctor.</p> <p><b>Do not use</b>                  ■ this product for persistent or chronic cough, such as occurs with smoking, asthma, or emphysema or if cough is accompanied by excessive phlegm (mucus), unless directed by a doctor.                  ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's Disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p><b>Keep out of reach of children.</b>                  If pregnant or breast-feeding, ask a health professional before use. In case of accidental overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b>                  ■ Do not exceed 6 doses in 24 hours.</p> <table border="1"> <thead> <tr> <th>age</th> <th>dose</th> </tr> </thead> <tbody> <tr> <td>Adults and children 12 years of age and over</td> <td>2 teaspoonfuls (10 mL) every 4 hours</td> </tr> <tr> <td>Children 6 to under 12 years of age</td> <td>1 teaspoonful (5 mL) every 4 hours</td> </tr> <tr> <td>Children 2 to under 6 years of age</td> <td>½ teaspoonful (2.5 mL) every 4 hours</td> </tr> <tr> <td>Children under 2 years of age</td> <td>consult your doctor</td> </tr> </tbody> </table> <p><b>Other information</b>                  ■ store this product between 15° to 30°C (59° to 86°F)</p> <p><b>Inactive ingredients</b> citric acid, D&amp;C red #33, glycerin, methylparaben, propylene glycol, propylparaben, raspberry flavor, sucrose, water</p> <p><b>Questions?</b> call 1-800-560-5223 M-F 9 AM to 4 PM Eastern.</p> <p>TAMPER-EVIDENT: DO NOT USE THIS PRODUCT IF PRINTED CELLO-BAND OVER CAP IS TORN, BROKEN OR MISSING.</p>		age	dose	Adults and children 12 years of age and over	2 teaspoonfuls (10 mL) every 4 hours	Children 6 to under 12 years of age	1 teaspoonful (5 mL) every 4 hours	Children 2 to under 6 years of age	½ teaspoonful (2.5 mL) every 4 hours	Children under 2 years of age	consult your doctor
age	dose										
Adults and children 12 years of age and over	2 teaspoonfuls (10 mL) every 4 hours										
Children 6 to under 12 years of age	1 teaspoonful (5 mL) every 4 hours										
Children 2 to under 6 years of age	½ teaspoonful (2.5 mL) every 4 hours										
Children under 2 years of age	consult your doctor										

## COSEDAL DROPS

dextromethorphan hbr, guaifenesin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53145-059
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-059-02	1 in 1 CARTON	02/21/2012	
1		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/21/2012	

**Labeler** - Menper Distributors, Inc. (101947166)

### Establishment

Name	Address	ID/FEI	Business Operations
RNV, LLC		118917568	manufacture(53145-059)

Revised: 7/2025

Menper Distributors, Inc.