

# **LIDOPRO PATCH- lidocaine and menthol patch**

## **Terrain Pharmaceuticals**

-----

### **LidoPro Patch**

#### **Drug Facts**

##### **Active Ingredient**

Lidocaine 4%

##### **Purpose**

Topical Anesthetic

##### **Active Ingredient**

Menthol 1%

##### **Purpose**

Topical Analgesic

##### **Uses**

For the temporary relief of pain.

##### **Warnings**

**For external use only**

##### **Do not use**

- on the face or rashes, on wounds or damaged skin
- in the eyes, mouth, or other mucous membranes
- on genitals
- with a heating pad
- right before or after heart surgery
- any patch from a pouch that has been opened for 7 or more days
- in large quantities, particularly over raw surfaces or blistered areas
- if tamper-evident seal is torn, broken, or missing

- more than 2 patches per day unless directed by a doctor
- children under 18 years of age

### **Ask a doctor before use if you have**

- allergies to topical products
- high blood pressure, heart disease, or kidney disease.

### **When using this product**

- avoid contact with eyes. If eye contact occurs, rinse thoroughly with water
- the risk of heart attack or stroke may increase if you use more than directed or for longer than directed.

### **Stop use and consult a doctor if**

condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

### **If pregnant or breast feeding, ask a health professional before use.**

Do not use during last 3 months of pregnancy because it may cause problems in the unborn child or complications during delivery.

### **Keep out of reach of children.**

If put in mouth, seek medical help or contact a Poison Control Center right away. Dispose of the used patches by folding sticky ends together.

### **Directions**

#### **Adults 18 years and older:**

- clean and dry affected area
- open pouch and remove one patch
- remove protective film from patch
- apply one patch to the affected area of pain and leave in place for 8 to 12 hours
- if pain lasts after using the first patch, a second patch may be applied for up to another 8 to 12 hours
- only use one patch at a time
- wash hands with soap and water after applying or removing patch
- reseal pouch containing unused patches after each use

### **Other information**

- some individuals may not experience pain relief until several minutes or hours after applying the patch

- avoid storing product in direct sunlight
- protect product from excessive moisture
- store at 67-77°F (19-25°C)

## Inactive Ingredients

dihydroxyaluminum aminoacetate, glycerol, methylparaben, polysorbate 80, propylene glycol, sodium polyacrylate, tartaric acid, water

## Questions?

877-985-8377

## Principal Display Panel



Drug Facts	
<b>Active Ingredients (in each patch)</b>	<b>Purpose</b>
Lidocaine 4%.....	.....Topical Anesthetic
Menthol 1%.....	.....Topical Anesthetic
<b>Uses</b>	
For the temporary relief of pain.	
<b>Warnings</b>	
For external use only.	
Do not use - on the face or rather, on wounds or damaged skin - in the eyes, mouth, or other mucous membranes - on genitals - with a heating pad - right before or after heart surgery - any patch from a pouch that has been opened for 7 or more days - in large quantities, particularly over raw surfaces or blistered areas - if tamper-evident seal is torn, broken, or missing - more than 2 patches per day unless directed by a doctor - children under 18 years of age	
Ask a doctor before use if you have - allergies to topical products - high blood pressure, heart disease, or kidney disease.	
When using this product - avoid contact with eyes. If eye contact occurs, rinse thoroughly with water - the risk of heart attack or stroke may increase if you use more than directed or for longer than directed.	
Stop use and ask doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.	
If pregnant or breast-feeding, ask a health professional before use. Do not use during last 3 months of pregnancy because it may cause problems in the unborn child or complications during delivery.	
Keep out of reach of children. If put in mouth, seek medical help or contact a Poison Control Center right away. Dispose of the used patches by folding sticky ends together.	
<b>Directions</b>	
Adults 18 years and older:	
• clean and dry affected area	
• open pouch and remove one patch	
• remove protective film from patch	
• apply one patch to the affected area of pain and leave in place for 8 to 12 hours	
• if pain lasts after using the first patch, a second patch may be applied for up to another 8 to 12 hours	
• only use one patch at a time	
• wash hands with soap and water after applying or removing patch	
• reseal pouch containing unused patches after each use	
<b>Other information</b>	
• some individuals may not experience pain relief until several minutes or hours after applying the patch	
• avoid storing product in direct sunlight - protect product from excessive moisture - store at 67-77°F (19-23°C)	
<b>Inactive ingredients</b>	
dihydroxyaluminum aminoacetate, glycerol, methylparaben, polysorbate 80, propylene glycol, sodium polyacrylate, tartaric acid, water	
<b>Questions?</b>	
877-985-8377	




Manufactured For:  
Terrain Pharmaceuticals  
Reno, NV 89509



Formulated and Designed in Nevada  
Made in China  
Patent Pending

Lot:  
Exp:



Drug Facts		
Active Ingredients (in each patch)		Purpose
Lidocaine 4%		Topical Anesthetic
Menthol 1%		Topical Analgesic
<b>Uses</b> For the temporary relief of pain.		
<b>Warnings</b> For external use only.		
Do not use - on the face or rash, on wounds or damaged skin - in the eyes, mouth, or other mucous membranes - on genitals - with a heating pad - right before or after heart surgery - any patch from a pouch that has been opened for 7 or more days - in large quantities, particularly over raw surfaces or blistered areas - if tamper-evident seal is torn, broken, or missing - more than 2 patches per day unless directed by a doctor - children under 18 years of age		
Ask a doctor before use if you have - allergies to topical products - high blood pressure, heart disease, or kidney disease.		
When using this product - avoid contact with eyes. If eye contact occurs, rinse thoroughly with water - the risk of heart attack or stroke may increase if you use more than directed or for longer than directed.		
Stop use and ask doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.		
If pregnant or breast-feeding, ask a health professional before use. Do not use during last 3 months of pregnancy because it may cause problems in the unborn child or complications during delivery.		
Keep out of reach of children. If put in mouth, seek medical help or contact a Poison Control Center right away. Dispose of the used patches by folding sticky ends together.		
<b>Directions</b> Adults 18 years and older: - clean and dry affected area - open pouch and remove one patch - remove protective film from patch - apply one patch to the affected area of pain and leave in place for 8 to 12 hours - if pain lasts after using the first patch, a second patch may be applied for up to another 8 to 12 hours - only use one patch at a time - wash hands with soap and water after applying or removing patch - reseal pouch containing unused patches after each use		
<b>Other information</b> - some individuals may not experience pain relief until several minutes or hours after applying the patch - avoid storing product in direct sunlight - protect product from excessive moisture - store at 67-77°F (19-25°C)		
<b>Inactive ingredients</b> dihydroxyaluminum aminoacetate, glycerol, methylparaben, polyisobutyl acrylate, propylene glycol, sodium polyacrylate, tartaric acid, water		
<b>Questions?</b> 877-965-8377		



Manufactured For:  
Terrain Pharmaceuticals  
Reno, NV 89509

Formulated and Designed in Nevada  
Made in China  
Patent Pending



## LIDOPRO PATCH

lidocaine and menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53225-1123
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 mg in 100 mg
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 mg in 100 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>DIHYDROXYALUMINUM AMINOACETATE</b> (UNII: DO250MG0W6)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53225-1123-1	3 in 1 BOX	02/26/2024	
1		5 in 1 POUCH		
1		8500 mg in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:53225-1123-3	6 in 1 BOX	02/26/2024	
2		5 in 1 POUCH		
2		8500 mg in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/26/2024	

**Labeler** - Terrain Pharmaceuticals (078358750)

Revised: 2/2024

Terrain Pharmaceuticals