# GET MR SKINCARE DAILY PROTECTION SPF30 SUNSCREEN- zinc oxide lotion Cosco International, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

#### **Drug Facts**

Active Ingredient.....Purpose

Zinc Oxide 18.75%.....Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun

#### Warnings

- For external use only
- Do not use on damaged or borken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a physician if rash occurs
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply liberally to face, neck, and ears
- use a water-resistant sunscreen if swimming or sweating
- reapply at least every two hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a physician

### **Inactivve Ingredients**

ALMOND OIL, ALPHA-TOCOPHEROL ACETATE, ASCORBIC ACID, CAPRYLYL/CAPRYL

OLIGOGLUCOSIDE, CAPRYLYL GLYCOL, CETYL ALCOHOL, COCOYL CAPRYLOCAPRATE, DOCOSANOL, ETHYLHEXYLGLYCERIN, FRAGRANCE, GLYCERIN, GLYCERYL LAURATE, HEXYLENE GLYCOL, HYDROGENATED JOJOBA OIL, HYDROGENATED RAPESEED OIL, HYDROXYETHYL CELLULOSE, LACTOBIONIC ACID, MEDIUM-CHAIN TRIGLYCERIDES, NIACINAMIDE, OCTYLDODECANOL, PEG-8 DIMETHICONE, PENTYLENE GLYCOL, PHENOXYETHANOL, POLYGLYCERYL-6 DISTEARATE, POLYHYDROXYSTEARIC ACID, SAPONARIA OFFICINALIS LEAF, SILICON DIOXIDE, SODIUM CHLORIDE, SODIUM PROPOXYHYDROXYPROPYL THIOSULFATE SILICA, VALINE, VITAMIN A PALMITATE, WATER, YELLOW WAX

#### Other Information

Protect this product from excessive heat and direct sun

#### Questions or comments?

Call toll free 1-866-438-6712



# EARN MORE AT GETIMR.COM

# ACTIVE INGREDIEUTS Zinc Oxide 18.75%

#### NEAER OITA

### ALWAYS MOISTURIZING


ANTI-AGING

Refresh your moming routine with simple & safe sidn care. Distributed by Proven LLC 510 Meadowmonk Village Cir Chapel Hil, MC 27517 1-866-438-6712




100% safe, FDA-approved mineral formula


#### **Bottle Cap Band**





Front Back







All-in-One Daily Face Lotion

**MOISTURIZER + SUNSCREEN + AFTERSHAVE** 

**BROAD SPECTRUM** 

3.0 fl. oz. / 90 ml



#### **Drug Facts**

#### Active Ingredient

Purpose Sunscreen

Zinc Oxide 18.75%

#### Uses

Helps prevent suntrum \* If used as directed with other sun protection measures (see Directions
 Decreases risk of skin cancer and early skin aging caused by the sun

#### Warnings:

For external use only
Do not use on damaged or broken skin.
When eating this product keep out of eyes, Rhise with water to remove.
Step use said a physiciae if rash occurs.
Keep out of reach of children, if product is seallowed, get medical help or contact a Poison Control Center right eway.

#### Directions

- apply liberally 15 minutes before surrecopours
   use a water-resistant surrecreen if awimming or aweating
   reapply at least every two hours
   Sun Protection Manusea. Spanding time in the sun incre Prespoy at resiz every coro nous Sun Protection Massaures. Spending time in the sun increases your risk of sidn cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 30 or higher and other sun protection measures including:

  Inhit sun exposure, especially from 10 a.m.-2 p.m.

  wear long-closve shirts, pants, hats, and sunglasses

  children under 6 months: Ask a physician.

#### Inactive ingredients

Water, Caprylle/Capric Triglyceride, Polyhyerizoystearic Acid, Sorbitan Oleate Decylglucoside Crasspolymer, Glycerin, Catyl Alcahel, Polyglycaryl-6 Distanzata, Jajoba Estara, Polyglycaryl-3 Beauveo, Brassica Alcahel, Brassicy Valinata Erylate, Brassica Glycerides, Prunus Arryspialus (Sweet Almond) Oli, PEG-8 Dimethicone, Octyldodescanol, Tacapharyl Acastas, Ratiny Palmitata, Assorbita Acid, Silica, Sociam Proposythydrawpyropyl Thiasutiata Silica, Coco-Caprylata / Caprata, Phenoxyethanol, Capryld Glycol, Ethylheavyglycerin, Heoylene Glycol, Nachamide, Hydrasyethyfaellulosa, Fragranca, Saponaria Pumila Callus Cultura Estract, Lactoblanic Acid



Other Information
- protect this product from excessive heat and direct sun

extitores or operanemis? Call toll free 1-866-438-6712

Where/how to report earlous adverse event.

You may also report serious side effects to +18664386712

We're here to give you **Drug Facts** everything you need for your Active Ingredient Zinc Oxide 18.75% Purpose skin and nothing you don't. helps prevent sunburn
 if used as directed with other sun protection We've devloped an all-in-one

measures (see **Directions**), decreases risk of skin cancer and early skin aging caused by the sun preventive powerhouse to Warnings: For external use only
Do not use on damaged or broken sidn.
When using this product keep out of eyes.
Rinse with water to remove.
Stop use and ask a physician if rash occurs
Keep out of reach of children. If product is
swallowed, get medical help or contact a Poison
Control Center right away.

Precificate: supercharge your skin from your wake up to your wind down. It's one step with big payoffs. It's a way to do Directions something good for yourself apply liberally to face, neck, and ears use a water-resistant sunscreen if swimming or every day, without use a water-resistant sunscreen if swimming or sweating reapply at least every two hours - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this fak, regularly use a sunscreen with a broad-spectrum SPP of 15 or higher and other sun protection measures - Himit sun exposure, especially from 10 a.m.-2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses compromising. Welcome to your modern ritual. children under 6 months: Ask a physician Inactive ingredients
Almond Oll, Alpha-Tocopherol Acetate, Ascorbid
Acid, Capyfyli/Capyf Oligoglucoside, Capyfyl
Acid, Capyfyli/Capyf Oligoglucoside, Capyfyl
Acid, Capyfyli/Capyf Oligoglucoside, Capyfyl
Decosand, Ethylinayfylorain, Fragrance,
Oliyerin, Glycopyr Laurale, Havylare Glycol,
Hydrogenated Olioba Oli, Hydrogenated
Rapeseed Olioperiolation, Paga Dimethicone
Polyglyconyl-B Distearate, Polyhydroxystearic
Acid, Saponara Officinals Latf, Sillicon Dioxide,
Sodium Chioride, Sodium Propoxyhydroxypropyl
Thiosuffate Silsc. Valine, Vitamin A Palmitate,
Water, Yellow Wax
Other Information Inactive ingredients THE DAILY NON-COMEDOGENIC HYPOALLERGENIC SAFE FOR SENSITIVE SKIN RICH IN ANTIOXIDANTS AGE DEFENSE The Daily MINERAL SUNSCREEN Other information
• protect this product from excessive heat and direct sun DERMATOLOGIST DEVELOPED BROAD SPECTRUM ONE-STEP SKIN SOLUTION NON-GREASY Questions or comments? Call toll free 1-866-438-6712 Smooths your skin Soothes after shaving & Protects you from UV rays The Daily uses high-quality non-nano zinc. For best results, MOISTURIZER rub in completely and let it settle SUNSCREEN (SPF 30) for 1 minute. For sensitive skin, **AFTERSHAVE** apply 3-4x per week, working up to daily use. 30 ml / 1 fl oz 52261-7700-1 MADE IN USA FROM DOMESTIC AND IMPORTED MATERIALS. MANUFACTURED FOR SKINVEST INC. 510 MEADOWMONT VILLAGE CIRCLE, CHAPEL HILL N.C. 27517



# 1 Month Supply

When using one recommended nickel-sized dollop every morning to soothe, smooth & protect.



ACTIVE INGREDIENT: ZINC OXIDE 18.75%

#### **GET MR SKINCARE DAILY PROTECTION SPF30 SUNSCREEN**

zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52261-7700
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	0.1875 kg in 1 kg	

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			

HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)
GLYCERIN (UNII: PDC6A3C0OX)
NIACINAMIDE (UNII: 25X5118RD4)
GLYCERYL LAURATE (UNII: Y98611C087)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
ALMOND OIL (UNII: 66YXD4DKO9)
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
PEG-8 DIMETHICONE (UNII: GIA7T7640D)
OCTYLDODECANOL (UNII: 461N1O614Y)
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM PROPOXYHYDROXYPROPYL THIOSULFATE SILICA (UNII: 208G222332)
POLYGLYCERYL-6 DISTEARATE (UNII: Z35I17EQOP)
HYDROGENATED JOJOBA OIL, RANDOMIZED (UNII: Q47ST02F58)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETYL ALCOHOL (UNII: 936JST6JCN)
CAPRYLYL/CAPRYL OLIGOGLUCOSIDE (UNII: E00JL9G9K0)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYDROGENATED RAPESEED OIL (UNII: K168T6Y0YU)
VALINE (UNII: HG18B9YRS7)
DOCOSANOL (UNII: 9G10E216XY)
SAPONARIA OFFICINALIS LEAF (UNII: 3988313MM7)
LACTOBIONIC ACID (UNII: 65R938S4DV)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52261- 7700-0	0.002 kg in 1 PACKET; Type 0: Not a Combination Product	10/01/2020	
2	NDC:52261- 7700-2	1 in 1 BOX	10/01/2020	
2	NDC:52261- 7700-1	0.030 kg in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
3	NDC:52261- 7700-3	0.090 kg in 1 TUBE; Type 0: Not a Combination Product	01/24/2022	
4	NDC:52261- 7700-4	1 in 1 CARTON	01/25/2022	
4		0.030 kg in 1 TUBE; Type 0: Not a Combination Product		

## **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	10/01/2020	

### Labeler - Cosco International, Inc. (016433141)

### Registrant - Cosco International, Inc. (016433141)

Establishment			
Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(52261-7700) , label(52261-7700) , pack(52261-7700)

Revised: 1/2022 Cosco International, Inc.