

GNP ISOPROPYL ALCOHOL 50 PERCENT - isopropyl alcohol liquid

Amerisource Bergen

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

GNP Isopropyl Alcohol 50 Percent USP

Drug Facts

Active Ingredient

Isopropyl Alcohol 50% by volume

Purpose

First aid antiseptic

Use

First aid to help prevent the risk of infection in.

- minor cuts
- scrapes
- burns

Warnings

For external use only.

- Flammable, keep away from spark, heat and flame.

Ask a doctor before use for

- deep wounds
- animal bites
- serious burns

When using this product

- do not get into eyes.
- do not apply over large areas of the body
- do not use longer than 1 week

Stop use and ask a doctor if

If condition persists or gets worse.

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions

- clean the affected area.
- apply a small amount of this product on the affected area 1 to 3 times daily.
- may be covered with sterile bandage.
- if bandaged, let it dry first..

Other Information

- store at controlled room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol.
- will produce serious gastric disturbances if taken internally.

Inactive Ingredient

purified water

Principal Display Panel

NDC 46122-328-45

ISOPROPYL

RUBBING

ALCOHOL 50 %

USP

First Aid Antiseptic

32 fl oz (1 QT) 946 mL

Drug Facts <table border="1"><tr><td>Active ingredient Isopropyl alcohol 50% by volume.....First aid antiseptic</td><td>Purpose</td></tr><tr><td colspan="2">Indications First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns</td></tr><tr><td colspan="2">Warnings For external use only ■ Flammable, keep away from spark, heat and flame</td></tr><tr><td colspan="2">Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns</td></tr><tr><td colspan="2">When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week</td></tr><tr><td colspan="2">Stop use and ask a doctor if condition persists or gets worse</td></tr><tr><td colspan="2">Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.</td></tr><tr><td colspan="2">Directions ■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first Continued ▶</td></tr></table>	Active ingredient Isopropyl alcohol 50% by volume.....First aid antiseptic	Purpose	Indications First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns		Warnings For external use only ■ Flammable, keep away from spark, heat and flame		Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns		When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week		Stop use and ask a doctor if condition persists or gets worse		Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.		Directions ■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first Continued ▶		 <p>NDC 46122-328-45 <i>*Safety Sealed</i></p>	*Warning: Do not use if tamper evident seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or foil seal under cap.
Active ingredient Isopropyl alcohol 50% by volume.....First aid antiseptic	Purpose																	
Indications First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns																		
Warnings For external use only ■ Flammable, keep away from spark, heat and flame																		
Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns																		
When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week																		
Stop use and ask a doctor if condition persists or gets worse																		
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.																		
Directions ■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first Continued ▶																		
	ISOPROPYL RUBBING ALCOHOL 50% USP First Aid Antiseptic	(Drug Facts continued) <table border="1"><tr><td>Other information ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally</td></tr><tr><td>Inactive ingredient ■ purified water</td></tr></table>	Other information ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally	Inactive ingredient ■ purified water														
Other information ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally																		
Inactive ingredient ■ purified water																		
 <p>Distributed by: AmerisourceBergen 1300 Morris Drive Chesterbrook, PA 19087 Questions or concerns? Visit us at www.mygnp.com Made in U.S.A.</p>	<p>First aid Helps prevent the risk of infection in minor cuts, scrapes, and burns</p> <p>• Use for massage, rubbing and sponge bath</p> <p>32 FL OZ (1 QT) 946 mL</p>	<p>RC71015DL ABC# 470-254 10158332</p>  <p>0 87701 42727 5</p>																

GNP ISOPROPYL ALCOHOL 50 PERCENT

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46 122-328
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	500 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46 122-328-43	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	
2	NDC:46 122-328-45	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part333A	01/01/2016	

Labeler - Amerisource Bergen (007914906)

Revised: 6/2016

Amerisource Bergen