

**EUCERIN TINTED AGE DEFENSE SUNSCREEN SPF 50- avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 10% lotion**  
Beiersdorf Inc

-----  
**Eucerin Tinted Age Defense SPF 50**

***Drug Facts***

***Active ingredients***

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces
- store this product in upright position

### ***Inactive ingredients***

Water, Alcohol Denat., Butyloctyl Salicylate, Silica, C12-15 Alkyl Benzoate, Polyglyceryl-6 Stearate, Sodium Stearoyl Glutamate, Diisostearoyl Polyglyceryl-3 Dimer Dilinoleate, Behenyl Alcohol, Butylene Glycol Dicaprylate/Dicaprate, Cetearyl Alcohol, Copernicia Cerifera (Carnauba) Wax, Dibutyl Adipate, Glycyrrhiza Inflata Root Extract, Glycyrrhetic Acid, Sodium Hyaluronate, L-Carnitine, Sodium Ascorbyl Phosphate, Tocopherol (Vitamin E), Hydroxyacetophenone, Diethylhexyl Syringylidenemalonate, Dimethicone, Silica Dimethyl Silylate, Ethylcellulose, Glyceryl Behenate, Polyglyceryl-6 Octastearate, Glycerin, Phenoxyethanol, Xanthan Gum, Ethylhexylglycerin, Polyglyceryl-6 Behenate, Cetyl Alcohol, Cellulose Gum, 1,2-Hexanediol, Caprylyl Glycol, Sodium Polyacrylate, Disodium EDTA, Iron Oxides

### ***Questions?***

1-800-227-4703

Eucerin

Tinted Age Defense

+ Hyaluronic Acid Tinted Sunscreen Lotion For Face

50

Broad Spectrum SPF 50



Blendable Tint For All Skin Tone

For More Even-Looking, Radiant Skin

Helps Reduce the Signs of Aging\*

5 AOX Shield Antioxidant Defense

Developed with Dermatologists



Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure</li> <li>reapply at least every 2 hours</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>children under 6 months: Ask a doctor</li> </ul> </li> </ul>	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>protect this product from excessive heat and direct sun</li> <li>may stain or damage some fabrics or surfaces</li> <li>store this product in upright position</li> </ul>	
<b>Inactive ingredients</b>	
Water, Alcohol Denat., Butyloctyl Salicylate, Silica, C12-15 Alkyl Benzoate, Polyglyceryl-6 Stearate, Sodium Stearoyl Glutamate, Diisostearyl Polyglyceryl-3 Dimer Dilinoleate, Behenyl Alcohol, Butylene Glycol Dicaprylate/Dicaprate, Cetearyl Alcohol, Copernicia Cerifera (Carnauba) Wax, Dibutyl Adipate, Glycyrrhiza Inflata Root Extract, Glycyrrhetic Acid, Sodium Hyaluronate, L-Carnitine, Sodium Ascorbyl Phosphate, Tocopherol (Vitamin E), Hydroxyacetophenone, Diethylhexyl Syringylidenemalonate, Dimethicone, Silica Dimethyl Silylate, Ethylcellulose, Glyceryl Behenate, Polyglyceryl-6 Octastearate, Glycerin, Phenoxyethanol, Xanthan Gum, Ethylhexylglycerin, Polyglyceryl-6 Behenate, Cetyl Alcohol, Cellulose Gum, 1,2-Hexanediol, Caprylyl Glycol, Sodium Polyacrylate, Disodium EDTA, Iron Oxides	
<b>Questions?</b> 1-800-227-4703	

Learn more at [EucerinUS.com](http://EucerinUS.com)

**Beiersdorf**  
 Made in Mexico NART # 99114  
 Distributed by: Beiersdorf Inc. ©-reg. TM. of Stamford, CT 06901 Beiersdorf AG, Germany



## EUCERIN TINTED AGE DEFENSE SUNSCREEN SPF 50

avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 10% lotion

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-0381
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
	<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
	<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
	<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength

<b>DL-CARNITINE</b> (UNII: S7UI8SM58A)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>ALLANTOIN GLYCYRRHETINIC ACID</b> (UNII: H6FL381368)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>BROWN IRON OXIDE</b> (UNII: 1N032N7MFO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>ETHYLCELLULOSE, UNSPECIFIED</b> (UNII: 7Z8S9VYZ4B)	
<b>POLYGLYCERYL-6 BEHENATE</b> (UNII: 4T2L7QI313)	
<b>DISODIUM EDTA-COPPER</b> (UNII: 6V475AX06U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>DIBUTYL ADIPATE</b> (UNII: F4K100DXP3)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>POLYGLYCERYL-6 STEARATE</b> (UNII: ETY9Q81E2T)	
<b>DIISOSTEAROYL POLYGLYCERYL-3 DIMER DILINOLEATE</b> (UNII: G3232Z5S2O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>GLYCYRRHIZA INFLATA ROOT</b> (UNII: 1MV1Z7MKVQ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>ETHYLHEXYLGLYCERYL BEHENATE</b> (UNII: JRY34LRD7B)	

### Product Characteristics

<b>Color</b>	white (White to Off-White)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC-66800			

1	NDC:66800-0381-4	1 in 1 CARTON	03/01/2024	
1		75 g in 1 CAN; Type 0: Not a Combination Product		
2	NDC:66800-0381-3	10 g in 1 PACKET; Type 0: Not a Combination Product	03/01/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/30/2023	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc