

**CHILDRENS MUCUS AND COUGH RELIEF- dextromethorphan hbr,  
guaifenesin liquid  
CARDINAL HEALTH 110, LLC. DBA LEADER**

-----  
**Leader Childrens Mucus and Cough**

**ACTIVE INGREDIENTS (in each 5 mL)**

Dextromethorphan HBr 5 mg  
Guaifenesin 100 mg

**PURPOSE**

Cough suppressant  
Expectorant

**USES**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
  - the impulse to cough to help your child get to sleep
  - the intensity of coughing

**WARNING**

.

**DO NOT USE**

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**ASK A DOCTOR BEFORE USE IF THE CHILD HAS**

- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

**STOP USE AND ASK A DOCTOR IF**

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious illness.

## KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## DIRECTIONS

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- mL=milliliter

Age	Dose
children 6 years to under 12 years	5 mL-10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

## OTHER INFORMATION

- **each 5 mL contains:** potassium 5 mg, sodium 5 mg
- store between 20 to 25°C (68 to 77°F)
- do not refrigerate
- dosing cup provided

## INACTIVE INGREDIENTS

citric acid anhydrous, dextrose, D&C red#33, FD&C red#40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propyl paraben, purified water, saccharin sodium, sodium hydroxide, sorbitol, sucralose, xanthan gum

## QUESTIONS COMMENTS?

call (609) 860-2600 Mon - Fri 8:00 am to 4:30 pm est

# PRINCIPAL DISPLAY PANEL

## LEADER

NDC 70000-0630-1

### Children's Mucus & Cough Relief

Dextromethorphan HBr, 5mg

Guaifenesin 100 mg

cough Suppressant

Expectorant

Cherry Flavor

Ages 4+ Years

Controls Cough

Relieves Chest Congestion

Thins and Loosen Mucus

COMPARE TO CHILDREN'S MUCINEX® COUGH

active ingredients\*

4 FL OZ (118mL)

DO NOT USE IF SEAL UNDER CAP IMPRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

### Drug Facts

**Active ingredients (in each 5 mL) Purpose**  
Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100 mg.....Expectorant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive ■ temporarily relieves: • cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants • the impulse to cough to help your child get to sleep • the intensity of coughing

### Warnings

**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

LEADER<sup>2</sup>

NDC 70000-0630-1

Children's

# Mucus & Cough Relief

Dextromethorphan HBr, 5 mg | Guaifenesin, 100 mg  
Cough Suppressant | Expectorant

Cherry Flavor

Ages 4+ Years

Controls Cough

Relieves Chest Congestion

Thins and Loosens Mucus

100% Money Back Guarantee

4 FL OZ (118 mL)

### Drug Facts (continued)

**Directions** ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ do not use dosing cup with other products

Age	Dose
children 6 years to under 12 years	5 mL - 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

**Other information** ■ each 5 mL contains: potassium 5 mg, sodium 5 mg ■ store between 20-25°C (68-77°F) ■ do not refrigerate ■ dosing cup provided

Refer to carton for full labeling information

MFR# 53041

DIST. BY CAH DUBLIN, OH 43017  
www.myleader.com 1-800-200-6313

©2023 CARDINAL HEALTH, LEADER, and LOGOs are trademarks of Cardinal Health.

LOT:

CIN 5820014 REV. 1/23

EXP:

LEADER<sup>?</sup>

**Children's  
Mucus  
& Cough  
Relief**

Dextromethorphan HBr, 5 mg  
Guaifenesin, 100 mg  
Cough Suppressant | Expectorant

**Drug Facts**

**Active ingredients (in each 5 mL) Purpose**  
Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100 mg.....Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
  - the impulse to cough to help your child get to sleep
  - the intensity of coughing

**Warnings**

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious illness.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL - 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

**Drug Facts (continued)**

**Other information**

- each 5 mL contains: potassium 5 mg, sodium 5 mg
- store between 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

**Inactive ingredients**

citric acid anhydrous, dextrose, D&C red #33, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sorbitol, sucralose, xanthan gum

**Questions or comments?**

call (609) 860-2600 Mon - Fri 8:00 am to 4:30 pm est

KEEP THIS BOX FOR COMPLETE INFORMATION.

DO NOT USE IF SEAL UNDER CAP IMPRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

\*This product is not manufactured or distributed by Reckitt Benckiser, the distributor of Children's Mucinex<sup>®</sup> Cough.

LEADER<sup>?</sup>

LEADER<sup>?</sup>

NDC 70000-0630-1

**Children's  
Mucus  
& Cough  
Relief**

Dextromethorphan HBr, 5 mg  
Guaifenesin, 100 mg  
Cough Suppressant  
Expectorant

Cherry  
Flavor

Ages 4+ Years

Controls Cough

Relieves Chest  
Congestion

Thins and  
Loosens Mucus

COMPARE TO  
CHILDREN'S  
MUCINEX<sup>®</sup>  
COUGH  
active ingredients\*

100% Money  
Back Guarantee

4 FL OZ (118 mL)

**Children's  
Mucus  
& Cough  
Relief**

©2023 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and the LEADER LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

DISTRIBUTED BY  
CARDINAL HEALTH  
DUBLIN, OHIO 43007  
www.myleader.com  
1-800-200-6313

CardinalHealth<sup>™</sup>

Essential to Care<sup>®</sup> since 1979

✓ All LEADER<sup>™</sup> Brand Products Have A  
100% Money Back Guarantee

Return to place of purchase if not satisfied.

3  
WestRock 1285998-2  
4/23

MFR# 53041  
CIN 5820014 REV. 1/23



LOT:

EXP:

**CHILDRENS MUCUS AND COUGH RELIEF**

dextromethorphan hbr, guaifenesin liquid

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:70000-0630

**Route of Administration**

ORAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>DEXTROSE, UNSPECIFIED FORM</b> (UNII: IY9XDZ35W2)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

**Product Characteristics**

<b>Color</b>	RED	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0630-1	1 in 1 CARTON	03/22/2023	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/22/2023	

**Labeler** - CARDINAL HEALTH 110, LLC. DBA LEADER (063997360)

## Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(70000-0630)

Revised: 12/2024

CARDINAL HEALTH 110, LLC. DBA LEADER