# RITE AID EARWAX REMOVAL DROPS- carbamide peroxide liquid Rite Aid

-----

### **Rite Aid Ear Removal Drops**

Carbamide Peroxide 6.5%

Earwax removal aid

For occasional use as an aid to soften, loosen, and remove excessive earwax.

#### Do not use

- if you have ear drainage or discharge, ear pain, irritation or rash in the ear, or are dizzy; consult a doctor
- if you have an injury or perforation (hole) of the eardrum or after ear surgery unless directed by a doctor
- for more than 4 days; if excessive earwax remains after use of this product, consult a doctor

**When using this product** avoid contact with the eyes. If accidental contact with the eyes occurs, flush your eyes with water and consult a doctor.


If product is swallowed, get medical help or contact a Poison Control Center right away.

**FOR IN EAR USE ONLY. Adults and children over 12 years of age**: tilt head sideways and place 5 to 10 drops into ear. Tip of applicator should not enter ear canal. Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear. Use twice daily for up to 4 days if needed, or as directed by a doctor.

Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe. **Children under 12 years of age:** consult a doctor.

Citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, tartaric acid.







When using this product . avoid contact with eyes. If accidental contact with eyes occurs, flush eyes with water and consult a doctor

Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

#### Directions

FOR IN EAR USE ONLY. Adults and children over 12 years of age: tilt head sideways and place 5 to 10 drops into ear. Tip of applicator should not enter ear canal. Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear. Use twice daily for up to 4 days if needed, or as directed by a doctor • any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe.

Children under 12 years of age: consult a doctor

#### Other information

- do not store above 86°F (30°C)
- protect from heat and direct sunlight keep cap on bottle when not in use
- Inactive ingredients citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate,


\*This product is not manufactured or distributed by Prestige Brands Holdings, Inc., owner of the registered trademark Debrox®

DISTRIBUTED BY: RITE AID 200 NEWBERRY COMMONS ETTERS, PA 17319

tartaric acid











### RITE AID EARWAX REMOVAL DROPS

carbamide peroxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-6117
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CARBAMIDE PEROXIDE (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	CARBAMIDE PEROXIDE	6.5 g in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
TARTARIC ACID (UNII: W48881119H)		
SODIUM LAURYL SULFATE (UNII: 368GB5141J)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822- 6117-0	1 in 1 CARTON	05/10/2024	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11822- 6117-1	1 in 1 CARTON	05/10/2024	
2		15 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M014	05/10/2024		

## **Labeler -** Rite Aid (014578892)

# Registrant - Derma Care Research Labs, LLC (116817470)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Derma Care Research Labs, LLC		116817470	manufacture(11822-6117)	

Revised: 5/2024 Rite Aid