

**THERA PLUS ANTIFUNGAL CLOTRIMAZOLE- clotrimazole cream
FOURSTAR GROUP USA, INC.**

Thera plus Antifungal Clotrimazole cream

Drug Facts

Active ingredient

Clotrimazole 1% w/w

Purpose

Antifungal

Uses

- cures most athlete's foot, jock itch, and ringworm
- relieves itching, burning, cracking, scaling and discomfort which can accompany these conditions.

Warnings

For external use only.

Do not use

- on children under 2 years of age except under the advice of a doctor.

When using this product

- avoid contact with eyes.

Stop use and ask a doctor if

- irritation occurs.
- there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

If pregnant or breast-feeding,

ask a health professional before use

Keep this and all drugs out of the reach of children.

if swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- wash the affected area and dry thoroughly.

- apply a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product.
- for athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily.
- for athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks.
- If conditions persists longer, consult a doctor.
- This product is not effective on the scalp or nails.

Other information

- store at room temperature 20°-25°C (68°-77°F).
- close cap tightly after use.

Inactive ingredients

cetostearyl alcohol, ethylparaben, glycerin, glyceryl monostearate, mineral oil, peregol O-25, petrolatum, purified water, stearic acid

Questions or comments?

Call 1-888-296-9067 Mon-Fri 9 AM-5 PM

Package Labeling:

Drug Facts

Active ingredient

Clotrimazole 1% w/wAntifungal

Purpose

Uses

- cures most athlete's foot, jock itch, and ringworm
- relieves itching, burning, cracking, scaling and discomfort which can accompany these conditions.

Warnings For external use only.

Do not use

- on children under 2 years of age except under the advice of a doctor.

When using this product

- avoid contact with eyes.

Stop use and ask a doctor if

- irritation occurs.
- there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

If pregnant or breast-feeding, ask a health professional before use

Keep this and all drugs out of the reach of children. if swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶

Drug Facts (continued)

Directions

- wash the affected area and dry thoroughly.
- apply a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product.
- for athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily.
- for athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks.
- If conditions persists longer, consult a doctor.
- This product is not effective on the scalp or nails.

Other information

- store at room temperature 20°-25°C (68°-77°F).
- close cap tightly after use.

Inactive ingredients

cetostearyl alcohol, ethylparaben, glycerin, glyceryl monostearate, mineral oil, peregol 0-25, petrolatum, purified water, stearic acid

Questions or comments?

Call 1-888-296-9067 Mon-Fri 9 AM-5 PM

LOT:
EXP:



* This product is not manufactured or distributed by Bayer, owner of the registered trademark Lotrimin®.
DIS TRIBUTED BY: FOUR STAR GROUP USA, INC.
925 GRANT STREET AKRON, OHIO 44311
MADE IN CHINA

ANTIFUNGAL
CREAM

NET WT 0.5 OZ (14 g)

ANTIFUNGAL
CREAM

Compare To The Active Ingredient of Lotrimin® AF*

Clotrimazole 1%

ANTIFUNGAL
CREAM

ATHLETE'S FOOT
JOCK ITCH & RINGWORM FORMULA





Compare To The Active Ingredient of Lotrimin® AF*

ANTIFUNGAL CREAM

Clotrimazole 1%

NET WT 0.5 OZ (14 g)

DRUG FACTS		DRUG FACTS (continued)	
Active ingredient Clotrimazole 1% w/w	Purpose Antifungal	Directions	
Uses <ul style="list-style-type: none"> cures most athlete's foot, jock itch, and ringworm relieves itching, burning, cracking, scaling and discomfort which can accompany these conditions. 		<ul style="list-style-type: none"> wash the affected area and dry thoroughly. apply a thin layer over affected area twice daily (morning and night) supervise children in the use of this product. for athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. for athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. if conditions persists longer, consult a doctor. this product is not effective on the scalp or nails. 	
Warnings For external use only Do not use on children under 2 years of age except under the advice of a doctor.		Other information	
When using this product avoid contact with eyes.		<ul style="list-style-type: none"> store at room temperature 20°-25°C (68°-77°F). close cap tightly after use. 	
Stop use and ask a doctor if <ul style="list-style-type: none"> irritation occurs. there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch). 		Inactive ingredients cetostearyl alcohol, ethylparaben, glycerin, glyceryl monostearate, mineral oil, peregat O-25, petrolatum, purified water, stearic acid	
If pregnant or breast-feeding, ask a health professional before use. Keep this and all drugs out of the reach of children. if swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶		Questions or comments? Call 1-888-296-9067 Mon-Fri 9 AM-5 PM	

* This product is not manufactured or distributed by Bayer, owner of the registered trademark Lotrimin®.

DISTRIBUTED BY: FOURSTAR GROUP USA, INC.
925 GRANT STREET AKRON, OHIO 44311 MADE IN CHINA

THERA PLUS ANTIFUNGAL CLOTRIMAZOLE

clotrimazole cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80684-039
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
LAURETH-23 (UNII: N72LMW566G)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
ETHYLPARABEN (UNII: 14255EXE39)	
GLYCERIN (UNII: PDC6A3C0OX)	

GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80684-039-01	1 in 1 BOX	01/30/2022	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	01/30/2022	

Labeler - FOURSTAR GROUP USA, INC. (140099503)

Revised: 10/2023

FOURSTAR GROUP USA, INC.