

XPECT PAIN AWAY EXTRA STRENGTH- acetaminophen aspirin caffeine tablet
Cintas Corporation

Xpect Pain Away Extra Strength

Active ingredients (in each tablet)

Acetaminophen 250 mg

Aspirin 250 mg (NSAID)*

Caffeine 65 mg

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Pain reliever

Pain reliever aid

Uses

- temporarily relieves minor aches and pains due to: • a cold • toothache • headache • muscular aches • arthritis • premenstrual and menstrual cramps

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include: • shock • facial swelling • hives • asthma (wheezing)

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- are age 60 or older

- take more or for a longer time than directed

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heart beat.

Do not use

- if you have ever had an allergic reaction to acetaminophen, aspirin, or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- you have liver disease
- you have asthma
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you are taking a diuretic
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for diabetes, gout, or arthritis
- taking any other drug or are under a doctor's care for any serious condition

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away
- you experience any of the following signs of stomach bleeding: • feel faint • have bloody or black stools • vomit blood • have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- redness or swelling is present
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- drink a full glass of water with each dose

- adults and children 12 years and over: take 2 tablets every 6 hours. Do not take more than 8 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see packet for expiration date and lot number

Inactive ingredients

corn starch, crospovidone, hypromellose, microcrystalline cellulose, povidone, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, stearic acid, titanium dioxide

Questions?

1-877-973-2811 Monday-Friday 8:00 AM-5:00 PM

Principal Display Panel - 42961-234-04

†Compare to the active ingredients of Excedrin®

EXTRA STRENGTH PAIN AWAY®

Active Ingredients:

Acetaminophen

Aspirin (NSAID)

Caffeine

Pain Reliever / Pain Reliever Aid

- Relief from headaches
- Contains caffeine

Xpect® First aid

WORKPLACE READY®

- Single Dose
- Tamper Evident

80 Tablets • 40 Packets (2 tablets per packet) per Box

†This product is not manufactured or distributed by GSK Consumer Healthcare SARL, owner of the registered trademark Excedrin®.

†Compare to the active ingredients of Excedrin®

EXTRA STRENGTH PAIN AWAY®

Active Ingredients:

Acetaminophen

Aspirin (NSAID)

Caffeine

Pain Reliever / Pain Reliever Aid

- Relief from headaches
- Contains caffeine

Xpect®
First aid



- Single Dose
- Tamper Evident

80 Tablets • 40 Packets (2 tablets per packet) per Box

†This product is not manufactured or distributed by GSK Consumer Healthcare S.A.R.L., owner of the registered trademark Excedrin®.

Principal Display Panel - 42961-234-05

†Compare to the active ingredients of Excedrin®

EXTRA STRENGTH PAIN AWAY®

Active Ingredients:

Acetaminophen

Aspirin (NSAID)

Caffeine

Pain Reliever / Pain Reliever Aid

- Relief from headaches
- Contains caffeine

Xpect® First aid

WORKPLACE READY®

- Single Dose
- Tamper Evident

160 Tablets • 80 Packets (2 tablets per packet) per Box

†This product is not manufactured or distributed by GSK Consumer Healthcare SARL, owner of the registered trademark Excedrin®.

†Compare to the active ingredients of Excedrin®

EXTRA STRENGTH PAIN AWAY®

Active Ingredients:
Acetaminophen
Aspirin (NSAID)
Caffeine



- Single Dose
- Tamper Evident

Pain Reliever / Pain Reliever Aid

- Relief from headaches
- Contains caffeine

Xpect
First aid

160 Tablets • 80 Packets (2 tablets in each packet) per Box

†This product is not manufactured or distributed by GSK Consumer Healthcare SARL, owner of the registered trademark Excedrin®.

XPECT PAIN AWAY EXTRA STRENGTH

acetaminophen aspirin caffeine tablet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:42961-234

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	250 mg
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	250 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	15mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42961-234-02	50 in 1 BOX	07/26/2023	12/27/2024
1	NDC:42961-234-01	2 in 1 PACKAGE; Type 0: Not a Combination Product		
2	NDC:42961-234-04	40 in 1 BOX	12/27/2024	
2	NDC:42961-234-01	2 in 1 PACKAGE; Type 0: Not a Combination Product		
3	NDC:42961-234-05	80 in 1 BOX	12/27/2024	
3	NDC:42961-234-01	2 in 1 PACKAGE; Type 0: Not a Combination Product		
4	NDC:42961-234-03	125 in 1 BOX	07/26/2023	12/27/2024
4	NDC:42961-234-01	2 in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/26/2023	

Labeler - Cintas Corporation (056481716)

Establishment

Name	Address	ID/FEI	Business Operations
L.N.K. International Inc.		832867894	manufacture(42961-234)

Revised: 9/2025

Cintas Corporation