

ALLERGY RELIEF CAPLET- diphenhydramine hydrochloride tablet, film coated
TOPCO ASSOCIATES LLC

Allergy Relief Caplet

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose • sneezing • itchy, watery eyes • itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose • sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even

if you do not notice any signs or symptoms.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat, cold and humidity
- close cap tightly after use

Inactive ingredients

croscarmellose sodium, dicalcium phosphate DT, D&C red #27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments:

Call **1-888-423-0139**

COMPARE TO BENADRYL® ALLERGY ULTRATAB® ACTIVE INGREDIENT*

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

READ AND KEEP OUTER CARTON FOR COMPLETE PRODUCT WARNINGS AND INFORMATION

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc. owner of the registered trademark Benadryl® Allergy ULTRATAB®.

DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ITASCA, IL 60143
©TOPCO STVA1023
topcare@topco.com
www.topcarebrand.com
PRODUCT OF INDIA

QUALITY GUARANTEED

Packaging

PACKAGE - 400 TABLETS

TopCare health

NDC 36800-937-40

COMPARE TO BENADRYL® ALLERGY ULTRATAB® ACTIVE INGREDIENT*

Allergy Relief


DIPHENHYDRAMINE HCl 25 mg
ANTHISTAMINE

RELIEF OF:

- Sneezing • Runny Nose
- Itchy, Watery Eyes
- Itchy Nose or Throat

400 TABLETS

TAMPER EVIDENT: Do not use if imprinted safety seal is broken or missing.
*This product is not manufactured or distributed by the Johnson & Johnson Consumer, the owner of Benadryl®. Visit here for more information: <http://topbrnds.com/48zxt15>

Drug Facts	Purpose									
<p>Active ingredient (in each tablet) Diphenhydramine HCl 25 mg.....Anthistamine</p> <p>Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat</p> <p>■ temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing</p> <p>Warnings Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin</p> <p>Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland</p> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers</p> <p>When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions ■ take every 4 to 6 hours, or as directed by a doctor</p> <table border="1"> <tr> <td>do not take more than 6 times in 24 hours</td> <td>adults and children 12 years and over</td> <td>1 to 2 tablets</td> </tr> <tr> <td></td> <td>children 6 to under 12 years</td> <td>1 tablet</td> </tr> <tr> <td></td> <td>children under 6 years</td> <td>do not use</td> </tr> </table> <p>Other information ■ each tablet contains: calcium 18.64 mg ■ store between 20-25 °C (68-77°F) ■ avoid excessive heat, cold and humidity ■ close cap tightly after use</p> <p>Inactive ingredients croscarmellose sodium, dicalcium phosphate DT, D&C red #27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide</p> <p>Questions? call 1-888-423-0139</p>	do not take more than 6 times in 24 hours	adults and children 12 years and over	1 to 2 tablets		children 6 to under 12 years	1 tablet		children under 6 years	do not use	<p>18680083740 REVID-120208</p>  <p>0 36800 16326 3</p> <p>LOT: _____</p> <p>EXP: _____</p>
do not take more than 6 times in 24 hours	adults and children 12 years and over	1 to 2 tablets								
	children 6 to under 12 years	1 tablet								
	children under 6 years	do not use								

PACKAGE - 100 TABLETS

K/O EXTERIOR GLUELINE

COMPARE TO BENADRYL® ALLERGY ULTRATAB® ACTIVE INGREDIENT*

Allergy Relief

DIPHENHYDRAMINE HCl 25 mg - ANTHISTAMINE

RELIEF OF:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Nose or Throat

100 TABLETS

actual size

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts	Purpose
<p>Active ingredient (in each tablet) Diphenhydramine HCl 25 mg.....Anthistamine</p> <p>Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat</p> <p>■ temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing</p> <p>Warnings Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin</p> <p>Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland</p> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers</p> <p>When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children</p>	<p>18680083740</p> <p>READ AND KEEP OUTER CARTON FOR COMPLETE PRODUCT WARNINGS AND INFORMATION</p> <p>This product is not manufactured or distributed by Johnson & Johnson Consumer, the owner of Benadryl®. Opened containers of Benadryl® Allergy Ultratab®.</p> <p>DISTRIBUTED BY TOPCO ASSOCIATES LLC ITASKA, IL 60143 ©TOPCO STVA1023</p> <p>QUESTIONS? 1-888-423-0139</p> <p>topcare@topco.com www.topcarebrand.com Information or PRODUCT OF INDIA CALL 1-888-423-0139</p> <p>Scan here for more information or CALL 1-888-423-0139</p> <p>QUALITY GUARANTEED</p> 

Drug Facts (Continued)

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions
■ take every 4 to 6 hours, or as directed by a doctor
■ do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 Tablet
children under 6 years	do not use

Other information
■ store between 20-25 °C (68-77°F) ■ avoid excessive heat, cold and humidity ■ close cap tightly after use

Inactive ingredients
croscarmellose sodium, dicalcium phosphate DT, D&C red #27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments:
Call 1-888-423-0139

ALLERGY RELIEF CAPLET

diphenhydramine hydrochloride tablet, film coated

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:36800-937

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	PINK	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	S2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-937-40	400 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2021	
2	NDC:36800-937-01	1 in 1 CARTON	11/09/2023	
2		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/01/2021	

Labeler - TOPCO ASSOCIATES LLC (006935977)

