# ESOMEPRAZOLE MAGNESIUM- esomeprazole capsule, delayed release Meijer Distribution Inc

-----

## Meijer Distribution, Inc. Esomeprazole Magnesium Drug Facts

## Active ingredient (in each capsule)

Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 22 mg esomeprazole magnesium dihydrate)

#### Purpose

Acid reducer

#### Uses

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

## **Warnings**

**Allergy alert:** Do not use if you are allergic to esomeprazole

#### Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

# Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

#### Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

#### Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

## If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

## **14-Day Course of Treatment**

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

#### Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

#### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

#### **Inactive ingredients**

FD&C blue no. 1, FD&C red no. 3, ferric oxide, gelatin, glyceryl monostearate, hypromellose, magnesium stearate, meglumine, methacrylic acid and ethyl acrylate copolymer dispersion, polyethylene glycol, polysorbate 80, shellac, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

#### Questions or comments?

1-800-719-9260

# Package/Label Principal Display Panel

Compare to Nexium<sup>®</sup> 24 HR active ingredient

24 HOUR

esomeprazole magnesium

Delayed-Release Capsules, 20 mg | Acid Reducer

SEE NEW WARNING INFORMATION

Treats Frequent Heartburn

CAPSULES

28 Capsules

Two 14-day courses of treatment

May take 1 to 4 days for full effect

actual size

#### Tips for Managing Heartburn Avoid foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables. Eat slowly and do not eat big meals. Do not eat late at night or just before bedtime. Do not lie flat or bend over soon after eating. Raise the head of your bed. Wear loose-fitting clothing around your stomach. If you are overweight, lose weight. If you smoke, quit smoking. CLINICALLY PROVEN TO TREAT FREQUENT HEARTBURN HDG 41250-900-02 meijer DO NOT LISE IF PRINTED FOIL SEAL INDER Compare to CAP OR BAND AROUND THE CENTER OF EACH CAPSULE IS BROKEN OR MISSING. Nexium® 24 HR active ingredient® 24 HOUR NDC 41250-000-01 24 HOUR esomeprazole meijer esomeprazole magnesium magnesium Delayed -Release Capsules, 20 mg | Acid Reducer Treats Frequent Heartburn Delayed-Release Capsules, 20 mg | Acid Reducer 14 Capsules One 14 day come of best rest. Nag tale 1 to 4 days for full effect CAPSULES SEE NEW WARNING Treats Frequent Heartburn INFORMATION 28 Capsules CAPSULES Two 14-day courses of treatment May take 1 to 4 days for full effect actual size 2 bottles inside PID 4039776 DIST, BY MEIJER DISTIRBUTION, INC. **GF** GRAND RAPIDS, MI GLUTEN 48544 wr.meljer.com 898D6 6E C5 KEEP CARTON FOR COMPLETE WARNINGS AND IMPORTANT INFORMATION. Drug Facts (continued) Reyested 14-Day Courses (If needed) wyor may repeat a 14-day course every 4 months wido not take for mone than 14 day a or more offent than every 4 months unless directed Drug Facts Drug Fac ts (continued) Ask a doctor or pharmacist before ese if you are Active ingredient Purpose ■ taking a prescription drug. Acid reducers may interact (in each capsule) Exomeprazole 20 mg.... with certain prescription drugs.

Each dielayed-release capsule comesponds to 22 mig esomeprazoile magnesium dihydrale)

breats frequent hear form joccurs 2 or more days a week)
 not intended for immediate relief of heartbarn; finis drug may take 1 to 4 days for full effect.

Warmings Allergy alert: Conotiuse If you are allergic to esomeprazole Do not use if you have:

- trouble or pain swallowing food, wornting with blood, or bloodly or black shoots
- n heartfurn with lightheadedness, sweating or dizziness

#### Slopuse and ask a doctor if

- wyour heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of freatment every 4 months
- you get diamtea you develo p a rash or joint pain

If pre-grant or breast-feeding, ask a health professional


before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right sweay.

#### Directions

children under 18 years of age: ask a doctor before use. Hearform in children may sometimes be caused by a serious condition.

#### Other information

- mread the directions and warnings before use ■ keep the -carton. It contains important information. ■ store at 2/0-25°C (89-77°F)
- Inactive ingredients FDSC blue no. 1, FDSC red no. 3, fertic colde, getatin, glyceryl monostearate, hyprometrose, magnesium stearate, meglamine, methacrylic acid and ethyl acrylate copolymer clispersion, polywthylene glycol, polysorbate 80, shellar, ao dium launyl su lfate, su gar



# **ESOMEPRAZOLE MAGNESIUM**

esomeprazole capsule, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-900
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ESOMEPRAZOLE (UNII: N3PA6559FT) (ESOMEPRAZOLE - UNII:N3PA6559FT)	ESOMEPRAZOLE	20 mg	

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MEGLUMINE (UNII: 6 HG8 UB2MUY)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6 OZP39 ZG8 H)	
SHELLAC (UNII: 46 N10 7B71O)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics			
Color	BLUE (opaque)	Score	no score
Shape	CAPSULE (oblong)	Size	14mm
Flavor		Imprint Code	L898
Contains			

P	Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date	
1	NDC:41250-900-01	1 in 1 CARTON	09/22/2017		
1		14 in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:41250-900-02	2 in 1 CARTON	09/22/2017		
2		14 in 1 BOTTLE; Type 0: Not a Combination Product			
3	NDC:41250-900-03	3 in 1 CARTON	09/22/2017		
3		14 in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA207193	09/22/2017		

# Labeler - Meijer Distribution Inc (006959555)

Revised: 3/2020 Meijer Distribution Inc