ISOPROPYL ALCOHOL 70 PERCENT- isopropyl alcohol liquid TARGET Corporation

Drug Facts

Active ingredient (by volume)

Isopropyl alcohol (70% conc.)

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

• If taken internaly, serious gastic disturbances will result

Flammable, keep away from fire or flame

use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have

deep or puncture woods, animal bites or serious burns

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first

may be covered with a sterile bandage

Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient

purified water

Questions or comments?

Call **1-800-910-6874**

Principal Display Panel

70% Isopropyl Alcohol

First Aid Antiseptic

Help prevent the risk of infection in minor cuts, scrapes, and burns

WARNING FLAMMABLE | Keep away from heat, spark, electrical, fire or flame USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE TOXIC


CAUTION:: DO NOT POINT AT SELF OR OTHERS; PRODUCT WILL SQUIRT WHEN SQUEEZED

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Distributed by Target Corporation Minneapolis, MN 55403

Package Label



TARGET (up&up) First Aid Antiseptic

ISOPROPYL ALCOHOL 70 PERCENT

isopropyl alcohol liquid

| | _ | | | | |
|------|------|------|----|-------|--|
| Drad | IIC+ | Info | rm | ation | |

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11673-275

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|----------------------|--------------------|
| ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302) | ISOPROPYL ALCOHOL | 70 mL in 100 mL |

| Inactive Ingredients | |
|--------------------------|----------|
| Ingredient Name | Strength |
| WATER (UNII: 059QF0KO0R) | |

| P | ackaging | kaging | | | |
|---|----------------------|--|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| | NDC:11673- 275-32 | 946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 08/31/2015 | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M003 | 08/31/2015 | |
| | | | |

Labeler - TARGET Corporation (006961700)

Revised: 4/2025 TARGET Corporation