

EXTRA STRENGTH ACETAMINOPHEN PM- acetaminophen, diphenhydramine hcl tablet, coated

McKesson (Health Mart)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Extra Strength Acetaminophen PM

Active ingredients (in each caplet)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purpose

Pain reliever

Nighttime sleep aid

Uses

Temporary relief of occasional headaches and minor aches and pains accompanying sleeplessness.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 2 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with other products containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problems such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- redness or swelling is present
- new symptoms occur

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets at bedtime• do not take more than 2 caplets of this product in 24 hours
------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

children under 12 years	Do not use this product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.
----------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------

Other information

- store at room temperature 15°-30°C (59°-86°F), avoid high humidity and excessive heat

Inactive ingredients

colloidal silicon dioxide*, croscarmellose sodium*, D&C Yellow #10 Aluminum Lake*, FD&C Blue #1 Aluminum Lake, FD&C Blue #2 Aluminum Lake, hypromellose, magnesium silicate*, magnesium stearate*, microcrystalline cellulose, mineral oil*, polyethylene glycol, polyvinyl alcohol*, povidone, pregelatinized starch, silica*, sodium starch glycolate*, stearic acid, talc*, titanium dioxide, triacetin*, and yellow iron oxide*

*contains one or more of these ingredients

Principal Display Panel

Compare to Tylenol® PM caplets active ingredients**

EXTRA STRENGTH

Acetaminophen PM

Acetaminophen 500 mg,

Diphenhydramine HCl 25 mg

Pain reliever /nighttime Sleep-Aid

50 CAPLETS

Do not use if imprinted safety seal under cap is broken or missing

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

****This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Tylenol® PM.**

070882

4526Q1C

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

MSKESON
Number Quality Product Distributed by McNeil Consumer Healthcare, LLC
www.mskeson.com

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

PLD-B FC000439 0 52569 13274 6
Lot No.:
Exp. Date:

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts (continued)

Ask a doctor before use if you have:
■ liver disease ■ a breathing problem such as emphysema or chronic bronchitis
■ trouble urinating due to an enlarged prostate gland ■ glaucoma

Ask a doctor or pharmacist before use if you are:
■ taking the blood thinning drug warfarin ■ taking sedatives or tranquilizers

When using this product:
■ drowsiness will occur ■ avoid alcoholic drinks
■ do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if:
■ sleepiness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness. ■ pain gets worse or lasts for more than 10 days

Fever gets worse or lasts for more than 3 days ■ redness or swelling is present

■ new symptoms occur

If pregnant or breast-feeding, ask a health care professional before use.
Keep out of reach of children.

1-520-1102-29 QM

Health Mart PHARMACY
compare to tylenol® pm caplets active ingredients**

extra strength acetaminophen pm
acetaminophen, 500 mg
diphenhydramine HCl, 25 mg
pain reliever/nighttime sleep aid

50 caplets

Drug Facts (continued)

Directions ■ do not take more than directed (see overdose warning) or symptoms.
Quick medical attention is critical for adults as well as for children even if you do not notice any signs in case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage.

Other information ■ store at room temperature 15°-30°C (59°-86°F), avoid high humidity and excessive heat

Inactive ingredients colloidal silicon dioxide*, croscarmellose sodium*, D&C Yellow #10

children under 12 years
Do not use this adult product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.

adults and children 12 years and over
■ take 2 caplets at bedtime
■ do not take more than 2 caplets of this product in 24 hours

Drug Facts (continued)

Aluminum Lake*, FD&C Blue #1 Aluminum Lake, FD&C Blue #2 Aluminum Lake, hypromellose, magnesium silicate*, magnesium stearate*, microcrystalline cellulose, mineral oil*, polyethylene glycol, polyvinyl alcohol*, povidone, pregelatinized starch, silica*, sodium starch glycolate*, stearic acid, talc*, titanium dioxide, triacetin*, and yellow iron oxide*
*contains one or more of these ingredients

Questions or comments?
Call toll free 1-877-753-3935
Monday-Friday 9AM-5PM EST

**This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Tylenol® PM.

Drug Facts
Diphenhydramine HCl 25 mg.....Nighttime Sleep Aid
Acetaminophen 500 mg.....Pain Reliever

Purpose
Temporary relief of occasional headaches and minor aches and pains accompanying sleepiness

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
■ more than 2 caplets in 24 hours, which is the maximum daily amount
■ 3 or more alcoholic drinks every day while using this product

Do not use:
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ with other drugs containing acetaminophen
■ in children under 12 years of age

Uses
Temporary relief of occasional headaches and minor aches and pains accompanying sleepiness

Active ingredients (in each caplet)
Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Actual size

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

extra strength acetaminophen PM caplets

EXTRA STRENGTH ACETAMINOPHEN PM

acetaminophen, diphenhydramine hcl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0025
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE (UNII: FZ989GH94E)	
WATER (UNII: 059QF0KO0R)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	7mm
Flavor		Imprint Code	V15AV;S525;CPC752
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0025-1	1 in 1 BOX	06/04/2012	12/31/2020
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	06/04/2012	12/31/2020

Labeler - McKesson (Health Mart) (177667227)

Registrant - P & L Development, LLC (800014821)

Revised: 12/2018

McKesson (Health Mart)