

TRICARE PRENATAL 2-PART DAILY PRENATAL VITAMIN SYSTEM- 18 essential vitamins and minerals, ultra pure dha
Medecor Pharma, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

TRICARE PRENATAL 2-PART DAILY PRENATAL VITAMIN SYSTEM

INDICATIONS AND USAGE: TriCare Prenatal™ Chewable Tablets with Twist-off DHA Softgels are indicated to provide vitamin and mineral supplementation throughout pregnancy and during the postnatal period for both the lactating and non-lactating mother. It is also useful for improving nutritional status prior to conception.

CONTRAINDICATIONS: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

NOTICE: Contact with moisture may produce surface discoloration or erosion of the tablets and twist-off softgels.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE: Two (2) chewable tablets and two (2) twist-off softgels daily or as directed by a physician.

ADMINISTRATION: Chew tablets before swallowing. Twist small end off from softgel and squeeze contents directly into mouth or into juice to drink. Daily dosage should be taken with food.

HOW SUPPLIED: Child-resistant, blister pack of two (2) white tablets and two (2) purple twist-off softgels.

Each tablet is embossed MP 201.

Each Twist-off softgel is marked MP 802.

(NDC 67112-502-60)

Store at controlled room temperature, 15°-30°C (59°-86°F).

TO REPORT a serious adverse event or obtain product information, call 877-803-8235.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

Marketed by: Medecor Pharma, LLC, Baton Rouge, LA
Patent Pending



TriCare Prenatal™ CHEWABLE TABLET with Twist-off DHA Softgel

QUICK DISSOLVE

**Gluten and
Lactose Free**

Rx Only
NDC 67112-502-60

2-Part Daily Prenatal Vitamin System

- 1** Tablet with 18 Essential Vitamins and Minerals
Chewable / Smoothly Dissolves in Mouth
- 2** Daily Dosage of Twist-Off Softgels contains 300mg of Ultra Pure DHA
Pleasant and Appealing Fruit Flavor with No Fishy Aftertaste

TriCare CHEWABLE with Twist-off

INDICATIONS AND USAGE: TriCare Prenatal with Twist-off DHA Softgel is a prenatal vitamin and mineral supplement for pregnant and lactating women during the postpartum period to improve nutritional status.

CONTRAINDICATIONS: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

NOTICE: Contact with moisture may cause discoloration or erosion of the tablet.

ADVERSE REACTIONS: Allergic reactions have been reported following both oral and intravenous administration of folic acid.

DOSAGE: Two (2) chewable tablets daily or as directed by your healthcare provider.

ADMINISTRATION: Chew tablets with water, or swallow with a small amount of food.

HOW SUPPLIED: Child-resistant bottles containing 60 tablets and two (2) purple twist-off softgels.

STORE AT: Controlled room temperature (20° to 25°C).

TO REPORT: A serious adverse reaction, call 877-803-8239.

KEEP THIS AND ALL DRUGS OUT OF CHILDREN'S REACH.

Marketed by: Medecor Pharmaceuticals, Inc.

Patent Pending

TriCare Prenatal™ CHEWABLE TABLET

with Twist-off DHA Softgel

Daily dosage of two (2) purple twist-off softgels contains:

Essential Fatty Acids	
Fish Oil Concentrate	300 mg
DHA (Docosahexaenoic Acid)	75 mg
EPA (Eicosapentaenoic Acid)	150 mg
Other Omega 3's	

Fish oil is derived from Tuna.

FILL EXCIPIENTS: Coconut Oil-Fractionated, Lecithin, d-alpha-Tocopherol, as Vitamin E Preparation USP (This material contains vegetable oil 2.58 mg), TS-12550/ARTG 13165, Sucralose, Xylitol (This material may contain Galactose, Glucose, Sucrose, Invert sugar, Mannitol and Sorbitol), Citric Acid-Anhydrous, Orange Oil, Forest Fruits Flavor 17428994 / ARTG 11546

SOFTGEL SHELL INGREDIENTS: Gelatin, Cochineal, C175470 (This material contains Maltodextrin), Iron Oxide Black C177499, Titanium Dioxide, Glycerol, Water-Purified, Ink-White Opacode NSP-76-18022 / ARTG 3883

Daily Dosage of two (2) white film coated tablets contains:

Vitamins		% of Daily Value
Vitamin C (Ascorbic Acid)	60 mg	100%
Vitamin D3 (Cholecalciferol)	800 IU	200%
Vitamin E (d-alpha-tocopheryl acid succinate)	30 IU	100%
Vitamin B1 (Thiamine Mononitrate)	2.5 mg	167%
Vitamin B2 (Riboflavin)	17 mg	100%
Vitamin B3 (Niacinamide)	20 mg	100%
Vitamin B6 (Pyridoxine HCl)	5 mg	250%
Folate (L-Methylfolate)	2 mg	500%
Vitamin B12 (Cyanocobalamin)	250 mcg	4167%
Biotin (D-Biotin)	300mcg	100%
Vitamin B5 (D-Calcium Pantothenate)	10 mg	100%

Minerals		% of Daily Value
Iron (Ferric Pyrophosphate)	9 mg	50%
Zinc (Zinc Citrate)	14 mg	93%
Selenium (Sodium Selenite)	65 mcg	93%
Copper (Copper Gluconate)	2 mg	100%
Manganese (Manganese Citrate)	2 mg	100%
Chromium (Chromium Chloride)	120 mcg	100%
Molybdenum (Sodium Molybdate)	75 mcg	100%

OTHER INGREDIENTS: Mannitol, Croscollonine, Polyvinyl acetate, Fruit Punch flavor natural and artificial, Magnesium stearate, Sucralose, Povidone.

TriCare Prenatal™
PrenatalChewables.com

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient.

PRECAUTIONS: Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

WARNING: Ingestion of more than 3 grams of Omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have inherited or acquired predisposition to bleeding.



LOT #:

EXP:

TriCare Prenatal™ CHEWABLE TABLET

with Twist-off DHA Softgel

2-Part Daily Prenatal Vitamin System

1

Tablet with 18 Essential
Vitamins and Minerals

Chewable / Smoothly
Dissolves in Mouth

2

Daily Dosage of Twist-Off Softgel
contains 300mg of Ultra Pure DHA

Pleasant and Appealing Fruit Flavor
with No Fishy Aftertaste

PrenatalChewables.com

Rx Only

NDC 67112-502-60



TriCare Prenatal™ PrenatalChewables.com

DESCRIPTION: Daily Dosage of two (2) white tablets contains:

Vitamins	% of Daily Value
Vitamin C (Ascorbic Acid)	60 mg 100%
Vitamin D3 (Cholecalciferol)	800 IU 200%
Vitamin E (d-alpha-tocopheryl acid succinate)	30 IU 100%
Vitamin B1 (Thiamine Mononitrate)	2.5 mg 167%
Vitamin B2 (Riboflavin)	1.7 mg 100%
Vitamin B3 (Niacinamide)	20 mg 100%
Vitamin B6 (Pyridoxine HCl)	5 mg 250%
Folate (L-Methylfolate)	2 mg 500%
Vitamin B12 (Cyanocobalamin)	250 mcg 4167%
Biotin (D-Biotin)	300mcg 100%
Vitamin B5 (D-Calcium Pantothenate)	10 mg 100%

Minerals	% of Daily Value
Iron (Ferric Pyrophosphate) (Sun Active Fe)	9 mg 50%
Zinc (Zinc Citrate)	14 mg 93%
Selenium (Sodium Selenite)	65 mcg 93%
Copper (Copper Gluconate)	2 mg 100%
Manganese (Manganese Citrate)	2 mg 100%
Chromium (Chromium Chloride)	120 mcg 100%
Molybdenum (Sodium Molybdate)	75 mcg 100%

OTHER INGREDIENTS: Mannitol, Crospovidone, Polyvinyl acetate, Fruit Punch flavor natural, and artificial, Magnesium stearate, Sucralose, Povidone.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient.

PRECAUTIONS: Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

INDICATIONS AND USAGE: TriCare Prenatal™ Chewable Tablets are indicated to provide vitamin and mineral supplementation throughout pregnancy and during the postnatal period for both the lactating and non-lactating mother. It is also useful for improving nutritional status prior to conception.

CONTRAINDICATIONS: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

NOTICE: Contact with moisture may produce surface discoloration or erosion of the tablets.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE: Two (2) chewable tablets daily or as directed by a physician.

ADMINISTRATION: Chew tablets before swallowing. Daily dosage should be taken after eating food.

HOW SUPPLIED: TriCare Prenatal™ Chewable Tablets are supplied in a child-resistant bottle of 60 white chewable tablets. Each tablet is embossed MP 201. (NDC 67112-201-60)

Store at controlled room temperature, 15°-30°C (59°-86°F).

TO REPORT a serious adverse event or obtain product information, call 877-903-8235.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

Marketed by: Medecor Pharma, LLC, Baton Rouge, LA

Patent Pending



3 67112 20160 3

Lot: Exp:

TriCare Prenatal™ PrenatalChewables.com

DESCRIPTION: Daily dosage of two (2) purple twist-off softgels contains:

Essential Fatty Acids	
Fish Oil Concentrate	
DHA (Docosahexaenoic Acid)	300 mg
EPA (Eicosapentaenoic Acid)	75 mg
Other Omega 3's	150 mg

Fish oil is derived from Tuna.

FILL EXCIPIENTS: Coconut Oil-Fractionated, Lecithin, d-alpha-tocopherol, as Vitamin E Preparation USP (This material contains vegetable oil 1.58 mg), 15-12550/ARTG 13165, Sucralose, Xylitol (This material may contain Galactose, Glucose, Sucrose, Invert sugar, Mannitol and Sorbitol), Citric Acid-Anhydrous, Orange Oil, Forest Fruits Flavor 17428994 / ARTG 11546

SOFTGEL SHELL INGREDIENTS: Gelatin, Cochineal C175470 (This material contains Maltodextrin), Iron Oxide Black C177499, Titanium Dioxide, Glycerol, Water-Purified, Ink-White Opacode NSP-78-18022 / ARTG 3883

WARNING: Ingestion of more than 3 grams of Omega-3 fatty acids (such as DHA) per day has been shown to have potential, antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have inherited or acquired predisposition to bleeding.

INDICATIONS AND USAGE: TriCare Prenatal™ Twist-off DHA softgels are indicated to provide vitamin and mineral supplementation throughout pregnancy and during the postnatal period for both the lactating and non-lactating mother. It is also useful for improving nutritional status prior to conception.

CONTRAINDICATIONS: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

NOTICE: Contact with moisture may produce surface discoloration or erosion of the twist-off softgels.

DOSAGE: Two (2) twist-off softgels daily or as directed by a physician.

ADMINISTRATION: Twist small end off from softgel and squeeze contents directly into mouth or into juice to drink.

HOW SUPPLIED: TriCare Prenatal™ Twist-off DHA softgels are supplied in a child-resistant bottle of 60 purple twist-off softgels. Each Twist-off softgel is marked MP 802. (NDC 67112-802-60)

Store at controlled room temperature, 15°-30°C (59°-86°F).

TO REPORT a serious adverse event or obtain product information, call 877-903-8235.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

Marketed by: Medecor Pharma, LLC, Baton Rouge, LA

Patent Pending



3 67112 80260 2

Lot: Exp:

TRICARE PRENATAL 2-PART DAILY PRENATAL VITAMIN SYSTEM

18 essential vitamins and minerals, ultra pure dha kit

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:67112-502
---------------------	-------------------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67112-502-60	1 in 1 BOX	05/10/2016	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	0 BOTTLE	1
Part 2	1 BOTTLE	1

Part 1 of 2

TRICARE PRENATAL TWIST-OFF DHA SOFT QUICK DISSOLVE

dha, epa, other omega-3s capsule, gelatin coated

Product Information

Item Code (Source)	NHRIC:67112-802
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCONEXENT (UNII: ZAD9OKH9JC) (DOCONEXENT - UNII:ZAD9OKH9JC)	DOCONEXENT	150
ICOSAPENT (UNII: AAN7QOV9EA) (ICOSAPENT - UNII:AAN7QOV9EA)	ICOSAPENT	37.5
OMEGA-3 FATTY ACIDS (UNII: 71M78END5S) (OMEGA-3 FATTY ACIDS - UNII:71M78END5S)	OMEGA-3 FATTY ACIDS	75

Inactive Ingredients

Ingredient Name	Strength
GELATIN (UNII: 2G86QN327L)	
COCHINEAL (UNII: TZ8Z31B35M)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
COCONUT OIL (UNII: Q9L0O73W7L)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XYLITOL (UNII: VCQ006KQ1E)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
ORANGE OIL (UNII: AKN3KSD11B)	

Product Characteristics

Color	purple	Score	no score
Shape	CAPSULE	Size	9mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:67112-802-60	60 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		05/10/2016	

Part 2 of 2

TRICARE PRENATAL QUICK DISSOLVE

18 essential vitamins and minerals tablet, chewable

Product Information

Item Code (Source)	NHRIC:67112-201
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	30 mg
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	400 [iU]
.ALPHA.-TOCOPHEROL SUCCINATE, D- (UNII: LU4B53JYVE) (.ALPHA.-TOCOPHEROL, D- - UNII:N9PR3490H9)	.ALPHA.-TOCOPHEROL SUCCINATE, D-	15 [iU]
THIAMINE MONONITRATE (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	1.25 mg
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	.85 mg
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	10 mg
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1B16Z)	PYRIDOXINE	2.5 mg
LEVOMEFOLIC ACID (UNII: 8S95DH25XC) (LEVOMEFOLIC ACID - UNII:8S95DH25XC)	LEVOMEFOLIC ACID	1 mg
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	.125 mg
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	.150 mg
CALCIUM PANTOTHENATE (UNII: 568ET80C3D) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	5 mg
FERRIC PYROPHOSPHATE (UNII: QK8899250F) (FERRIC CATION - UNII:9I04LML611)	FERRIC CATION	4.5 mg
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	7 mg
SODIUM SELENITE (UNII: HIW548RQ3W) (SELENITE ION - UNII:KXO0259XJ1)	SODIUM SELENITE	.0325 mg
COPPER GLUCONATE (UNII: RV823G6G67) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	1 mg
MANGANESE CITRATE DECAHYDRATE (UNII: 4Z2OA6A13N) (MANGANESE CATION (2+) - UNII:H6EP7W5457)	MANGANESE CITRATE DECAHYDRATE	1 mg
CHROMIC CHLORIDE CR-51 (UNII: U4M5Y13FGM) (CHROMIUM CR-51 - UNII:9QAU17N705)	CHROMIC CHLORIDE CR-51	.060 mg
SODIUM MOLYBDATE (UNII: 948QAQ08I1) (MOLYBDATE ION - UNII:O0L10E6352)	SODIUM MOLYBDATE	.0375 mg

Inactive Ingredients	
Ingredient Name	Strength
MANNITOL (UNII: 3OWL53L36A)	
CROSPVIDONE (UNII: 2S7830E561)	
POLYVINYL ACETATE (UNII: 32K497ZK2U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
POVIDONE (UNII: FZ989GH94E)	

Product Characteristics			
Color	white	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:67112-201-60	1 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		03/21/2013	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/10/2016	

Labeler - Medecor Pharma, LLC (830621046)